Product data sheet

Specifications

All in One, QO, 200A, Tunnel Kit for overhead service

SCTK30

Product availability: Stock - Normally stocked in distribution facility

Complementary

Type of Installation	Outdoor
Height	4.44 in (112.78 mm)
Width	23.566 in (598.576 mm)
Depth	3.202 in (81.331 mm)

Ordering and shipping details

Category	US1DE3A00123
Discount Schedule	DE3A
GTIN	785901390756
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.80 in (9.652 cm)
Package 1 Width	7.20 in (18.288 cm)
Package 1 Length	26.20 in (66.548 cm)
Package weight(Lbs)	3.179 lb(US) (1.442 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	100
Package 2 Height	40.00 in (101.6 cm)
Package 2 Width	40.00 in (101.6 cm)
Package 2 Length	48.00 in (121.92 cm)
Package 2 Weight	324.291 lb(US) (147.096 kg)

Contractual warranty

Warranty	18 months

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative

MFG Model Number
SCTK30
Accommodates overhead service feed applications
Compatible with select Square D CSEDs
UL listed and ANSI Certified

4.44 in.
23.566 in.
3.202 in.
MFG Model Number
SCTK30

Compatible products
CSED Tunnel Kit
MFG Model Number: SCTK30
Compatible with SC3040M200F, SC3040M225F, SC3042200PF, and SC3042M225PF All-in-Ones