Product data sheet

Specifications

Airing grille cut-out diameter 19mm IP45

NSYCAG19LP

Main

Range	ClimaSys
Product	ClimaSys CA
Range compatibility	Thalassa Thalassa PLS Thalassa Thalassa PLM Thalassa Thalassa TBS
Product or component type	Plastic ventilation louvre
Accessory / separate part category	Thermal management accessory
Accessory / separate part destination	ClimaSys ventilation system
Mounting position	Vertical
fixing mode	By screws
Device composition	2 plastic louvre

Complementary

Material	Polyamide 6
Colour	Grey (RAL 7035)
Cut-out dimensions	19 mm
Height	External: 30 mm
Width	External: 23.5 mm
Depth	External : 22 mm
IP degree of protection	IP45

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.000 cm
Package 1 Width	4.000 cm
Package 1 Length	4.000 cm
Package 1 Weight	7.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	2
Package 2 Height	2.000 cm
Package 2 Width	8.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Length	8.000 cm
Package 2 Weight	14.000 g
Unit Type of Package 3	CAR
Number of Units in Package 3	300
Package 3 Height	19.000 cm
Package 3 Width	24.000 cm
Package 3 Length	35.000 cm
Package 3 Weight	2.100 kg

Contractual warranty

Warranty	18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Pro-active compliance (Product out of EU RoHS legal scope)**
REACh Regulation	**REACh Declaration**

Use Again

Repack and remanufacture

End of life manual availability	**No need of specific recycling operations**
Take-back	**No**

Image of product / Alternate images

Alternative