Product data sheet

Specifications

Circuit breaker accessory, PowerPacT M/P, lug kit, 250A, compression, aluminium

YA250P3

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	PowerPact M PowerPact P
Product or Component Type	Mechanical lug
Accessory / separate part category	Connection accessory
Quantity per Set	Set of 1

Complementary

Line Rated Current	250 A
Material	Aluminium
Mounting Mode	Unit mount Compression
AWG gauge	AWG 2/0...300 kcmil aluminium/copper
Tightening torque	247.8 lbf.in (28 N.m) 0.1…0.2 in² (70…150 mm²) (AWG 2/0...300 kcmil)

Environment

Product Certifications	UL CSA

Ordering and shipping details

Category	US10DE201250
Discount Schedule	0DE2
GTIN	3606486281338
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.44 in (11.273 cm)
Package 1 Width	4.94 in (12.543 cm)
Package 1 Length	6.50 in (16.51 cm)
Package weight(Lbs)	27.200 oz (771.107 g)

Contractual warranty

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Warranty	18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
California proposition 65	**WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov**
PVC free	**Yes**

Use Again

Repack and remanufacture

Take-back	**No**