IEC IECEE CB SCHEME	Ref. Certif. No. **ES1688**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE CERTIFICATS D'ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE CERTIFICAT D'ESSAI OC

Product Produit	RESIDUAL CURRENT OPERATED CIRCUIT-BREAKER WITHOUT INTEGRAL OVERCURRENT PROTECTION (RCCB'S)
Name and address of the applicant Nom et adresse du demandeur	SCHNEIDER ELECTRIC INDUSTRIES SAS Electropole 38EQI Eybens - 31 Rue Pierre Mendes France 30050 (Grenoble Cedex 9 - France)
Name and address of the manufacturer Nom et adresse du fabricant	SCHNEIDER ELECTRIC ESPAÑA, S.A. CM Barranquet, 57 46133 MELIANA (Valencia -Spain)
Name and address of the factory Nom et adresse de l'usine	SAME AS ABOVE
Note: *When more than one factory, please report on page 2* Note: *Lorsque il y plus d'une usine, veuillez utiliser la 2ème page*	☒ Additional Information on page 2
Ratings and principal characteristics Valeurs nominales et caractéristiques principales	See Annex
Trademark (if any) Marque de fabrique (si elle existe)	Schneider Electric
Type of Manufacturer's Testing Laboratories used Type de programme du laboratoire d'essais constructeur	AENOR-001/CTF STAGE 2
Model / Type Ref. Ref. De type	Commercial name "RCCB Multi 9 Monoconnect" See references on the Annex
Additional information (if necessary may also be reported on page 2) Les informations complémentaires (si nécessaire,, peuvent être indiqués sur la 2ème page	☒ Additional Information on page 2
A sample of the product was tested and found to be in conformity with Un échantillon de ce produit a été essayé et a été considéré conforme à la	IEC 61008-1:2010+A1:2012+A2:2013 IEC 61008-2-1:1990
As shown in the Test Report Ref. No. which forms part of this Certificate Comme indiqué dans le Rapport d'essais numéro de référence qui constitue partie de ce Certificat	From GS83/15 to GS105/15 and GS127/15

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**

ASOCIACIÓN ESPAÑOLA DE NORMALIZACIÓN Y CERTIFICACIÓN (AENOR)
Cl Génova, 6
ES-28004 MADRID (SPAIN)

AENOR Asociación Española de Normalización y Certificación

Date: 2015-12-22

Signature: Avelino BRITO
Chief Executive Officer

Issued 2009-11

Ref. Certif. No.

ES1688

Factory Information

SCHNEIDER ELECTRIC INDIA PRIVATE LIMITED
Nº 172, Poonamalle Bye pass road, Poonamallee
CHENNAI 600056 (INDIA)

SCHNEIDER ELECTRIC ARGENTINA S.A.
AVDA GRAL SAN MARTIN 5020. PCIA BUENOS AIRES
ARGENTINA ZIP: B1604CDY

Additional information (if necessary)
Information complémentaire (si nécessaire)

ASOCIACIÓN ESPAÑOLA DE NORMALIZACIÓN Y CERTIFICACIÓN (AENOR)
Cl Génova, 6
ES-28004 MADRID (SPAIN)

Date: 2015-12-22

AENOR Asociación Española de Normalización y Certificación

Signature: Avelino BRITO
Chief Executive Officer

Issued 2007-04

ANNEX TO CB CERTIFICATE Nº ES1688

RESIDUAL CURRENT OPERATED CIRCUIT-BREAKER WITHOUT INTEGRAL OVERCURRENT PROTECTION (RCCB'S)

Trade mark: Schneider Electric

Type Ref.	No. of poles	Rated current	Rated voltage	Rated residual current	Frequency	IΔm	Im	Inc	IΔc	Type	Additional information
IDSM2P2530A	2P	25A	230/240V	30mA	50Hz	2500A	1500A	10000A	10000A	A	(2) (4)
IDSM2P2530AC	2P	25A	230/240V	30mA	50Hz	630A	630A	10000A	10000A	AC	(1) (3)
IDSM2P2530ACW	2P	25A	230/240V	30mA	50Hz	630A	630A	10000A	10000A	AC	(1) (3) (7)
IDSM2P2530ASI	2P	25A	230/240V	30mA	50Hz	2500A	1500A	10000A	10000A	A	(2) (4)
IDSM2P2530ASIW	2P	25A	230/240V	30mA	50Hz	2500A	1500A	10000A	10000A	A	(2) (4) (7)
IDSM2P2530AW	2P	25A	230/240V	30mA	50Hz	2500A	1500A	10000A	10000A	A	(2) (4) (7)
IDSM2P25300AC	2P	25A	230/240V	300mA	50Hz	630A	630A	10000A	10000A	AC	(1) (3)
IDSM2P25300ACW	2P	25A	230/240V	300mA	50Hz	630A	630A	10000A	10000A	AC	(1) (3) (7)
IDSM2P25300SASI	2P	25A	230/240V	300mA	50Hz	630A	630A	10000A	10000A	A-S	(2) (4)
IDSM2P25300SASIW	2P	25A	230/240V	300mA	50Hz	630A	630A	10000A	10000A	A-S	(2) (4) (7)
IDSM2P4030A	2P	40A	230/240V	30mA	50Hz	2500A	1500A	10000A	10000A	A	(2) (4)
IDSM2P4030AC	2P	40A	230/240V	30mA	50Hz	630A	630A	10000A	10000A	AC	(1) (3)
IDSM2P4030ACW	2P	40A	230/240V	30mA	50Hz	630A	630A	10000A	10000A	AC	(1) (3) (7)
IDSM2P4030ASI	2P	40A	230/240V	30mA	50Hz	2500A	1500A	10000A	10000A	A	(2) (4)
IDSM2P4030ASIW	2P	40A	230/240V	30mA	50Hz	2500A	1500A	10000A	10000A	A	(2) (4) (7)
IDSM2P4030AW	2P	40A	230/240V	30mA	50Hz	2500A	1500A	10000A	10000A	A	(2) (4) (7)
IDSM2P40300AC	2P	40A	230/240V	300mA	50Hz	630A	630A	10000A	10000A	AC	(1) (3)
IDSM2P40300ACW	2P	40A	230/240V	300mA	50Hz	630A	630A	10000A	10000A	AC	(1) (3) (7)
IDSM2P40300SASI	2P	40A	230/240V	300mA	50Hz	630A	630A	10000A	10000A	A-S	(2) (4)
IDSM2P40300SASIW	2P	40A	230/240V	300mA	50Hz	630A	630A	10000A	10000A	A-S	(2) (4) (7)
IDSM2P6330A	2P	63A	230/240V	30mA	50Hz	2500A	1500A	10000A	10000A	A	(2) (4)
IDSM2P6330AC	2P	63A	230/240V	30mA	50Hz	2500A	1500A	10000A	10000A	AC	(2) (4)
IDSM2P6330ACW	2P	63A	230/240V	30mA	50Hz	2500A	1500A	10000A	10000A	AC	(2) (4) (7)
IDSM2P6330AC-1	2P	63A	230/240V	30mA	50Hz	630A	630A	10000A	10000A	AC	(2) (4)
IDSM2P6330AC-1W	2P	63A	230/240V	30mA	50Hz	630A	630A	10000A	10000A	AC	(2) (4) (7)
IDSM2P6330AC-2	2P	63A	230/240V	30mA	50Hz	630A	630A	3000A	3000A	AC	(2) (4) (5)
IDSM2P6330AC-2W	2P	63A	230/240V	30mA	50Hz	630A	630A	3000A	3000A	AC	(2) (4) (5) (7)
IDSM2P6330AC-3	2P	63A	230/240V	30mA	50Hz	630A	630A	3000A	3000A	AC	(2) (4) (6)
IDSM2P6330AC-3W	2P	63A	230/240V	30mA	50Hz	630A	630A	3000A	3000A	AC	(2) (4) (6) (7)
IDSM2P6330ASI	2P	63A	230/240V	30mA	50Hz	2500A	1500A	10000A	10000A	A	(2) (4)
IDSM2P6330ASIW	2P	63A	230/240V	30mA	50Hz	2500A	1500A	10000A	10000A	A	(2) (4) (7)
IDSM2P6330AW	2P	63A	230/240V	30mA	50Hz	2500A	1500A	10000A	10000A	A	(2) (4) (7)
IDSM2P6330A-1	2P	63A	230/240V	30mA	50Hz	630A	630A	3000A	3000A	A	(2) (4) (5)
IDSM2P6330A-1W	2P	63A	230/240V	30mA	50Hz	630A	630A	3000A	3000A	A	(2) (4) (5) (7)
IDSM2P63300AC	2P	63A	230/240V	300mA	50Hz	630A	630A	10000A	10000A	AC	(2) (3)
IDSM2P63300ACW	2P	63A	230/240V	300mA	50Hz	630A	630A	10000A	10000A	AC	(2) (3) (7)
IDSM2P63300AC-1	2P	63A	230/240V	300mA	50Hz	630A	630A	3000A	3000A	AC	(2) (3) (6)
IDSM2P63300AC-1W	2P	63A	230/240V	300mA	50Hz	630A	630A	3000A	3000A	AC	(2) (3) (6) (7)
IDSM2P63300SASI	2P	63A	230/240V	300mA	50Hz	630A	630A	10000A	10000A	A-S	(2) (4)
IDSM2P63300SASIW	2P	63A	230/240V	300mA	50Hz	630A	630A	10000A	10000A	A-S	(2) (4) (7)
IDSM2P8030AC	2P	80A	230/240V	30mA	50Hz	800A	800A	10000A	10000A	AC	(2) (4)
IDSM2P8030ACW	2P	80A	230/240V	30mA	50Hz	800A	800A	10000A	10000A	AC	(2) (4) (7)
IDSM2P80300AC	2P	80A	230/240V	300mA	50Hz	800A	800A	10000A	10000A	AC	(2) (3)
IDSM2P80300ACW	2P	80A	230/240V	300mA	50Hz	800A	800A	10000A	10000A	AC	(2) (3) (7)
IDSM4P25100AC	4P	25A	400/415V	100mA	50Hz	500A	500A	3000A	3000A	AC	(1) (3) (6)
IDSM4P25100ACW	4P	25A	400/415V	100mA	50Hz	500A	500A	3000A	3000A	AC	(1) (3) (6) (7)
IDSM4P2530A	4P	25A	400/415V	30mA	50Hz	1500A	1500A	10000A	10000A	A	(2) (4)
IDSM4P2530AC	4P	25A	400/415V	30mA	50Hz	630A	630A	10000A	10000A	AC	(1) (3)
IDSM4P2530ACW	4P	25A	400/415V	30mA	50Hz	630A	630A	10000A	10000A	AC	(1) (3) (7)
IDSM4P2530AC-1	4P	25A	400/415V	30mA	50Hz	500A	500A	3000A	3000A	AC	(1) (3) (6)
IDSM4P2530AC-1W	4P	25A	400/415V	30mA	50Hz	500A	500A	3000A	3000A	AC	(1) (3) (6) (7)
IDSM4P2530ASI	4P	25A	400/415V	30mA	50Hz	1500A	1500A	10000A	10000A	A	(2) (4)
IDSM4P2530ASIW	4P	25A	400/415V	30mA	50Hz	1500A	1500A	10000A	10000A	A	(2) (4) (7)
IDSM4P2530AW	4P	25A	400/415V	30mA	50Hz	1500A	1500A	10000A	10000A	A	(2) (4) (7)
IDSM4P25300AC	4P	25A	400/415V	300mA	50Hz	630A	630A	10000A	10000A	AC	(1) (3)

AENOR Asociación Española de Normalización y Certificación

ANNEX TO CB CERTIFICATE Nº ES1688

Type Ref.	No. of poles	Rated current	Rated voltage	Rated residual current	Frequency	IΔm	Im	Inc	IΔc	Type	Additional information
IDSM4P25300ACW	4P	25A	400/415V	300mA	50Hz	630A	630A	10000A	10000A	AC	(1) (3) (7)
IDSM4P25300SASI	4P	25A	400/415V	300mA	50Hz	630A	630A	10000A	10000A	A-S	(2) (4)
IDSM4P25300SASIW	4P	25A	400/415V	300mA	50Hz	630A	630A	10000A	10000A	A-S	(2) (4) (7)
IDSM4P40100AC	4P	40A	400/415V	100mA	50Hz	500A	500A	3000A	3000A	AC	(2) (3) (6)
IDSM4P40100ACW	4P	40A	400/415V	100mA	50Hz	500A	500A	3000A	3000A	AC	(2) (3) (6) (7)
IDSM4P4030A	4P	40A	400/415V	30mA	50Hz	1500A	1500A	10000A	10000A	A	(2) (4)
IDSM4P4030AC	4P	40A	400/415V	30mA	50Hz	630A	630A	10000A	10000A	AC	(2) (3)
IDSM4P4030ACW	4P	40A	400/415V	30mA	50Hz	630A	630A	10000A	10000A	AC	(2) (3) (7)
IDSM4P4030AC-1	4P	40A	400/415V	30mA	50Hz	500A	500A	3000A	3000A	AC	(2) (3) (6)
IDSM4P4030AC-1W	4P	40A	400/415V	30mA	50Hz	500A	500A	3000A	3000A	AC	(2) (3) (6) (7)
IDSM4P4030ASI	4P	40A	400/415V	30mA	50Hz	1500A	1500A	10000A	10000A	A	(2) (4)
IDSM4P4030ASIW	4P	40A	400/415V	30mA	50Hz	1500A	1500A	10000A	10000A	A	(2) (4) (7)
IDSM4P4030AW	4P	40A	400/415V	30mA	50Hz	1500A	1500A	10000A	10000A	A	(2) (4) (7)
IDSM4P40300AC	4P	40A	400/415V	300mA	50Hz	630A	630A	10000A	10000A	AC	(2) (3)
IDSM4P40300ACW	4P	40A	400/415V	300mA	50Hz	630A	630A	10000A	10000A	AC	(2) (3) (7)
IDSM4P40300AC-1	4P	40A	400/415V	300mA	50Hz	500A	500A	3000A	3000A	AC	(2) (3) (6)
IDSM4P40300AC-1W	4P	40A	400/415V	300mA	50Hz	500A	500A	3000A	3000A	AC	(2) (3) (6) (7)
IDSM4P40300SASI	4P	40A	400/415V	300mA	50Hz	630A	630A	10000A	10000A	A-S	(2) (4)
IDSM4P40300SASIW	4P	40A	400/415V	300mA	50Hz	630A	630A	10000A	10000A	A-S	(2) (4) (7)
IDSM4P63100AC	4P	63A	400/415V	100mA	50Hz	630A	630A	3000A	3000A	AC	(2) (3) (6)
IDSM4P63100ACW	4P	63A	400/415V	100mA	50Hz	630A	630A	3000A	3000A	AC	(2) (3) (6) (7)
IDSM4P6330A	4P	63A	400/415V	30mA	50Hz	1500A	1500A	10000A	10000A	A	(2) (4)
IDSM4P6330AC	4P	63A	400/415V	30mA	50Hz	630A	630A	10000A	10000A	AC	(2) (4)
IDSM4P6330ACW	4P	63A	400/415V	30mA	50Hz	630A	630A	10000A	10000A	AC	(2) (4) (7)
IDSM4P6330AC-1	4P	63A	40/415V	30mA	50Hz	630A	630A	3000A	3000A	AC	(2) (4) (6)
IDSM4P6330AC-1W	4P	63A	40/415V	30mA	50Hz	630A	630A	3000A	3000A	AC	(2) (4) (6) (7)
IDSM4P6330ASI	4P	63A	400/415V	30mA	50Hz	1500A	1500A	10000A	10000A	A	(2) (4)
IDSM4P6330ASIW	4P	63A	400/415V	30mA	50Hz	1500A	1500A	10000A	10000A	A	(2) (4) (7)
IDSM4P6330AW	4P	63A	400/415V	30mA	50Hz	1500A	1500A	10000A	10000A	A	(2) (4) (7)
IDSM4P63300AC	4P	63A	400/415V	300mA	50Hz	630A	630A	10000A	10000A	AC	(2) (3)
IDSM4P63300ACW	4P	63A	400/415V	300mA	50Hz	630A	630A	10000A	10000A	AC	(2) (3) (7)
IDSM4P63300AC-1	4P	63A	400/415V	300mA	50Hz	630A	630A	3000A	3000A	AC	(2) (3) (6)
IDSM4P63300AC-1W	4P	63A	400/415V	300mA	50Hz	630A	630A	3000A	3000A	AC	(2) (3) (6) (7)
IDSM4P63300SASI	4P	63A	400/415V	300mA	50Hz	630A	630A	10000A	10000A	A-S	(2) (4)
IDSM4P63300SASIW	4P	63A	400/415V	300mA	50Hz	630A	630A	10000A	10000A	A-S	(2) (4) (7)
IDSM4P8030A	4P	80A	400/415V	30mA	50Hz	1500A	1500A	10000A	10000A	A	(2) (4)
IDSM4P8030AC	4P	80A	400/415V	30mA	50Hz	800A	800A	10000A	10000A	AC	(2) (4)
IDSM4P8030ACW	4P	80A	400/415V	30mA	50Hz	800A	800A	10000A	10000A	AC	(2) (4) (7)
IDSM4P8030ASI	4P	80A	400/415V	30mA	50Hz	1500A	1500A	10000A	10000A	A	(2) (4)
IDSM4P8030ASIW	4P	80A	400/415V	30mA	50Hz	1500A	1500A	10000A	10000A	A	(2) (4) (7)
IDSM4P8030AW	4P	80A	400/415V	30mA	50Hz	1500A	1500A	10000A	10000A	A	(2) (4) (7)
IDSM4P80300AC	4P	80A	400/415V	300mA	50Hz	800A	800A	10000A	10000A	AC	(2) (3)
IDSM4P80300ACW	4P	80A	400/415V	300mA	50Hz	800A	800A	10000A	10000A	AC	(2) (3) (7)

Additional information

(1) Output terminal in Steel with tin coating Sn5
(2) Output terminal in Copper with tin coating Sn5
(3) -5/40°C
(4) -25/40°C
(5) Test button: white ; Toggle: light grey & shape 2
(6) Test button: white ; Toggle: orange & shape 1
(7) Products with white cover and white base (rest of references made with grey enclosures

AENOR Asociación Española de Normalización y Certificación