# Product data sheet

Specifications



## protection module, Harmony Electromechanical Relays, with RC circuit, for all RUM sockets, 6...250V DC

RUW241P7

**Product availability: Stock - Normally stocked in distribution facility**

## Main

| | |
|---|---|
| **Range of Product** | Harmony Electromechanical Relays |
| **Accessory / separate part category** | Protection accessories |
| **Product or Component Type** | Protection module |
| **Accessory / separate part designation** | RC circuit |
| **Product compatibility** | Socket RPZ 3 C/O)<br>Socket RPZ 4 C/O)<br>Socket RUZ 2 C/O)<br>Socket RUZ 3 C/O) |
| **Product Destination** | RPM relay<br>RUM relay |
| **[Uc] control circuit voltage** | 110...240 V AC |
| **Sale per indivisible quantity** | 10 |

## Complementary

| | |
|---|---|
| **Net Weight** | 0.009 lb(US) (0.004 kg) |

## Ordering and shipping details

| | |
|---|---|
| **Category** | US10CP221128 |
| **Discount Schedule** | 0CP2 |
| **GTIN** | 3389119403337 |
| **Returnability** | Yes |
| **Country of origin** | CN |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Nbr. of units in pkg.** | 1 |
| **Package 1 Height** | 0.394 in (1.000 cm) |
| **Package 1 Width** | 1.358 in (3.450 cm) |
| **Package 1 Length** | 1.417 in (3.600 cm) |
| **Package weight(Lbs)** | 0.141 oz (4.000 g) |
| **Unit Type of Package 2** | BB1 |
| **Number of Units in Package 2** | 10 |

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Package 2 Height** | 1.575 in (4.000 cm) |
| **Package 2 Width** | 3.150 in (8.000 cm) |
| **Package 2 Length** | 3.937 in (10.000 cm) |
| **Package 2 Weight** | 1.728 oz (49.000 g) |
| **Unit Type of Package 3** | S01 |
| **Number of Units in Package 3** | 300 |
| **Package 3 Height** | 5.906 in (15.000 cm) |
| **Package 3 Width** | 5.906 in (15.000 cm) |
| **Package 3 Length** | 15.748 in (40.000 cm) |
| **Package 3 Weight** | 4.156 lb(US) (1.885 kg) |

## Contractual warranty

| | |
|---|---|
| **Warranty** | 18 months |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

### Environmental footprint

| | |
|---|---|
| Carbon footprint (kg CO2 eq, Total Life cycle) | 1 |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| REACh Regulation | REACh Declaration |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Circularity Profile | No need of specific recycling operations |
| Take-back | No |

Connections and Schema

**Wiring Diagram**