

CERTIFICATE OF COMPLIANCE

Certificate Number 20160527-E10514
Report Reference E10514-20050809
Issue Date 2016-MAY-27

Issued to: KILLARK, DIV OF HUBBELL INC (DELAWARE)
3940 MARTIN LUTHER KING DR
ST LOUIS MO 63113

This is to certify that
representative samples of LUMINAIRE FITTINGS FOR USE IN HAZARDOUS
LOCATIONS and LUMINAIRES, MISCELLANEOUS,
MARINE
See Addendum Page.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 844, Luminaires for Use in Hazardous (Classified)
Locations
C22.2 No. 137-M1981, Electric Luminaires for Use in
Hazardous Locations
UL 1598 & C22.2 No. 250-0-08, Luminaires
UL 1598A, Supplemental Requirements For Luminaires For
Installation On Marine Vessels

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20160527-E10514
Report Reference E10514-20050809
Issue Date 2016-MAY-27

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

VM series Luminaire fittings for use in hazardous locations, Class I, Divisions 2, Groups A, B, C and D; Class II, Groups E, F, and G; Class III.

Also Listed under Complementary product category of Miscellaneous Marine outside (salt water) type Luminaires, (IGZR).

VM series Luminaire fittings for use in hazardous locations, Class I, Divisions 2, Groups A, B, C and D; Class II, Groups E, F, and G; Class III.

LUMINAIRE FITTINGS:

Optics – VMG17, VMG-17, VMR175, VMR171, VMG25, VMR255, VMR251, VMR253, VZRG1550, VZRG2520, VZRG2550, VMER40 and VMEP40

Guards – VMAG17, VMAG25S, VMRWG, VMRWG8 and VMERG

Reflectors – VMPSD40 and VMPA40

Mounting Splice Boxes – VMA2B, VMA3B, VMF2B, VMF3B, VMX2B, VMX3B, VMX6B, VMX7B, VMX8B, VMX9B, VMB2B, VMB3B, VMC2B, VMC3B, VMD4B, VMD5B, VMS4B, VMS5B, VMB10B, VMB8B and VMB810B

Ballast Tank Assembly – The following ballast tank assemblies are intended for use with the above Listed Fixture Fittings for Hazardous Locations. See Notes + for limitations.

Series VM3S, followed by 05, 07, 10 or 15; followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or 15. May be followed by IR, NR, BP, P # (1, 2 or 3), TB, Q# (1 thru 8), or F# (1 thru 8).

Series VM3H, followed by 07, 10, 15, 17, or 25; followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or 15. May be followed by IR, NR, BP, P # (1, 2 or 3), TB, Q# (1 thru 8), F# (1 thru 8).

Series VM3P; followed by 12, 15, 17 or 20; followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or 15. May be followed by IR, NR, BP, P # (1, 2 or 3), TB, Q# (1 thru 8), F# (1 thru 8).

Series VM3M; followed by 10, 17, or 25; followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or 15. May be followed by IR, NR, BP, P # (1, 2 or 3), TB, Q# (1 thru 8), F# (1 thru 8).

Series VM4S; followed by 05, 07, 10, or 15; followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or 15. May be followed by IR, NR, BP, P # (1, 2 or 3), TB, Q# (1 thru 8), F# (1 thru 8).



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20160527-E10514
Report Reference E10514-20050809
Issue Date 2016-MAY-27

Series VM4H; followed by 07, 10, 15, 17, or 25; followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or 15. May be followed by IR, NR, BP, P # (1, 2 or 3), TB, Q# (1 thru 8), F# (1 thru 8).

Series VM4P; followed by 12, 15, 17, or 20; followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or 15. May be followed by IR, NR, BP, P # (1, 2 or 3), TB, Q# (1 thru 8), F# (1 thru 8).

Series VM4M; followed by 10, 17, or 25; followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or 15. May be followed by IR, NR, BP, P # (1, 2 or 3), TB, Q# (1 thru 8), F# (1 thru 8).



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

