JUNO

Project:

Fixture Type:

Location:

Contact/Phone:

6″ DELUXE UNIVERSAL TC REMODEL HOUSING

INCANDESCENT LAMPS

TC2R

PRODUCT DESCRIPTION

TC Remodel Housing for remodel application where back side of ceiling is not accessible • Installs through an opening in the ceiling from below • Secured in place by factory installed remodel springs • Design for use in non-insulated areas • If installed where insulation is present, the insulation must be pulled back 3″ from all sides of the TC housing.

PRODUCT SPECIFICATIONS

Lamp Lamp ratings based on trim selected – see pages 3-4.

Socket Medium base porcelain with nickel-plated copper screw shell • Drop socket with spring to accommodate certain trim installation.

Trims Trim selection shown on pages 3-4.

Labels UL listed for through-branch wiring, damp locations and IP • Product thermally protected against improper use of lamps or insulation • Union made • UL and cUL listed • Trims 20, 21, 22, 239, 240, 241, 242, 243, 9000 and 9900 are wet location approved for covered ceiling applications • Trims 28, 29 are wet location approved for covered ceiling applications, **when used with outdoor rated lamps**.

Testing All reports are based on published industry procedures; field performance may differ from laboratory performance.

Specifications subject to change without notice.

INSTALLATION

Junction Box Pre-wired junction box, UL and cUL listed for through-branch wiring, maximum 4 No. 12 AWG 90˚ C branch circuit conductors (2 in, 2 out) • Junction box provided with removable access plate, (5) ½″ knockouts, (4) Non-metallic sheathed cable connectors and ground wire • Knockouts equipped with pryout slots.

Housing TC housing, 22-gauge white painted steel • Double stack adjustable feature enables remodel springs to accommodate up to 1¾″ ceiling thickness • Adjusts from 7¼″ max. height down to 5¼″ min. height.

DIMENSIONS





6 3/4″ CEILING CUTOUT

PRODUCT CODES

Catalog Number		Input Voltage	Lamp Rating
TC2R	6″ Incandescent Remodel Non-IC Housing	120V	A19/A21/BR30/BR40/MR16/PAR16/PAR20/PAR30/PAR30L/PAR38/R20/R30 (See pages 3-4 for max. trim rating)

Housing and trim can be ordered together or separate, but will always ship separately.

 ©2017 Acuity Brands Lighting, Inc.

6″ DELUXE UNIVERSAL TC REMODEL HOUSING

INCANDESCENT LAMPS

TC2R

TRIMS/LAMPS

	Catalog Number	Description	Max. Lamp Rating
‡	**23 BWH**	6″ Downlight Pinhole with Baffle Trim - Black Baffle, White Trim Ring	50W PAR20/R20
‡	**24 BWH**	6" Downlight Tapered Baffle Trim - Black Baffle, White Trim Ring	75W PAR30L, 65W BR30
**	**24 BSC**	6″ Downlight Tapered Baffle Trim - Black Baffle, Satin Chrome Trim Ring	
	24 BABZ	6" Downlight Tapered Baffle Trim - Black Baffle, Classic Aged Bronze Trim Ring	
	24 BBL	6" Downlight Tapered Baffle Trim - Black Baffle, Black Trim Ring	
	24 WWH	6" Downlight Tapered Baffle Trim - White Baffle, White Trim Ring	
	25 BWH	6″ Downlight Straight Baffle Trim - Black Baffle, White Trim Ring	85W BR40, 90W PAR38
**	**25 BSC**	6″ Downlight Straight Baffle Trim - Black Baffle, Satin Chrome Trim Ring	
	25 BABZ	6″ Downlight Straight Baffle Trim - Black Baffle, Classic Aged Bronze Trim Ring	
	25 BBL	6″ Downlight Straight Baffle Trim - Black Baffle, Black Trim Ring	
	25 WWH	6″ Downlight Straight Baffle Trim - White Baffle, White Trim Ring	
‡	**26 CWH**	6″ Downlight Straight Cone Trim - Clear Alzak®, White Trim Ring	90W PAR38, 85W BR40
**	**26 GWH**	6″ Downlight Straight Cone Trim - Gold, White Trim Ring	
	26 BWH	6″ Downlight Straight Cone Trim - Black, White Trim Ring	
	26 PTSC	6″ Downlight Straight Cone Trim - Pewter, Satin Chrome Trim Ring	
	26 WWH	6″ Downlight Straight Cone Trim - White, White Trim Ring	
	26 HZWH	6″ Downlight Straight Cone Trim - Haze, White Trim Ring	
	26 WHZWH	6″ Downlight Straight Cone Trim - Wheat Haze, White Trim Ring	
	27 CWH	6″ Downlight Tapered Cone Trim - Clear Alzak® Cone, White Trim Ring	75W PAR30L, 65W BR30
‡ **	**27 GWH**	6″ Downlight Tapered Cone Trim - Gold Cone, White Trim Ring	
	27 BWH	6″ Downlight Tapered Cone Trim - Black Cone, White Trim Ring	
	27 PTSC	6″ Downlight Tapered Cone Trim - Pewter Cone, Satin Chrome Trim Ring	
	27 WWH	6″ Downlight Tapered Cone Trim - White Cone, White Trim Ring	
	27 HZWH	6″ Downlight Tapered Cone Trim - Haze Cone, White Trim Ring	
	27 WHZWH	6″ Downlight Tapered Cone Trim - Wheat Haze Cone, White Trim Ring	
	27 WHZABZ	6″ Downlight Tapered Cone Trim - Wheat Haze Cone, Classic Aged Bronze Trim Ring	
	28 BWH ◆◆	6″ Downlight Ultra Trim Baffle Fully Enclosed Trim - Black Baffle, White Trim Ring	75W A19, 100W PAR38, 75W PAR30/30L,
	28 WWH ◆◆	6″ Downlight Ultra Trim Baffle Fully Enclosed Trim - White Baffle, White Trim Ring	85W BR30, 120W BR40
	29 CWH ◆◆	6″ Downlight Ultra Trim Cone Fully Enclosed Trim - Clear Cone, White Trim Ring	100W A19, 100W PAR38, 75W PAR30/30L,
	29 WWH ◆◆	6″ Downlight Ultra Trim Cone Fully Enclosed Trim - White Cone, White Trim Ring	85W BR30, 120W BR40
	230 CBWH	6″ Downlight Economy A-Lamp Reflector with Baffle Trim - Clear with Black, Black Trim Ring	100W A19
	230 CWWH	6″ Downlight Economy A-Lamp Reflector with Baffle Trim - Clear with White, White Trim Ring	
	232 CWH	6″ Downlight A-Lamp Reflector Trim - Clear Alzak®, White Trim Ring	100W A19, 150W A21
	232 GWH	6″ Downlight A-Lamp Reflector Trim - Gold Alzak®, White Trim Ring	100W A19, 150W A21
	232 WWH	6″ Downlight A-Lamp Reflector Trim - White, White Trim Ring	75W A19
	232 HZWH	6″ Downlight A-Lamp Reflector Trim - Haze, White Trim Ring	100W A19, 150W A21
	232 WHZWH	6″ Downlight A-Lamp Reflector Trim - Wheat Haze, White Trim Ring	100W A19, 150W A21
	233 CWH	6″ Downlight A-Lamp Reflector with Black Baffle Trim - Clear Alzak®, White Trim Ring	75W A19
‡ **	**244S BWH**	6″ Downlight Shallow Baffle Trim - Black Baffle, White Trim Ring	75W PAR30/30L, 65W BR30
	244S WWH	6″ Downlight Shallow Baffle Trim - White Baffle, White Trim Ring	
**	**247S CWH**	6" Downlight Shallow Cone Trim - Clear Alzak® Cone, White Trim Ring	75W PAR30/30L, 65W BR30
	247S GWH	6" Downlight Shallow Cone Trim - Gold Alzak® Cone, White Trim Ring	
	247S BWH	6" Downlight Shallow Cone Trim - Black Alzak® Cone, White Trim Ring	
	247S HZWH	6" Downlight Shallow Cone Trim - Haze Cone, White Trim Ring	
	247S WHZWH	6" Downlight Shallow Cone Trim - Wheat Haze Cone, White Trim Ring	
‡	**250 WH**	6″ Downlight Open Frame Trim - White	65W BR30
	250 SC	6″ Downlight Open Frame Trim - Satin Chrome	
	250 ABZ	6″ Downlight Open Frame Trim - Classic Aged Bronze	
	251 WH	6″ Downlight Open Frame Trim - White	120W BR40, 250W R40 Heat Lamp
**	**254 BWH**	6″ Downlight Deep Baffle Trim - Black Baffle, White Trim Ring	75W PAR30,
	254 WWH	6″ Downlight Deep Baffle Trim - White Baffle, White Trim Ring	100W PAR38

Trim Size: 7⅝″ O.D. (except Cat. Nos. 228, 229, 241, 9024 - 8″ O.D., Cat. No. 9702 - 7¾″ O.D.).

* Use dimmers specifically designed for low voltage magnetic transformers.

Alzak is a registered trademark of Alcoa Corp.
Note: In Canada when insulation is present, Type IC fixtures must be used.

‡ Trim may be used with TC2R housing adjusted in lowest (5¼″) height position.

◆ UL Listed for use in wet location.

◆◆ UL Listed for use in wet location with outdoor rated lamp.

** NOTE: TR6 Trim Ring compatible with 24, 25, 26, 27, 244S, 247S, 254, 257, 264, 267, 9900 trims.

 ©2017 Acuity Brands Lighting, Inc.

6″ DELUXE UNIVERSAL TC REMODEL HOUSING

INCANDESCENT LAMPS

TC2R

TRIMS/LAMPS (cont.)

	Catalog Number	Description	Max. Lamp Rating
**	**257 CWH**	6″ Downlight Deep Cone Trim - Clear Alzak® Cone, White Trim Ring	75W PAR30, 100W PAR38
	257 BWH	6″ Downlight Deep Cone Trim - Black Alzak® Cone, White Trim Ring	
	257 GWH	6″ Downlight Deep Cone Trim - Gold Alzak® Cone, White Trim Ring	
	257 HZWH	6″ Downlight Deep Cone Trim - Haze Cone, White Trim Ring	
	257 WHZWH	6″ Downlight Deep Cone Trim - Wheat Haze Cone, White Trim Ring	
	224 BWH	6″ Adjustable Gimbal Ring in Baffle Trim - Black Baffle, White Trim Ring	75W PAR38/3 Side Prong
	224 WWH	6″ Adjustable Gimbal Ring in Baffle Trim - White Baffle, White Trim Ring	
		Can also be used w/med. screw base lamps	
‡	**226 BWH**	6″ Adjustable Cylinder Spotlight in Baffle Trim - Black Baffle, White Trim Ring	60W PAR16
	226 WWH	6″ Adjustable Cylinder Spotlight in Baffle Trim - White Baffle, White Trim Ring	
‡	**228 WH**	6″ Adjustable Regressed Eyeball Trim - White	50W PAR20/R20
	229 WH	6" Adjustable Regressed Eyeball Trim - White	75W PAR30L, 65W BR30
‡	**229 SC**	6" Adjustable Regressed Eyeball Trim - Satin Chrome	
	229 ABZ	6" Adjustable Regressed Eyeball Trim - Classic Aged Bronze	
	229 BL	6" Adjustable Regressed Eyeball Trim - Black	
‡	**248 WWH**	6″ Adjustable Regressed Eyeball in Baffle Trim - White Baffle, White Trim Ring	50W PAR20/R20
	249 BWH	6″ Adjustable Regressed Eyeball in Baffle Trim - Black Baffle, White Trim Ring	75W PAR30L, 65W BR30
‡	**249 WWH**	6″ Adjustable Regressed Eyeball in Baffle Trim - White Baffle, White Trim Ring	
‡ **	**264 BWH**	6" Adjustable Tapered Baffle Trim - Black Baffle, White Trim Ring	75W PAR30
	264 WWH	6" Adjustable Tapered Baffle Trim - White Baffle, White Trim Ring	
‡ **	**267 CWH**	6″ Adjustable Tapered Cone Trim - Clear Alzak® Cone, White Trim Ring	75W PAR30
	267 GWH	6″ Adjustable Tapered Cone Trim - Gold Alzak® Cone, White Trim Ring	
	267 BWH	6″ Adjustable Tapered Cone Trim - Black Alzak® Cone, White Trim Ring	
	267 HZWH	6″ Adjustable Tapered Cone Trim - Haze Cone, White Trim Ring	
	267 WHZWH	6″ Adjustable Tapered Cone Trim - Wheat Haze Cone, White Trim Ring	
	20 WH ◆	6″ Lensed Albalite Trim - White	40W A19
	20 PW ◆	6″ Lensed Albalite Trim - Plastic White	
	240 WH ◆	6″ Lensed Albalite with Reflector Trim - White	60W A19
	240 PW ◆	6″ Lensed Albalite with Reflector Trim - Plastic White	
	21 WH ◆	6″ Lensed Drop Opal Trim - White	40W A19
‡	**21 PW ◆**	6″ Lensed Drop Opal Trim - Plastic White	
	241 WH ◆	6″ Lensed Drop Opal with Reflector Trim - White	60W A19
	241 PW ◆	6″ Lensed Drop Opal with Reflector Trim - Plastic White	
	242 WH ◆	6″ Lensed Frosted Lens with Clear Center Trim - White	75W PAR38, 60W PAR38IR
	242 SC ◆	6″ Lensed Frosted Lens with Clear Center Trim - Satin Chrome	
	242 ABZ ◆	6″ Lensed Frosted Lens with Clear Center Trim - Classic Aged Bronze	
	22 WH ◆	6″ Lensed Fresnel Trim - White	40W A19
	239 WH ◆	6″ Lensed Frosted Lens Trim - White	40W A19
	261 BWH	6″ Wall Wash Scoop Trim -	40W A19
	261 WWH	6″ Wall Wash Scoop Trim -	
	243 WH ◆	6″ Decorative Swirled Etched Opal Glass Trim - White	60W A19
‡	**9324 SC**	6″ Decorative Luminous Disc Frosted Trim - Satin Chrome	65W BR30
‡	**9702**	6″ Decorative Luminous Collar Frosted Trim - Luminous Collar (Frosted)	75W BR30
‡	**9024 WWH**	6″ Decorative Octagonal Trim - White, White Trim Ring	65W BR30
‡	**9524 SC**	6″ Decorative Metal Band Trim - Satin Chrome	65W BR30
‡ **	**9900 WH ◆**	6″ Decorative Fluted Drop Opal Trim - White	60W A19

Catalog Number	Description	Max. Lamp Rating
424 BWH	6″ Adjustable Pinhole with Baffle Trim - Black Baffle, White Trim Ring	35W MR16
427 WWH	6″ Adjustable Cylinder Spotlight in Baffle Trim - White Baffle, White Trim Ring	50W MR16

Trim Size: 7⅝″ O.D. (except Cat. Nos. 228, 229, 241, 9024 - 8″ O.D., Cat. No. 9702 - 7¾″ O.D.).

* Use dimmers specifically designed for low voltage magnetic transformers.

Alzak is a registered trademark of Alcoa Corp.
Note: In Canada when insulation is present, Type IC fixtures must be used.

‡ Trim may be used with TC2R housing adjusted in lowest (5¼″) height position.

◆ UL Listed for use in wet location.

◆◆ UL Listed for use in wet location with outdoor rated lamp.

** NOTE: TR6 Trim Ring compatible with 24, 25, 26, 27, 244S, 247S, 254, 257, 264, 267, 9900 trims.

 ©2017 Acuity Brands Lighting, Inc.