



Industrial strength.

Conveniently packaged.

NOW

Big industrial strength ... easy to choose packaging

Whether your customers need highly specialized tape for fingerprint lifting or the most versatile duct tape, you can put the quality of product and information they need at their fingertips. 3M industrial products, the most trusted name in tapes and adhesive products, are now wrapped for added protection and packaging featuring informative content so you KNOW you're selecting the best option for the application.



Benefits of 3M™ Industrial Strength, Conveniently Packaged Products

What's in it for your customers?

- A better brand experience
- A+ supporting content
- Protected inventory
- Clear identification

What's in it for you?

- Bar codes on the inner packs for better inventory tracking
- Improved presentation/identification and less contamination of “broken case” units
- Customer-preferred identification and content
- Simple “go to” product line with clarified product positioning for easy representation
- “Ready to promote” sales tools and rewards
- Opportunity to keep pace with transformational trends shaping the future of industrial buying

General Use

- Light and medium duty use
- Rubber-based adhesive

Good	Paint Lines	Best
------	-------------	------

Good	Strength	Best
------	----------	------

Good	Conformability	Best
------	----------------	------

Temp. (30 minutes)	200°F/93°C
--------------------	------------

Performance

- Industrial-strength performance you can trust
- Great for paint masking and other applications
- Great paint lines

Good	Paint Lines	Best
------	-------------	------

Good	Strength	Best
------	----------	------

Good	Conformability	Best
------	----------------	------

Temp. (30 minutes)	225°F/107°C
--------------------	-------------

High Performance

- Industrial-strength performance you can trust
- Super sharp paint lines
- Proprietary 3M adhesive sticks and removes cleanly

Good	Paint Lines	Best
------	-------------	------

Good	Strength	Best
------	----------	------

Good	Conformability	Best
------	----------------	------

Temp. (30 minutes)	250°F/121°C
--------------------	-------------

Specialty Gold

- Industrial-strength high temperature performance
- Super sharp paint lines
- Proprietary 3M adhesive sticks and removes cleanly

Good	Paint Lines	Best
------	-------------	------

Good	Strength	Best
------	----------	------

Good	Conformability	Best
------	----------------	------

Temp. (30 minutes)	300°F/149°C
--------------------	-------------



Table of Contents

■ Packaging Tapes

Box Sealing Tapes	
High Performance.....	2-3
Performance.....	4
General Use.....	4
Specialty Gold.....	5
Security Tapes	
Specialty Gold.....	5

■ Specialty Packaging Tapes

Specialty Packaging Tapes	
High Performance.....	6
Performance.....	6
General Use.....	6
Specialty Gold.....	7

■ Filament & Strapping Tapes

Filament Tapes	
High Performance.....	8
Performance.....	8
Filament & Strapping Tapes	
General Use.....	9
Specialty Gold.....	9

■ Tapes to Mark, Identify, Seal & Protect

Vinyl Tapes	
High Performance.....	10
Sealing Tapes	
Specialty Gold.....	11

■ Duct Tapes

Duct Tapes	
High Performance.....	12
Performance.....	12
General Purpose.....	13
Specialty Gold.....	13

■ Masking Tapes

Masking Tapes	
High Performance.....	14
Performance.....	14
General Purpose.....	14
Specialty Gold.....	14

■ Hang Tabs, Tags, Carry Handles & Pads

Hang Tabs, Marking & Identification Tags	
Performance.....	15
Carry Handles	
High Performance.....	15
Performance.....	15
Tape Sheets & Fingerprint Lifting Tape	
High Performance.....	16
Performance.....	16
Specialty Gold.....	16

■ Packaging List Envelopes & Label Protection Tapes

Packaging List Envelopes	
Performance.....	17
Label Protection Tapes	
Performance.....	17
General Use.....	17



NOW
Big industrial strength
... easy to choose packaging

Packaging Tapes

Box Sealing Tapes

Popular Choices for Heavy-Duty Packaging

These high performance Scotch® Box Sealing Tapes are made with a polypropylene film that resists abrasion, moisture, chemicals and scuffing. They offer a high edge tear and split resistance and the very best performance in Scotch brand packaging tapes.

	UPC	Size	Color	Packaging	Quantity	Billing Unit
Scotch® Box Sealing Tape 375						
	• High performance, ideal for shipping heavy packages including overpacked, double or triple-walled boxes • Sturdy polypropylene backing with synthetic rubber adhesive resists abrasions, moisture and scuffing for lasting hold • 2.0 mil backing and 3.1 mil total thickness • Conformable backing flexes under stress					
	051115-68762-4	48mm x 50m	Tan	Individually Wrapped	36 rolls/case	Rolls
	051115-68764-8	48mm x 50m	Clear	Individually Wrapped	36 rolls/case	Rolls
	051115-68763-1	72mm x 50m	Tan	Individually Wrapped	24 rolls/case	Rolls
	051115-68765-5	72mm x 50m	Clear	Individually Wrapped	24 rolls/case	Rolls
Scotch® Box Sealing Tape 373						
	• High performance, ideal for shipping heavy packages and double walled boxes • Sturdy polypropylene backing with synthetic rubber adhesive resists abrasions, moisture and scuffing for lasting hold • 1.6 mil backing and 2.5 mil total thickness for heavy-duty packaging applications • Conformable backing flexes under stress					
	051115-68782-2	36mm x 50m	Clear	Individually Wrapped	48 rolls/case	Rolls
	051115-68791-4	48mm x 50m	White	Individually Wrapped	36 rolls/case	Rolls
	051115-68795-2	48mm x 50m	Tan	Individually Wrapped	36 rolls/case	Rolls
	051115-68786-0	48mm x 50m	Clear	Individually Wrapped	36 rolls/case	Rolls
	051115-68790-7	48mm x 50m	Red	Individually Wrapped	36 rolls/case	Rolls
	051115-68792-1	48mm x 50m	Blue	Individually Wrapped	36 rolls/case	Rolls
	051115-68789-1	48mm x 50m	Orange	Individually Wrapped	36 rolls/case	Rolls
	051115-68794-5	48mm x 50m	Green	Individually Wrapped	36 rolls/case	Rolls
	051115-68793-8	48mm x 50m	Yellow	Individually Wrapped	36 rolls/case	Rolls
	051115-68796-9	72mm x 50m	White	Individually Wrapped	24 rolls/case	Rolls
	051115-68780-8	72mm x 50m	Tan	Individually Wrapped	24 rolls/case	Rolls
	051115-68781-5	72mm x 50m	Clear	Individually Wrapped	24 rolls/case	Rolls
	051115-68788-4	48mm x 100m	Tan	Individually Wrapped	36 rolls/case	Rolls
	051115-68783-9	48mm x 100m	Clear	Individually Wrapped	36 rolls/case	Rolls
	051115-68787-7	72mm x 100m	Tan	Individually Wrapped	24 rolls/case	Rolls
	051115-68785-3	72mm x 100m	Clear	Individually Wrapped	24 rolls/case	Rolls
Scotch® Recycled Corrugate Box Sealing Tape 3073						
	Great seal on recycled corrugate! Bonds instantly with recycled corrugated cartons. The strong conformable backing combined with a high performance adhesive holds cartons closed throughout the supply chain.					
	• High performance, even on hard-to-seal corrugate • Sturdy polypropylene backing with synthetic rubber adhesive resists abrasions, moisture and scuffing for lasting hold • Recommended for use on regular slotted containers (RSC) weighing up to 100 lbs. • 1.6 mil backing and 2.6 mil total thickness for heavy-duty packaging applications • Made with 10% bio-based materials in the adhesive					
	051115-68767-9	48mm x 100m	Clear	Individually Wrapped	36 rolls/case	Rolls
	051115-68766-2	72mm x 100m	Clear	Individually Wrapped	24 rolls/case	Rolls
Scotch® Box Sealing Tape 372						
	• High performance, ideal for shipping heavy packages • Sturdy polypropylene backing with synthetic rubber adhesive resists abrasions, moisture and scuffing for lasting hold • 1.4 mil backing and 2.2 mil total thickness for heavy-duty packaging applications • Conformable backing flexes under stress					
	051115-68761-7	48mm x 50m	Tan	Individually Wrapped	36 rolls/case	Rolls
	051115-68757-0	48mm x 50m	Clear	Individually Wrapped	36 rolls/case	Rolls
	051115-68758-7	72mm x 50m	Clear	Individually Wrapped	24 rolls/case	Rolls
	051115-68760-0	48mm x 100m	Clear	Individually Wrapped	36 rolls/case	Rolls
	051115-68759-4	72mm x 100m	Clear	Individually Wrapped	24 rolls/case	Rolls

Box Sealing Tapes

Polyester Backed Tapes for Heavy-Duty, Hard-to-Seal Boxes

These high tack, high performance Scotch® Box Sealing Tapes are made with an abrasion-resistant, polyester backing that resists moisture and scuffing. Offers a high edge tear and split resistance and 3M's very best performance in packaging tapes.

	UPC	Size	Color	Packaging	Quantity	Billing Unit
Scotch® Box Sealing Tape 355						
	• Super strong, super tacky tape great for use on hard-to-seal surfaces, high humidity environments and double or triple walled boxes • High performance, abrasion-resistant tape ideal for shipping heavy packages • Extra sturdy polyester backing with a synthetic rubber adhesive • 2.0 mil backing and 3.43 mil total thickness for heavy-duty packaging applications					
	051115-68752-5	36mm x 50m	Clear	Individually Wrapped	48 rolls/case	Rolls
	051115-68755-6	48mm x 50m	Tan	Individually Wrapped	36 rolls/case	Rolls
	051115-68756-3	48mm x 50m	Clear	Individually Wrapped	36 rolls/case	Rolls
	051115-68754-9	72mm x 50m	Tan	Individually Wrapped	24 rolls/case	Rolls
	051115-68751-8	72mm x 50m	Clear	Individually Wrapped	24 rolls/case	Rolls
Scotch® Box Sealing Tape 351						
	• High performance, ideal for shipping heavy packages or for use with hard-to-seal surfaces, high humidity environments and double or triple walled boxes • Meets Federal Spec. PPP-T-60E, Amend. 2 Type III, class 2 (clear), CID A-A-A 1830B (clear), ASTM D5486 Type 1 & 2 • High tack • Extra sturdy polyester backing with a synthetic rubber adhesive • 2.0 mil backing and 3.43 mil total thickness for heavy-duty packaging applications					
	051115-68748-8	48mm x 50m	Clear	Individually Wrapped	36 rolls/case	Rolls
	051115-68804-1	72mm x 50m	Clear	Individually Wrapped	24 rolls/case	Rolls
Scotch® Box Sealing Tape 353						
	• High performance, ideal for shipping medium to heavy packages • High tack • Polyester backing with a synthetic rubber adhesive for good abrasion and tear resistance • 1.0 mil backing and 1.9 mil total thickness for medium- to heavy-duty packaging applications					
	051115-68749-5	48mm x 50m	Tan	Individually Wrapped	36 rolls/case	Rolls
	051115-68750-1	48mm x 50m	Clear	Individually Wrapped	36 rolls/case	Rolls

Packaging Tapes

Box Sealing Tapes

Good Choices for Medium-Duty Packaging

These Scotch® Box Sealing Tapes are made with a polypropylene film tape that resists abrasion, moisture, chemicals and scuffing. Offers a high edge tear and split resistance and also delivers dependable, quality performance.

Performance

UPC	Size	Color	Packaging	Quantity	Billing Unit
-----	------	-------	-----------	----------	--------------

Scotch® Box Sealing Tape 371



- Good performance, good value
- Conformable backing flexes under stress
- Polypropylene backing with a synthetic rubber adhesive
- 1.2 mil backing and 1.9 mil total thickness for medium-duty packaging applications
- Recommended for use on Regular Slotted Containers (RSC) weighing up to 70 lbs.

051115-68801-0	48mm x 50m	Tan	6 rolls/pack	6 packs/case	6 roll pack
051115-68802-7	48mm x 50m	Clear	6 rolls/pack	6 packs/case	6 roll pack
051115-68797-6	72mm x 50m	Tan	6 rolls/pack	4 packs/case	6 roll pack
051115-68803-4	72mm x 50m	Clear	6 rolls/pack	4 packs/case	6 roll pack
051115-68798-3	48mm x 100m	Tan	6 rolls/pack	6 packs/case	6 roll pack
051115-68800-3	72mm x 100m	Tan	6 rolls/pack	4 packs/case	6 roll pack

Scotch® Box Sealing Tape 313



- Polypropylene backing with an acrylic adhesive
- 1.6 mil backing and 2.55 mil total thickness for medium-duty packaging applications
- Good adhesion to recycled liner paper and fiberboard
- Suitable for cold temperature applications with easy handling and smooth dispensing
- FDA approved for indirect food contact

051115-68816-4	72mm x 50m	Clear	6 rolls/pack	4 packs/case	6 roll pack
051115-68818-8	48mm x 100m	Clear	6 rolls/pack	6 packs/case	6 roll pack
051115-68817-1	72mm x 100m	Clear	6 rolls/pack	4 packs/case	6 roll pack

Scotch® Box Sealing Tape 311



- Polypropylene backing with an acrylic adhesive
- 1.1 mil backing and 2.05 mil total thickness for medium-duty packaging applications
- Good adhesion to recycled liner paper and fiberboard
- Suitable for cold temperature applications with easy handling and smooth dispensing

051115-68813-3	48 mm x 50m	Clear	6 rolls/pack	6 packs/case	6 roll pack
051115-68815-7	48mm x 100m	Clear	6 rolls/pack	6 packs/case	6 roll pack
051115-68812-6	48mm x 100m	Tan	6 rolls/pack	6 packs/case	6 roll pack
051115-68814-0	72mm x 100m	Clear	6 rolls/pack	4 packs/case	6 roll pack

General Use

UPC	Size	Color	Packaging	Quantity	Billing Unit
-----	------	-------	-----------	----------	--------------

Tartan™ Box Sealing Tape 369



- Polypropylene backing with a synthetic rubber adhesive for light-duty, general purpose packaging applications
- 1.0 mil backing and 1.6 mil total thickness

051115-68807-2	48mm x 50m	Clear	6 rolls/pack	6 packs/case	6 roll pack
051115-68809-6	48mm x 50m	Tan	6 rolls/pack	6 packs/case	6 roll pack
051115-68806-5	48mm x 100m	Clear	6 rolls/pack	6 packs/case	6 roll pack
051115-68810-2	48mm x 100m	Tan	6 rolls/pack	6 packs/case	6 roll pack
051115-68805-8	72mm x 100m	Clear	6 rolls/pack	4 packs/case	6 roll pack
051115-68808-9	72mm x 100m	Tan	6 rolls/pack	4 packs/case	6 roll pack

Box Sealing Tapes

For Your Unique Box Sealing Requirements

UPC	Size	Color	Packaging	Quantity	Billing Unit
Scotch® Cold Temperature Box Sealing Tape 3723					
 • Strong hold in refrigerated/cold weather conditions • Resists abrasion, moisture, chemicals and scuffing • A conformable polypropylene backing with a modified synthetic rubber adhesive for sealing double/triple walled corrugated boxes • 1.6 mil backing and 3.0 mil total thickness for heavy-duty packaging applications • Compliant with ASTM D1974-92 and USDA acceptable					
051115-68768-6	48mm x 50m	Clear	Individually Wrapped	36 rolls/case	Rolls

Security Tapes

Extra Secure with a Quality Seal and Security Messages

UPC	Part No.	Size	Printed Message	Color	Packaging	Quantity	Billing Unit
Scotch® Security Tapes 3732 and 3734							
 • Polypropylene backing with a synthetic rubber adhesive • Complies with ASTM D1974-92 and meets CID A-A-1684B							
051115-68770-9	3732	48mm x 50m	"If Seal is Broken, Check Contents"	Tan	Individually Wrapped	36 rolls/case	Rolls
051115-68771-6	3734	48mm x 50m	"Fragile handle with care"	Tan	Individually Wrapped	36 rolls/case	Rolls
Scotch® Security Tapes 3771, 3772, 3775 and 3779							
 • Polypropylene backing with a synthetic rubber adhesive							
051115-68774-7	3771	48mm x 100m	"If Seal is Broken, Check Contents Before Accepting"	White	Individually Wrapped	36 rolls/case	Rolls
051115-68772-3	3772	48mm x 100m	"Fragile handle with care"	White	Individually Wrapped	36 rolls/case	Rolls
051115-68773-0	3775	48mm x 100m	"Mixed Merchandise Enclosed"	White	Individually Wrapped	36 rolls/case	Rolls
051115-68775-4	3779	48mm x 100m	"Check seal before accepting"	Clear	Individually Wrapped	36 rolls/case	Rolls
051115-68777-8	3779	72mm x 100m	"Check seal before accepting"	Clear	Individually Wrapped	24 rolls/case	Rolls
Scotch® Security Tape 3199							
 • Good adhesion to recycled liner paper and fiberboard • Suitable for cold temperature applications with easy handling and smooth dispensing • FDA approved for indirect food contact • Polypropylene backing with an acrylic adhesive							
051115-68811-9	3199	48mm x 100m	"Check seal before accepting"	Clear	6 rolls/pack	6 packs/case	6 roll pack

Specialty Packaging Tapes

Specialty Packaging Tapes

Light-Duty Closing and Sealing Small Boxes, Bags and Tins

For holding, combining, attaching, light-duty carton sealing and in-store use.

High Performance

UPC	Size	Color	Packaging	Quantity	Billing Unit
-----	------	-------	-----------	----------	--------------

Scotch® Specialty Packaging Tape 600



- Excellent for various inner-pack garment applications
- UPVC backing with an acrylic adhesive for excellent transparency
- Ages without yellowing
- Removes cleanly from fabric without leaving residue

051125-74896-4	1/2" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	18 packs/case	4 roll pack
051125-74897-1	3/4" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	12 packs/case	4 roll pack
051125-74898-8	1" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	9 packs/case	4 roll pack
051125-74899-5	2" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	6 packs/case	4 roll pack

Scotch® Specialty Packaging Tape 681



- Excellent abrasion resistance
- Moisture and chemical resistant
- UPVC backing with a natural rubber adhesive

051125-74875-9	3/4" x 72 yds.	Clear	Individually Wrapped	48 rolls/case	Rolls
----------------	----------------	-------	----------------------	---------------	-------

Scotch® Specialty Packaging Tape 610



- Rubber resin adhesive sticks to many surfaces
- Cellophane backing for high temperature resistance up to 300°F; also abrasion resistant
- Dispenses easily for convenient use
- Ideal for L-clip box closures

051125-74949-7	1/2" x 72 yds.	Clear	Individually Wrapped	72 rolls/case	Rolls
051125-74947-3	3/4" x 72 yds.	Clear	Individually Wrapped	48 rolls/case	Rolls
051125-74948-0	1" x 72 yds.	Clear	Individually Wrapped	36 rolls/case	Rolls

Performance

UPC	Size	Color	Packaging	Quantity	Billing Unit
-----	------	-------	-----------	----------	--------------

Scotch® Specialty Packaging Tape 5910



- A dependable, clear polypropylene backing with an acrylic adhesive
- Highly durable
- Cold temperature resistant
- Ideal for light-duty packaging and in-store prescription bottle labeling applications

051125-74878-0	1/2" x 2,592"	Clear	4 rolls/pack (2 x 2 flat pack)	18 packs/case	4 roll pack
051125-74879-7	3/4" x 2,592"	Clear	4 rolls/pack (2 x 2 flat pack)	12 packs/case	4 roll pack

General Use

UPC	Size	Color	Packaging	Quantity	Billing Unit
-----	------	-------	-----------	----------	--------------

3M™ Specialty Packaging Tape 605



- Fiber-reinforced polypropylene film backing with an acrylic adhesive
- Designed for various light duty packaging applications such as attaching, mending, in-store prescription bottle labeling, holding and L-clip closures
- Good, utility grade performance over broad temperature range
- Ideal for rough/treated surfaces

051125-74906-0	1/2" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	18 packs/case	4 roll pack
051125-74907-7	3/4" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	12 packs/case	4 roll pack
051125-74908-4	1" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	9 packs/case	4 roll pack

Specialty Packaging Tapes

Unique Applications for Light-Duty Packaging

	UPC	Size	Color	Packaging	Quantity	Billing Unit
Scotch® Color Coding Tape 690						
 - Decorative colored film specialty tape with durable backing - Used for various packaging applications such as color coding, bag sealing, combining and attaching - High visibility for sealing, holding and tabbing - Moisture and chemical resistant - UPVC backing with a rubber resin adhesive						
	051125-74881-0	12mm x 66m	Black	4 rolls/pack (stacked)	36 packs/case	4 roll pack
	051125-74882-7	12mm x 66m	Blue	4 rolls/pack (stacked)	36 packs/case	4 roll pack
	051125-74886-5	12mm x 66m	White	4 rolls/pack (stacked)	36 packs/case	4 roll pack
	051125-74887-2	12mm x 66m	Yellow	4 rolls/pack (stacked)	36 packs/case	4 roll pack
	051125-74883-4	24mm x 66m	Red	4 rolls/pack	18 packs/case	4 roll pack
	051125-74885-8	48mm x 66m	Red	Individually Wrapped	36 rolls/case	Rolls
Scotch® Specialty Packaging Tape 660						
 - Designed for splicing applications that require high temperature performance and visible splices - Rubber resin adhesive construction - Cellophane backing for high temperature resistance up to 350°F - Excellent performance over broad temperature range - Excellent splice detection						
	051125-74946-6	1" x 72 yds.	Red	Individually Wrapped	36 rolls/case	Rolls
Scotch® Specialty Packaging Tape 720						
 - High tack sticks easily to rough/treated surfaces - Hand-tearable - Fiber-reinforced film backing with a rubber resin adhesive						
	051125-74880-3	1/2" x 72 yds.	Semi-Transparent	2 rolls/pack (stacked)	36 packs/case	2 roll pack

Filament & Strapping Tapes

Filament Tapes

High Performance

UPC	Size	Color	Packaging	Quantity	Billing Unit
-----	------	-------	-----------	----------	--------------

Scotch® Filament Tape 898



- Clear polypropylene backing with a synthetic rubber resin adhesive resists abrasions, moisture, scuffing and tearing
- Fiberglass reinforced
- Ideal for L-clip box closures
- High strength bundling and reinforcing, strapping and non-regular slotted container closing

051125-74913-8	12mm x 55m	Clear	2 rolls/pack	36 packs/case	2 roll pack
051125-74914-5	18mm x 55m	Clear	2 rolls/pack	24 packs/case	2 roll pack
051125-74915-2	24mm x 55m	Clear	Individually Wrapped	36 rolls/case	Rolls
051125-74916-9	48mm x 55m	Clear	Individually Wrapped	24 rolls/case	Rolls

Scotch® Filament Tape 8919MSR



- Choose a more sustainable tape without compromising performance on oily surfaces
- Solventless adhesive coating process
- Clear polyester-backed, fiberglass reinforced tape with a modified synthetic rubber adhesive is great for holding metal appliance parts during manufacturing/shipping
- Removes cleanly
- 380 lbs./in. width of tensile strength

051125-74939-8	24mm x 55m	Clear	2 rolls/pack	18 packs/case	2 roll pack
051125-74940-4	48mm x 55m	Clear	Individually Wrapped	24 rolls/case	Rolls
051125-74941-1	72mm x 55m	Clear	Individually Wrapped	12 rolls/case	Rolls

Scotch® Filament Tape 890MSR



- Choose a more sustainable tape without compromising performance on oily surfaces
- Solventless adhesive coating process
- High strength, super thick tape is great for metalworking applications like coil tabbing and metal panel splicing
- 600 lbs./in. width of tensile strength

051125-74943-5	24mm x 55m	Clear	Individually Wrapped	36 rolls/case	Rolls
051125-74942-8	48mm x 55m	Clear	Individually Wrapped	24 rolls/case	Rolls

Performance

UPC	Size	Color	Packaging	Quantity	Billing Unit
-----	------	-------	-----------	----------	--------------

Scotch® Filament Tape 893



- Clear polypropylene backing with a synthetic rubber resin adhesive resists nicks, abrasion, moisture and scuffing
- Use for bundling, reinforcing and securing
- Fiberglass reinforced

051125-74917-6	12mm x 55m	Clear	6 rolls/pack	12 packs/case	6 roll pack
051125-74918-3	18mm x 55m	Clear	4 rolls/pack	12 packs/case	4 roll pack
051125-74919-0	24mm x 55m	Clear	2 rolls/pack	18 packs/case	2 roll pack
051125-74920-6	48mm x 55m	Clear	Individually Wrapped	24 rolls/case	Rolls

Scotch® Filament Tape 897



- Polypropylene backing reinforced with a synthetic rubber resin adhesive for light-to-medium duty bundling, reinforcing and securing
- Ideal for L-clip box closures
- Fiberglass reinforced

051125-74893-3	18mm x 55m	Clear	12 rolls/pack	4 packs/case	12 roll pack
051125-74894-0	24mm x 55m	Clear	3 rolls/pack	12 packs/case	3 roll pack
051125-74895-7	48mm x 55m	Clear	2 rolls/pack	12 packs/case	2 roll pack

Scotch® Filament Tape 894



- Black polypropylene backing with a synthetic rubber resin adhesive
- Fiberglass reinforced
- Outdoor use — excellent UV resistance and good for pipe bundling

051125-74900-8	18mm x 55m	Black	2 rolls/pack	24 packs/case	2 roll pack
----------------	------------	-------	--------------	---------------	-------------

Filament Tapes & Strapping Tapes

	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Filament Tape 8934						
 • Clear polypropylene backing with a synthetic rubber resin adhesive • Fiberglass reinforced • Pallet unitizing, light-duty bundling, reinforcing and general use	051125-74889-6	12mm x 55m	Clear	18 rolls/pack	4 packs/case	18 roll pack
	051125-74890-2	18mm x 55m	Clear	12 rolls/pack	4 packs/case	12 roll pack
	051125-74891-9	24mm x 55m	Clear	9 rolls/pack	4 packs/case	9 roll pack
	051125-74892-6	48mm x 55m	Clear	Individually Wrapped	24 rolls/case	Rolls
3M™ Strapping Tape 860						
 • Black tensilized polypropylene backing with a synthetic rubber resin adhesive • Pallet unitizing • General strapping	051125-74912-1	19mm x 55m	Black	8 rolls/pack	12 packs/case	8 roll pack
Scotch® Reinforced Strapping Tape 8651						
 • Great clarity for highly graphic packaging • Tensilized, polypropylene backing with a synthetic rubber resin adhesive • Reinforced with polypropylene ribs • Ultra clear for excellent transparency • Ideal for L-clip closures on highly graphic boxes	051125-74923-7	18mm x 55m	Clear	6 rolls/pack	8 packs/case	6 roll pack
Scotch® Bi-directional Filament Tape 8959						
 • Polypropylene backing reinforced in both directions for added security • Synthetic rubber resin adhesive • Fiberglass reinforced • Extra security for boxes and bundles • High adhesion	051125-74901-5	50mm x 50m	Clear	Individually Wrapped	18 rolls/case	Rolls
Scotch® Strapping Tape 8898						
 • Blue tensilized polypropylene backing with a synthetic rubber resin adhesive • Parts holding, clean removal • Great for appliance industry	051125-74921-3	18mm x 55m	Blue	12 rolls/pack	4 packs/case	12 roll pack
	051125-74922-0	24mm x 55m	Blue	9 rolls/pack	4 packs/case	9 roll pack
Scotch® Stretchable Tape 8884						
 • Clear polyethylene backing with a rubber resin adhesive • Ideal for pallet unitizing and ventilated load stabilizing • Can reduce pallet packaging waste	051125-74902-2	36mm x 55m	Opaque	2 rolls/pack	12 packs/case	2 roll pack

Tapes to Mark, Identify, Seal & Protect

Vinyl Tapes

High Performance

UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Vinyl Tape 471					
 • Ideal for masking, wrapping or sealing many curved or irregular surfaces • Excellent for lane and safety marking applications, ideal for color coding, abrasion protection, decoration and splicing applications • 5.2 mil thick vinyl backing with a rubber adhesive • Floor marking and safety identification • Maintains color even when exposed to heavy abrasion • Conformable, dead stretch properties to provide straighter lines • Clean removal, good solvent resistance					
051115-68845-4	1/4" x 36 yds.	Blue	Individually Wrapped	144 rolls/case	Rolls
051115-68819-5	3/4" x 36 yds.	Red	Individually Wrapped	48 rolls/case	Rolls
051115-68834-8	3/4" x 36 yds.	Black	Individually Wrapped	48 rolls/case	Rolls
051115-68843-0	3/4" x 36 yds.	Blue	Individually Wrapped	48 rolls/case	Rolls
051115-68852-2	3/4" x 36 yds.	Yellow	Individually Wrapped	48 rolls/case	Rolls
051115-68864-5	3/4" x 36 yds.	White	Individually Wrapped	48 rolls/case	Rolls
051115-68871-3	3/4" x 36 yds.	Green	Individually Wrapped	48 rolls/case	Rolls
051115-68851-5	3/4" x 36 yds.	Brown	Individually Wrapped	48 rolls/case	Rolls
051115-68835-5	3/4" x 36 yds.	Purple	Individually Wrapped	48 rolls/case	Rolls
051115-68821-8	1" x 36 yds.	Red	Individually Wrapped	36 rolls/case	Rolls
051115-68847-8	1" x 36 yds.	Blue	Individually Wrapped	36 rolls/case	Rolls
051115-68855-3	1" x 36 yds.	Yellow	Individually Wrapped	36 rolls/case	Rolls
051115-68867-6	1" x 36 yds.	White	Individually Wrapped	36 rolls/case	Rolls
051115-68866-9	2" x 36 yds.	Red	Individually Wrapped	24 rolls/case	Rolls
051115-68824-9	2" x 36 yds.	Black	Individually Wrapped	24 rolls/case	Rolls
051115-68863-8	2" x 36 yds.	Blue	Individually Wrapped	24 rolls/case	Rolls
051115-68856-0	2" x 36 yds.	Yellow	Individually Wrapped	24 rolls/case	Rolls
051115-68853-9	2" x 36 yds.	White	Individually Wrapped	24 rolls/case	Rolls
051115-68822-5	2" x 36 yds.	Green	Individually Wrapped	24 rolls/case	Rolls
051115-68858-4	2" x 36 yds.	Brown	Individually Wrapped	24 rolls/case	Rolls
051115-68838-6	2" x 36 yds.	Purple	Individually Wrapped	24 rolls/case	Rolls
051115-68823-2	2" x 36 yds.	Transparent	Individually Wrapped	24 rolls/case	Rolls
051115-68825-6	3" x 36 yds.	Red	Individually Wrapped	12 rolls/case	Rolls
051115-68849-2	3" x 36 yds.	Blue	Individually Wrapped	12 rolls/case	Rolls
051115-68860-7	3" x 36 yds.	Yellow	Individually Wrapped	12 rolls/case	Rolls
051115-68870-6	3" x 36 yds.	White	Individually Wrapped	12 rolls/case	Rolls
051115-68868-3	3" x 36 yds.	Green	Individually Wrapped	12 rolls/case	Rolls
051115-68848-5	3" x 36 yds.	Brown	Individually Wrapped	12 rolls/case	Rolls
051115-68828-7	4" x 36 yds.	Red	Individually Wrapped	8 rolls/case	Rolls
051115-68839-3	4" x 36 yds.	Black	Individually Wrapped	8 rolls/case	Rolls
051115-68842-3	4" x 36 yds.	Blue	Individually Wrapped	8 rolls/case	Rolls
051115-68862-1	4" x 36 yds.	Yellow	Individually Wrapped	8 rolls/case	Rolls
051115-68872-0	4" x 36 yds.	White	Individually Wrapped	8 rolls/case	Rolls

UPC	Part No.	Size	Color	Packaging	Quantity	Billing Unit
3M™ Safety Stripe Tapes 5702 and 5700						
 • Call attention to dangerous work areas, such as traffic lanes or hazardous materials • 5.4 mil (0.14mm) vinyl backing with a rubber adhesive • Floor Marking and Safety Identification • Protecting, masking and sealing • Resists most common solvents						
051115-68829-4	5702	1" x 36 yds.	Black/Yellow	Individually Wrapped	36 rolls/case	Rolls
051115-68830-0	5702	2" x 36 yds.	Black/Yellow	Individually Wrapped	12 rolls/case	Rolls
051115-68827-0	5702	2" x 36 yds.	Black/Yellow	Individually Wrapped	24 rolls/case	Rolls
051115-68826-3	5702	3" x 36 yds.	Black/Yellow	Individually Wrapped	12 rolls/case	Rolls
051115-68820-1	5700	3" x 36 yds.	Black/White	Individually Wrapped	12 rolls/case	Rolls


Sealing Tapes

	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Polyethylene Film Tape 483						
 	• Used in general sealing of containers, electroplating and printed circuit board masking, silicone chip holding, decorative, safety marking and color coding • Polyethylene backing with a rubber adhesive • Solvent resistance • Low sulfur and halogen content • Conformable with good flexibility to -20°F (-28.9°C)					
	051115-68837-9	1" x 36 yds.	Yellow	Individually Wrapped	36 rolls/case	Rolls
	051115-68831-7	1" x 36 yds.	Red	Individually Wrapped	36 rolls/case	Rolls
	051115-68854-6	1" x 36 yds.	White	Individually Wrapped	36 rolls/case	Rolls
	051115-68865-2	1" x 36 yds.	Black	Individually Wrapped	36 rolls/case	Rolls
	051115-68869-0	1" x 36 yds.	Transparent	Individually Wrapped	36 rolls/case	Rolls
	051115-68846-1	1" x 36 yds.	Blue	Individually Wrapped	36 rolls/case	Rolls
	051115-68850-8	2" x 36 yds.	Yellow	Individually Wrapped	24 rolls/case	Rolls
	051115-68841-6	2" x 36 yds.	Red	Individually Wrapped	24 rolls/case	Rolls
	051115-68857-7	2" x 36 yds.	White	Individually Wrapped	24 rolls/case	Rolls
	051115-68844-7	2" x 36 yds.	Black	Individually Wrapped	24 rolls/case	Rolls
	051115-68861-4	3" x 36 yds.	White	Individually Wrapped	12 rolls/case	Rolls
3M™ Venting Tape 394						
	• Used in a variety of industrial applications including sealing, holding, reinforcing, identifying, masking, protection and splicing • 4.0 mil (0.10mm), non-woven, synthetic backing with an acrylic adhesive • Unique non-woven porous backing with high air/gas permeability, good burst strength and solids barrier for minimal voids and less clean up • Ideal for appliance sealing and venting					
	051115-68833-1	3/4" x 36 yds.	White	Individually Wrapped	48 rolls/case	Rolls
	051115-68836-2	1" x 36 yds.	White	Individually Wrapped	36 rolls/case	Rolls
	051115-68840-9	2" x 36 yds.	White	Individually Wrapped	24 rolls/case	Rolls
3M™ Bond Breaker Tape 8891						
	• Mask joints to control sealant bonding • For building and construction • Polypropylene backing with a synthetic rubber resin adhesive • Resists sealant adhesion for construction seaming applications • Good dispensing properties for on-site applications • Recommended in corner joints where movement is anticipated • Effective for shallow or narrow joints where backer rods are hard to handle					
	051125-74944-2	1/4" x 60 yds.	Black	2 rolls/pack (stacked)	72 packs/case	2 roll pack
	051125-74945-9	1/2" x 60 yds.	Black	2 rolls/pack (stacked)	36 packs/case	2 roll pack

Duct Tapes

Duct Tapes

High Performance

UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Performance Plus Duct Tape 8979					
 • 6-month clean removal for most opaque surfaces • UV- and water-resistant • Protecting indoor/outdoor surfaces • Use for bundling heavy materials • Fixing, repairing and maintaining					
048011-53851-8	48mm x 22.8m	Slate Blue	Individually Wrapped	12 rolls/case	Rolls
021200-56468-0	48mm x 54.8m	Slate Blue	Individually Wrapped	24 rolls/case	Rolls
048011-53916-4	48mm x 54.8m	Olive	Individually Wrapped	24 rolls/case	Rolls
048011-53918-8	48mm x 54.8m	Black	Individually Wrapped	24 rolls/case	Rolls

Performance

UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Extra Heavy-Duty Duct Tape 6969					
 • Stronger hold • Sticks well to rough surfaces • For tough jobs and demanding applications • Protecting surfaces from abrasion • Use for bundling heavy pipes • Holds on sealed brick and concrete					
051131-06969-5	48mm x 54.8m	Silver	Individually Wrapped	24 rolls/case	Rolls
021200-22780-6	48mm x 54.8m	Olive	Individually Wrapped	24 rolls/case	Rolls
021200-22773-8	48mm x 54.8m	Black	Individually Wrapped	24 rolls/case	Rolls


3M™ Heavy-Duty Duct Tape 3939					
 • Strong hold • Sticks well to many surfaces • For tough jobs • Maintenance and repair • Holding poly sheeting • Pulling wires and bundling					
051131-06975-6	48mm x 54.8m	Silver	Individually Wrapped	24 rolls/case	Rolls

3M™ Multi-Purpose Duct Tape 3900					
 • Holds firmly • Stays in place • Multiple colors					
051131-06976-3	48mm x 54.8m	Silver	Individually Wrapped	24 rolls/case	Rolls
021200-49828-2	48mm x 54.8m	Yellow	Individually Wrapped	24 rolls/case	Rolls
021200-49829-9	48mm x 54.8m	White	Individually Wrapped	24 rolls/case	Rolls
021200-49830-5	48mm x 54.8m	Red	Individually Wrapped	24 rolls/case	Rolls
021200-49831-2	48mm x 54.8m	Olive	Individually Wrapped	24 rolls/case	Rolls
021200-49832-9	48mm x 54.8m	Blue	Individually Wrapped	24 rolls/case	Rolls
021200-49833-6	48mm x 54.8m	Black	Individually Wrapped	24 rolls/case	Rolls

Duct Tapes

	UPC	Size	Color	Packaging	Quantity	Billing Unit
--	-----	------	-------	-----------	----------	--------------

3M™ Duct Tape 2929



- Identifying and marking
- Temporary repairs

051115-24883-2	1-22/25" x 50 yds.	Silver	Individually Wrapped	24 rolls/case	Rolls
----------------	--------------------	--------	----------------------	---------------	-------

	UPC	Size	Color	Packaging	Quantity	Billing Unit
--	-----	------	-------	-----------	----------	--------------

3M™ Outdoor Masking and Stucco Tape 5959



- 3-month indoor/outdoor no residue removal
- Strongest hold
- Water-resistant
- Protecting indoor/outdoor surfaces
- For construction-grade stucco masking and critical abatement applications

051115-25491-8	48mm x 41.1m	Red	Individually Wrapped	12 rolls/case	Rolls
----------------	--------------	-----	----------------------	---------------	-------

Masking Tapes

Masking Tapes

High Performance



UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ High Performance Green Masking Tape 401+/233+					
- Industrial-strength high performance masking tape used for critical paint masking applications 3M proprietary solvent-free adhesive sticks to most surfaces (including metal, rubber, glass and plastic) while removing cleanly in one piece - High-strength crepe paper backing conforms to irregular surfaces and resists bleed through from most industrial paint systems for super sharp paint lines - Great UV resistance - Temperature use range up to 250°F (121°C) for 30 minutes - Adhesion to Steel: 38 oz./in. width; Tensile Strength: 25 lbs/in.; Tape Thickness: 6.7 mils					
051115-64767-3	24mm x 55m	Green	Individually Wrapped	24 rolls/case	Rolls
051115-64768-0	36mm x 55m	Green	Individually Wrapped	16 rolls/case	Rolls
051115-64769-7	48mm x 55m	Green	Individually Wrapped	12 rolls/case	Rolls

Performance



UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Performance Yellow Masking Tape 301+					
- Industrial-strength performance masking tape used for paint masking, bundling, holding and identifying applications 3M proprietary solvent-free adhesive sticks with confidence to most surfaces (including metal, rubber, glass and plastic) while removing cleanly in one piece - Strong yellow crepe paper backing conforms to irregular surfaces, resists bleed through of most industrial paint systems, and improves visibility during the paint masking process - Temperature use range up to 225°F (107°C) - Great paint lines - Medium-high conformability					
051115-64756-7	24mm x 55m	Yellow	Individually Wrapped	36 rolls/case	Rolls
051115-64757-4	36mm x 55m	Yellow	Individually Wrapped	24 rolls/case	Rolls
051115-64758-1	48mm x 55m	Yellow	Individually Wrapped	24 rolls/case	Rolls

General Use



UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ General Use Tan Masking Tape 201+					
- General use for light and medium-duty applications - Rubber-based adhesive sticks to a variety of surfaces - Smooth and conformable crepe paper backing is easy to handle, apply and remove in one piece - Temperature use range up to 200°F (93°C) - Good paint lines - Medium conformability					
051115-64746-8	24mm x 55m	Tan	Individually Wrapped	36 rolls/case	Rolls
051115-64747-5	36mm x 55m	Tan	Individually Wrapped	24 rolls/case	Rolls
051115-64748-2	48mm x 55m	Tan	Individually Wrapped	24 rolls/case	Rolls

Specialty Gold



UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Specialty High Temperature Masking Tape 501+					
- Specialty high-temperature masking tape for super sharp paint lines and critical paint masking applications — Temperature use range up to 300°F (149°C) for 30 minutes 3M proprietary high-temperature adhesive quickly sticks with confidence to most surfaces (including metal, rubber, glass and plastic) while removing cleanly in one piece. Adhesion to steel: 35 oz./in. width - Extra-strong tan crepe paper backing conforms to irregular surfaces and resists bleed through from most industrial paint systems - Natural rubber adhesive and paper backing is easy to hand tear but is resistant to slivering on removal - Thickness: 7.4 mils; Tensile Strength: 24 lbs./in. width; Elongation at Break: 9%					
051115-69105-8	24mm x 55m	Tan	Individually Wrapped	36 rolls/case	Rolls
051115-69106-5	36mm x 55m	Tan	Individually Wrapped	24 rolls/case	Rolls
051115-68107-2	48mm x 55m	Tan	Individually Wrapped	24 rolls/case	Rolls

Hang Tabs, Marking & Identification Tags

	UPC	Part No.	Size	Color	Packaging	Quantity	Billing Unit
3M™ Hang Tabs							
 • Clear plastic with pressure sensitive adhesive • Allows graphics to show through retail packaging • Sticks to most product or packaging surfaces for store display applications • In-store repair of damaged packaging such as torn punches in chipboard header cards	051125-74952-7	1074	1" x 2" (Round Hole)	Clear	10 hang tabs/pads 100 hang tabs/pack	5 packs/case	100 hang tabs/box
	051125-74950-3	1075	2" x 2" (Delta Hanger)	Clear	10 hang tabs/pad 50 pads/pack	5 packs/case	50 pads/box
	051125-74951-0	1076	2" x 2" (Round Hole)	Clear	10 hang tabs/pad 50 pads/pack	5 packs/case	50 pads/box
3M™ Marking & Identification Tags 818							
 • Facilitates parts identification, marking defects, inventory tracking, routing destinations, sorting, splicing alerts or similar applications • Non-sticky paper end can be custom printed, up to 4 colors, to help create identification, message or bar code • Durable, plastic strip laminated with a non-sticky paper at one end and a synthetic rubber resin adhesive on the other end	051125-74903-9	818	1" x 4"	Blue	25 tags/pad 25 pads/pack	5 packs/case	25 pads/box
	051125-74904-6	818	1" x 4"	Red	25 tags/pad 25 pads/pack	5 packs/case	25 pads/box
	051125-74905-3	818	1" x 4"	Yellow	25 tags/pad 25 pads/pack	5 packs/case	25 pads/box

Carry Handles

Turn virtually any bulky, hard-to-carry package or box into an easy-to-carry item — One-handed carrying versus two! These durable plastic strips, with adhesive at each end, adhere to both sides of a box or package, creating a small loop for easy carrying.

	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Carry Handles 8328						
 • Holds up to 30 lbs.	051125-74956-5	1-3/8" x 23" x 6"	White	25 handles/pad 16 pads/pack	5 packs/case	16 pads/box
3M™ Carry Handles 8326						
 • Holds up to 10 lbs.	051125-74954-1	1" x 17" x 3"	White	25 handles/pad 16 pads/pack	5 packs/case	16 pads/box
	051125-74955-8	1-3/8" x 23" x 6"	White	25 handles/pad 16 pads/pack	5 packs/case	16 pads/box

Hang Tabs, Tags, Carry Handles & Pads

Tape Sheets & Fingerprint Lifting Tape

High Performance

UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Bi-Directional Filament Tape Sheets 819					
	• Pre-cut tape strips, padded for convenient pocket storage, tabbed for easy removal and application • Polypropylene backing reinforced with glass filaments with a synthetic rubber resin adhesive • Fiberglass filaments run in a bi-directional pattern for added strength and security • For convenient and easy, in-the-field repair of damaged packages				
	051125-74909-1	2" x 6"	Clear	25 sheets/pad 20 pads/pack	5 packs/case 20 pads/box

Performance

UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Tape Sheets 3750P					
	• Pre-cut tape sheets in a pad format for convenient and easy repair of damaged packages in industrial and commercial applications • Polypropylene backing with a rubber resin adhesive • Ideal for protecting labels, sealing envelopes, small packages, recouperage repair and other packaging applications • Features a removable paper tab				
	051125-74888-9	2" x 6"	Clear	25 sheets/pad 40 pads/carton	5 cartons/case 40 pads/box
3M™ Tape Sheets 822					
	• Pre-cut tape sheets in a pad format for convenient and easy use to repair and seal damaged packages • Clear polypropylene backing with a rubber resin adhesive • Portable • No dispenser required • Features a removable paper tab				
	051125-74953-4	4" x 6"	Clear	25 sheets/pad 20 pads/pack	5 packs/case 20 pads/box

Specialty Gold

UPC	Size	Color	Packaging	Quantity	Billing Unit
Scotch® Fingerprint Lifting Tape 8004					
	• Fingerprint lifting tape for crime scene investigation • Clear polypropylene backing with an acrylic adhesive • Provides visual clarity for reading fingerprints easily and allows for long aging when archiving fingerprints				
	051125-74936-7	3/4" x 10 yds.	Clear	12 rolls/pack	48 packs/case Packs
	051125-74934-3	1-1/2" x 10 yds.	Clear	12 rolls/pack	21 packs/case Packs
	051125-74935-0	2" x 10 yds.	Clear	6 rolls/pack	42 packs/case Packs
	051125-74937-4	3" x 10 yds.	Clear	6 rolls/pack	21 packs/case Packs

Packaging List Envelopes & Label Protection Tape

Packaging List Envelopes

	UPC	Part No.	Description	Size	Color	Packaging	Quantity	Billing Unit
3M™ Packing List Envelopes								
	• Clear polyethylene envelopes with easy-to-remove liner • High-tack rubber resin adhesive holds packing slips, invoices, cards and other shipping documents securely to packages • Custom printing available on select envelopes							
	051125-74924-4	PLE-T1	Side load, top printable	4-1/2" x 5-1/2"	Clear	500 pads/pack	2 packs/case	Packs
	051125-74926-8	PLE-F1	Side load, top printable	4-1/2" x 5-1/2"	Clear	500 pads/pack	2 packs/case	Packs
	051125-74928-2	PLE-NP1	Side load, non-printable	4-1/2" x 5-1/2"	Clear	500 pads/pack	2 packs/case	Packs
	051125-74933-6	PLE-T4	Side load, top printable	5-1/2" x 10"	Clear	250 pads/pack	4 packs/case	Packs
	051125-74925-1	PLE-FED1	Top load, non-printable	6-3/4" x 10-3/4"	Clear	100 pads/pack	10 packs/case	Packs
	051125-74929-9	PLE-NP3	Top load, non-printable	7" x 5-1/2"	Clear	250 pads/pack	4 packs/case	Packs
	051125-74932-9	PLE-T3	Top load, top printable	7" x 5-1/2"	Clear	250 pads/pack	4 packs/case	Packs
	051125-74930-5	PLE-NP4	Side load, non-printable	7" x 5-1/2"	Clear	250 pads/pack	4 packs/case	Packs
	051125-74931-2	PLE-NP5	Side load, non-printable	7" x 10"	Clear	250 pads/pack	4 packs/case	Packs
	051125-74927-5	PLE-NP6	Side load, non-printable	9-1/2" x 12"	Clear	100 pads/pack	10 packs/case	Packs
	051125-74938-1	PLE-NPZXL	Side load, non-printable	10" x 12-1/2"	Clear	50 pads/pack	10 packs/case	Packs

Label Protection Tape

	UPC	Part No.	Size	Color	Packaging	Quantity	Billing Unit
3M™ Label Protection Tape							
	821 • Easy write-on surface • Protects address labels and vital shipping information from abrasion and moisture • Allows bar codes to be easily scanned • Dispenses well and easily hand-tearable						
	823 • Easy-to-read-through, bright yellow tape draws attention to critical packaging information • Dispenses easily						
	051125-74876-6	821	2" x 72 yds.	Pink	4 rolls/pack (2 x 2 flat pack)	6 packs/case	4 roll pack
	051125-74877-3	821	4" x 72 yds.	Pink	Individually Wrapped	8 rolls/case	Rolls
	051125-74910-7	823	96mm x 66m	Yellow	Individually Wrapped	18 rolls/case	Rolls

	UPC	Part No.	Size	Color	Packaging	Quantity	Billing Unit
3M™ Label Protection Tape							
	3565						
	• Utility grade tape protects labels in non-critical applications • Easy to read through • Tear resistant						
	051125-74911-4	3565	96mm x 100m	Clear	Individually Wrapped	18 rolls/case	Rolls

Performance

General Use

Product Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application.

Warranty, Limited Remedy, and Disclaimer: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. User is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application. Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.



Industrial Adhesives and Tapes Division

3M Center, Building 225-3S-06
St. Paul, MN 55144-1000
800-362-3550 • 877-369-2923 (Fax)
www.3M.com/industrial

Please Recycle. Printed in U.S.A.
© 3M 2013. All rights reserved.
70-0709-4157-3

3M, Scotch and Tartan are trademarks of 3M.