UL/CSA LISTED

GARD-N-POST™

Supports & Enclosures for Outdoor Installations

Arlington

Look Great Outdoors!

WITH GARD-N-POST™

SUPPORTS & ENCLOSURES

Arlington's **Gard-N-Posts**™ are the attractive, safe and easy way to install light fixtures and devices outdoors!

We offer a variety of styles, from 9" to 73" tall that function as supports or enclosures – or both!

Made of non-metallic, heavy-duty plastic, our damage-resistant Gard-N-Post holds up against abuse from lawn maintenance equipment.

Most have built-in stabilizers that deliver rigid support and require no assembly. The angle-cut at the bottom allows for easy access to underground wires*.

Plus, the colorant runs throughout the post, so there's no chipping or loss of color.

For added convenience, **GP19**, **GP26** and **GP37** – our most popular sizes – come with a supplied separator so you can install power and low voltage outlets in the same post.

Some styles come with a metal grounding bushing in place, ready for the installation of an NPT fixture. And some have KOs that make them UL Listed enclosures.



Permanent color.
No chipping!



GP19 • GP26 • GP37
One post.
Two openings.

Whatever your need, there's a Gard-N-Post to fit it!

* Not applicable to GPD9 deck/post mount style or the GPLN15GR low profile support.

CSA Listed with grounding lugs

Patented. Other patents pending.

Arlington

800.233.4717 • Fax 570.562.0646 • www.aifittings.com • Email sales@aifittings.com

For Any Outdoor Application

Uses		Height • Catalog Number
Supports for fixture(s) and/or GFCI	page 4	**19.5"** GP19 **26"** GP26
◀ **Bollard Kit Support** for fixture and/or GFCI	page 8	**35"** GPBK35
Super Tall Support for fixture and/or GFCI	page 6	***37"*** GP37 ▶ Optional **18" extender** GPX18
Low Profile Supports for 2- and 3-wire light fixtures	page 10	**19.5"** GPLN19 w/ non-metallic bushing **15"** GPLN15GR ▶ w/ non-metallic bushing **19.5"** GPL19 w/ metal bushing
Low Profile Enclosure with built-in weatherproof while-in-use cover	page 11	**19.5"** GPD19
Deck/Post Mount Support for fixture and/or GFCI	page 7	**9"** GPD9
3-wire type **Light Fixtures** for use with **GARD-N-POST™**	page 12	GPI75B GPP60B GPP60LB GPF13B

GARD-N-POST™ Low Profile Support

GP19 19.5"
GP26 26"

For any outdoor light fixture up to 18 lbs, w/ 1/2" or 3/4" NPT threads, and/or a GFCI wiring device

- Openings on both sides of the post allow for back-to-back power – use the supplied low voltage separator to install power and low voltage outlets in the same post
- Built-in stabilizers need no assembly and deliver rigid support
- Designed for easy access to underground wiring
- Four 1/2" KOs for a UL Listed enclosure
- Four colors
- Competitively priced

GP19

UL Listed cover

Removable for easy wire installation

GP26

Taller design provides additional height for wiring devices and increased burial depth

Built-in stabilizers

No loose parts.
No assembly required.

Angle-cut base

for easy access to underground wiring



Patented.
Other patents pending.

GP19 19.5" Height

Item No.	UPC/DCI/NAED Mfg. #01 8997	Color	Unit Pkg	Std Pkg
GP19B	77086	Black	1	6
GP19BR	77087	Bronze	1	6
GP19G	77088	Green	1	6
GP19W	77089	White	1	6

GP26 26" Height

Item No.	UPC/DCI/NAED Mfg. #01 8997	Color	Unit Pkg	Std Pkg
GP26B	77090	Black	1	6
GP26BR	77092	Bronze	1	6
GP26G	77094	Green	1	6
GP26W	77096	White	1	6

Includes...
Installed 3/4" x 1/2" NPT metal reducing bushing, locknut with copper ground wire for fixture installation, (2) blank device plates, gaskets and screws, plug for top hole (when fixture is not installed), low voltage separator and removable KO plate.

Power
Install one or two GFCIs with weatherproof cover...
Low Voltage
add the supplied separator...
for low voltage on one side, power on the other
More Convenient than Ever!
Install a fixture – and your choice of Power and/or Low Voltage Outlets – Outside!

Arlington

GARD-N-POST™

Two-piece Super Tall 37" Support

GP37 37"
Optional
GPX18 18" Extender

Our tallest Gard-N-Post supports most outdoor light fixtures, and/or a GFCI wiring device

- Adaptable in the field for time clocks and disconnects
- Openings on both sides of the post – and the low voltage separator (supplied) allow for low voltage on one side, power on the other.
- Built-in stabilizers
- Two 1/2" KOs for a UL Listed enclosure
- Non-chipping colors
- UV rated plastic

Add the Optional **GPX18 to extend the GP37 in 18" increments – up to 73" tall.** Or cut the top of the extender to the desired height

GP37
Our tallest 2-piece Gard-N-Post assembles with PVC cement

GPX18 Optional 18" Extender
Extends the height of the GP37 up to 73"

CSA Listed with grounding lugs

GP37 37" Height

Item No.	UPC/DCI/NAED Mfg. #01 8997	Color	Unit Pkg	Std Pkg
GP37B	76153	Black	1	4
GP37BR	76154	Bronze	1	4
GP37G	76156	Green	1	4
GP37W	76155	White	1	4

Includes...
Installed 3/4" x 1/2" NPT metal reducing bushing, locknut with copper ground wire for fixture installation, (2) blank device plates, gaskets and screws, plug for top hole (when fixture is not installed), low voltage separator and removable KO plate.

OPTIONAL GP18X 18" Extender

Item No.	UPC/DCI/NAED Mfg. #01 8997	Color	Unit Pkg	Std Pkg
GPX18B	76157	Black	1	4
GPX18BR	76158	Bronze	1	4
GPX18G	76160	Green	1	4
GPX18W	76159	White	1	4

GARD-N-POST™ Two-piece Deck or Post Mount Support

GP9B shown with light fixture GPP60B

GP9
Two-piece Gard-N-Post

GPD9 9"

Low profile support for deck or post mounting of most light fixtures and/or a GFCI wiring device

- Non-metallic two-piece design
- UV rated plastic for long outdoor life
- Metal grounding bushing assembly included
- Two 1/2" KOs for a UL Listed enclosure
- Includes plug for top for device-only installations
- Four permanent colors
- UL and CSA Listed (CSA w/ grounding lug)
- Competitively priced!

See page 12 for Light Fixture details

Look Great Outdoors!

GPD9 9" Height

Item No.	UPC/DCI/NAED Mfg. #01 8997	Color	Unit Pkg	Std Pkg
GPD9B	76161	Black	1	6
GPD9BR	76162	Bronze	1	6
GPD9G	76164	Green	1	6
GPD9W	76163	White	1	6

Includes...
Installed 3/4" x 1/2" NPT metal reducing bushing, locknut with copper ground wire for fixture installation, blank device plate, gasket and screws, plug for top hole (when fixture is not installed), removable KO plate and mounting base.

Arlington

GARD-N-POST™ Low Cost Bollard Kit

GPBK35 35"

Gard-N-Post support post with pagoda-style light fixture

- Perfect for decks, boat docks and concrete walkways
- Square pagoda-style light fixture matches the shape of the Gard-N-Post™
- Fixture has a standard lamp socket that accommodates a variety of lamp types
- Back-to-back openings in the post, and the low-voltage separator give you the option of installing power in one side, and low-voltage in the other – or high voltage devices in both
- Two combination KO plates provide a UL Listed enclosure
- Colors: black, bronze
- Low cost bollard!
- Easy installation– includes everything you need to install it, except anchor bolts and caulking

Metal Support Post

1 Attaches easily to surface

Easy to install!

Decorative Curb

3 Place decorative curb over Gard-N-Post. Slide it down to cover the installation.

Gard-N-Post

35" Non-metallic Gard-N-Post

2 The non-metallic Gard-N-Post slides over the metal support post.

Both posts are held firmly in place with the supplied screws (see below).

4 Press fit spacer to base of lamp.

Spacer

5 Install pagoda light to post with locknut *inside* the top of the post.

Wire fixture.

Recommended anchors (not included): Concrete: (4) 3/8" x 2-1/2" Tapcons®
Cast-in-place concrete: (4) 3/8" anchor bolts
Wood deck: (4) 3/8" anchor bolts w/ nuts & washers

Bollard Kit 35" Height

Item No.	UPC/DCI/NAED Mfg. #01 8997	Color	Unit Pkg	Std Pkg
GPBK35B	77040	Black	1	1
GPBK35BR	77041	Bronze	1	1

Kit includes...
Gard-N-Post and metal stabilizer, curb, pagoda light fixture and decorative spacer, (2) blank device plates with gaskets and screws, low voltage separator and removable KO plate with screws.

Pagoda Light Fixture

Sold separately

compliments Arlington's Gard-N-Post line

Item No.	UPC/DCI/NAED Mfg. #01 8997	Color	Unit Pkg	Std Pkg
GPP60LB	77046	Black	1	4
GPP60LBR	77047	Bronze	1	4

Fixture uses a 40 watt halogen, 40 watt incandescent, or a 13 watt flourescent lamp. Lamp not included.

The Square Light on a Square Post Looks Great!

Arlington

CSA Listed with grounding lugs

GARD-N-POST™

Just for Light Fixtures • Low Cost!

GPLN 19.5"
GPLN 15"
GPL 19.5"

Gard-N-Post low profile supports just for 2- and 3-wire fixtures

Installing an outdoor light fixture is easier, and less expensive with Arlington's low cost Gard-N-Posts.

The GPLN series low profile support is designed for 3-wire light fixtures. They come with a 3/4" NPT threaded opening, and an installed 3/4 x 1/2 non-metallic reducing bushing for use with 1/2" or 3/4" NPT fixtures.

- Installed cover
- Permanent colors – No chipping
- Heavy-duty – Resists damage from lawn mowers and other lawn maintenance equipment
- UV rated plastic for long outdoor life
- UL and CSA Listed

GPLN19

Non-metallic bushing
for 3-wire fixtures only

3/4" x 1/2" reducing bushing w/ 1/2" NPT opening

Cover with 1/2" KO or photocell

Built-in stabilizers
No loose parts. No assembly required.

GPLN15GR

Non-metallic bushing
for 3-wire fixtures only

GPL19

Metal bushing
with ground wire for 2- or 3-wire fixtures

Our Absolutely LOWEST COST Gard-N-Post

GPLN19B
Shown with light fixture GPI75B

Patented.
Other patents pending.

GPLN19 19.5" Height • Non-Metallic Bushing

Item No.	UPC/DCI/NAED Mfg. #01 8997	Color	Unit Pkg	Std Pkg
GPLN19B	76190	Black	6	6
GPLN19BR	76192	Bronze	6	6

GPLN15GR 15" Height • Non-Metallic Bushing

Item No.	UPC/DCI/NAED Mfg. #01 8997	Color	Std Pkg
GPLN15GR	76181	Gray	10

GPLN19 & GPLN15GR **Include:** Access panel cover, gasket, 3/4" x 1/2" NPT non-metallic bushing for fixture installation.

GPL19 19.5" Height • Metal Bushing

Item No.	UPC/DCI/NAED Mfg. #01 8997	Color	Unit Pkg	Std Pkg
GPL19B	77000	Black	1	6
GPL19BR	77001	Bronze	1	6
GPL19G	77002	Green	1	6
GPL19W	77003	White	1	6

Includes: Access panel cover, gasket, installed 3/4" x 1/2" NPT metal grounding bushing and locknut with copper ground wire for fixture installation.

GARD-N-POST™ Enclosure w/ Weatherproof in-use Cover

New Features for EXTRA-DUTY Code Compliance

Reinforced Hinge allows cover to comply with extra-duty code requirements of 2011 NEC

Extra-Duty Built-in Weatherproof Cover

UL Listed Enclosure

Why install boxes like this?...

...when you can

Look Great Outdoors!

GPD19 19.5"

Low profile enclosure with built-in, clear weatherproof while-in-use cover

Arlington's GPD19 Gard-N-Post enclosure costs about the same as multiple piece assemblies, but it looks a lot better, and it's faster and easier to install.

- Ships with a clear, extra-duty weatherproof in-use cover, GFCI and duplex wall plate – no gasket required
- Four permanent, damage-resistant colors
- Made of heavy-duty, UV-rated plastic
- 19.5" tall
- UL Listed enclosure – Meets 2011 NEC extra-duty code requirements

GPD19 19.5" Height

Item No.	UPC/DCI/NAED Mfg. #01 8997	Color	Unit Pkg	Std Pkg
GPD19B	77020	Black	1	6
GPD19BR	77021	Bronze	1	6
GPD19G	77022	Green	1	6
GPD19W	77023	White	1	6

Includes: Gard-N-Post with built in weatherproof while-in-use cover, GFCI wall plate

Arlington

CSA Listed with grounding lugs

GARD-N-POST™ Decorative Light Fixtures • Sold Separately

Decorative 3-wire type light fixtures for use with our Gard-N-Post line

- Powder coated color match
- For heavy-duty commercial or residential use
- 1/2" NPT fixture
- Adds safety and security
- Perfect for illuminating signs, flagpoles, walkways, buildings, driveways, yards and recreational areas

Lamp Up to 75 watt, flood

Item No.	UPC/DCI/NAED Mfg. #01 8997	Color	KO Size	DIM A	DIM B	DIM C	Unit Pkg	Std Pkg
GPI75B	77042	Black	1/2"	4.062	4.062	8.135	1	4
GPI75BR	77043	Bronze	1/2"	4.062	4.062	8.135	1	4

Uses a 75 watt PAR 16 or a 50 watt PAR 20 halogen lamp.
Lamp not included.



Lamp 13 watt, fluorescent • 2-lamp fixture

Item No.	UPC/DCI/NAED Mfg. #01 8997	Color	KO Size	DIM A	DIM B	DIM C	Unit Pkg	Std Pkg
GPF13B	77044	Black	1/2"	8.500	6.300	5.300	1	4
GPF13BR	77045	Bronze	1/2"	8.500	6.300	5.300	1	4

Uses two 13 watt fluorescent lamps (included).
Lamp # PL-S27



1/2" NPT

Pagoda-style, 3-wire type light fixture

- Durable cast aluminum
- 3/4" NPT fixture
- Made for incandescent, halogen and energy-saving compact fluorescent lamps (Lamps not included)

Lamp Incandescent, halogen or compact fluorescent

Item No.	UPC/DCI/NAED Mfg. #01 8997	Color	DIM A	DIM B	DIM C	Unit Pkg	Std Pkg
GPP60B	77046	Black	4.750	4.750	8.750	1	4
GPP60BR	77047	Bronze	4.750	4.750	8.750	1	4

Uses a 40 watt halogen, 40 watt incandescent, or 13 watt fluorescent lamp. Lamp not included.

GPP60B



Lamp Incandescent, halogen or compact fluorescent

Item No.	UPC/DCI/NAED Mfg. #01 8997	Color	DIM A	DIM B	DIM C	DIM D	Unit Pkg	Std Pkg
GPP60LB	04605	Black	3.600	4.250	6.070	8.573	1	4
GPP60LBR	04606	Bronze	3.600	4.250	6.070	8.573	1	4

Uses a 40 watt halogen, 40 watt incandescent, or 13 watt fluorescent lamp. Lamp not included.

GPP60LB



Arlington

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com

Distributed by

©2005, 2006 Arlington Industries, Inc. GP0506/50M