



Carlton®



PART NO	SIZE	A	B	C	D	E	F	MAXIMUM HOLE SIZE
LT20G LT20GU	1 1/4"	.75 [9, 1]	2.01 [51, 1]	2.52 [64]	1.10 [27, 9]	2.48 [63]	2.18 [55, 4]	1.75 [44, 5]
LT20H LT20HU	1 1/2"	.75 [9, 1]	2.16 [54, 9]	2.81 [71, 4]	1.19 [30, 2]	2.77 [70, 4]	2.43 [61, 7]	2.06 [52, 3]

GENERAL NOTES

1. ALL DIMENSIONS ARE FOR REFERENCE ONLY.
2. DIMENSIONS IN BRACKETS [] ARE IN METRIC UNITS.

REVISIONS

SEE ERN (****)
FOR APPROVAL SIGNATURES
& RELEASE DATE.
PROJECT NO: ****

Thomas & Betts
www.tnb.com

DESCRIPTION: **90 DEGREE CARFLEX FITTING**

ORIGINAL PROJECT NO / (ERN NO)

/ ()

SHEET NO:

1 OF 3

REV. NO:

C


DRAWING NO:

WSD-AC03583

THIS DRAWING IS INTENDED FOR DESCRIPTIVE PURPOSES ONLY. AND THE RIGHT IS RESERVED TO DEViate FROM ANY OF THE DETAILS SHOWN HEREON.

© 2008 Thomas & Betts - Proprietary, All Rights Reserved

Carlton®



PART NO	SIZE	A	B	C	D	ØE	ØF	MAXIMUM HOLE SIZE
LT20J LT20JU	2"	.90 [22,8]	3.25 [82,6]	3.25 [82,6]	1.25 [31,8]	3.33 [84,6]	3.00 [76,2]	2.40 [60,9]

Thomas & Betts
www.tnb.com

DESCRIPTION: **90 DEGREE CARFLEX FITTING**

SHEET NO:

2 OF 3



REV. NO:

C

DRAWING NO:

WSD-AC03583

Carlton®



PART NO	SIZE	A	B	C	D	E	F	MAXIMUM HOLE SIZE
LT20C LT20C-CAR	3/8" [14]	.56 [14,2]	1.30 [33]	1.44 [36,5]	1.56 [39,6]	1.39 [25,3]	1.26 [32,0]	.91 [23,0]

Thomas & Betts
www.tnb.com

DESCRIPTION: **90 DEGREE CARFLEX FITTING**

SHEET NO:

3 OF 3

REV. NO:

C

DRAWING NO:

WSD-AC03583