

Wire and Cable Marking

Vinyl Cloth Wire Marker Cards

This part number, for example, is a Wire Marker Card with a legend sequence of 1-5. Its length is 1½".

WC - 1-5 - S

Card Type

WC = Wire Marker Card
WS = Vinyl Self-Laminating


Legend

Single Character = 1, 2, 3, etc.
Sequence = 1-33, 34-66, etc.


Length

S = 1½"
D = ¾"


Numbers in Sequence




Numbers in Sequence Repeated




Solid Numbers




Paired Numbers in Sequence




Suffix Numbers




Solid Numbers on a Colored Background




Numbers in Sequence on a Colored Background




Solid Letters




Letters in Sequence




Letters in Sequence on a Colored Background




Solid Letters and Numbers




Voltage Markers




Solid Symbols — Miscellaneous Electrical Symbols



Solid Machine Tool Markers



Machine Tool Markers in Sequence



Wire and Cable Marking

Vinyl Cloth Wire Marker Cards (continued)

CAT. NO.	STYLE	LEGEND	MARKERS PER CARD OR PAIRS PER CARD		DESCRIPTION (IF NEEDED)
			1-½" (38MM)	¾" (19MM)*	
WC1-THRU-33S	Numbers in Sequence	1-33	33	66	—
WC34-THRU-66S		34-66	33	66	—
WC67-THRU-99S		67-99	33	66	—
WC100-THRU-124S		100-124	25	50	—
WC125-THRU-149S		125-149	25	50	—
WC974-THRU-999S		974-999	25	50	—
WC1-THRU-3S	Numbers in Sequence Repeated	1-3	36	72	—
WC1-THRU-4S		1-4	36	72	—
WC1-THRU-5S		1-5	35	70	—
WC0-THRU-10S		0-10	33	66	—
WC1-THRU-12S		1-12	36	72	—
WC1-THRU-18S		1-18	36	72	—
WC19-THRU-36S		19-36	36	72	—
WCZEROS	Solid Numbers	0	36	72	—
WC1S, WC2S THRU WC99S		1, 2...99	36	72	—
WC101S, 2C102S THRU WC600S		101, 102...600	25	50	—
WC1 THRU 16PS		1-16	16	32	—
WC17 THRU 32PS	Paired Numbers in Sequence	17-32	16	32	—
WC33 THRU 48PS		33-48	16	32	—
WC00S	Suffix Numbers	00	36	72	Cat. No. WC0009S has three sequences of 00...09 per card. Cat. No. WC0009D has six sequences of 00...09 per card.
WC01S, WC02S THRU WC09S		01, 02...09	36	72	
WC0009S		00...09	30	60	
WCBLZEROS	Solid Numbers on a Colored Background	0	36	72	White Legend on Blue Background
WCBL1S...WCBL50S		1...50	36	72	White Legend on Green Background
WCGRZEROS		0	36	72	
WCGR1S...WCGR50S		1...50	36	72	
WCORZEROS		0	36	72	Black Legend on Orange Background
WCOR1S...WCOR50S		1...50	36	72	
WCRDZEROS		0	36	72	White Legend on Red Background
WCRD1S...WCRD50S		1...50	36	72	
WCYLZEROS		0	36	72	Black Legend on Yellow Background
WCYL1S...WCYL50S		1...50	36	72	
WCBK1-33S	Numbers in Sequence on a Colored Background	1-33	33	66	White Legend on Black Background
WCBK34-66S		34-66	33	66	
WCBK67-99S		67-99	33	66	
WCBK100-124S		100-124	25	50	
WCBL1-33S	Numbers in Sequence on a Colored Background	1-33	33	66	White Legend on Blue Background
WCBL34-66S		34-66	33	66	
WCBL67-99S		67-99	33	66	
WCBL100-124S		100-124	25	50	
WCBR1-33S	Numbers in Sequence on a Colored Background	1-33	33	66	White Legend on Brown Background
WCBR34-66S		34-66	33	66	
WCBR67-99S		67-99	33	66	
WCBR100-124S		100-124	25	50	
WCGR1-33S	Numbers in Sequence on a Colored Background	1-33	33	66	White Legend on Green Background
WCGR34-66S		34-66	33	66	
WCGR67-99S		67-99	33	66	
WCGR100-124S		100-124	25	50	

Note: Order multiple 25 cards.

* When ¾" length markers are required, replace the last S in the catalog number with a D. For example, WC1S would become WC1D.

Wire and Cable Marking

CAT. NO.	STYLE	LEGEND	MARKERS PER CARD OR PAIRS PER CARD		DESCRIPTION (IF NEEDED)
			1-½" (38MM)	¾" (19MM)*	
WCRD1-33S	Numbers in Sequence on a Colored Background	1-33	33	66	White Legend on Red Background
WCRD34-66S		34-66	33	66	
WCRD67-99S		67-99	33	66	
WCRD100-124S		100-124	25	50	
WCOR1-33S	Numbers in Sequence on a Colored Background	1-33	33	66	Black Legend on Orange Background
WCOR34-66S		34-66	33	66	
WCOR67-99S		67-99	33	66	
WCOR100-124S		100-124	25	50	
WCYL1-33S	Numbers in Sequence on a Colored Background	1-33	33	66	Black Legend on Yellow Background
WCYL34-66S		34-66	33	66	
WCYL67-99S		67-99	33	66	
WCYL100-124S		100-124	25	50	
WCAS	Solid Letters	A	36	72	—
WCBS...WCZS		B...Z	36	72	—
WCLAS		a	36	72	—
WCLBS...WCLZS		b...z	36	72	—
WCAZAJ	Letters in Sequence	A-Z plus A-J	36	72	—
WCAZO9S		A-Z plus 0-9	36	72	—
WCLAZAJ		a-z plus a-j	36	72	—
WCBKA-ZS	Letters in Sequence on a Colored Background	A-Z plus A-J	36	72	White Legend on Black Background
WCBLA-ZS		A-Z plus A-J	36	72	White Legend on Dark Blue Background
WCBRA-ZS		A-Z plus A-J	36	72	White Legend on Brown Background
WCGRA-ZS		A-Z plus A-J	36	72	White Legend on Dark Green Background
WCRDA-ZS		A-Z plus A-J	36	72	White Legend on Red Background
WCORA-ZS		A-Z plus A-J	36	72	Black Legend on Yellow Background
WCYLA-ZS		A-Z plus A-J	36	72	Black Legend on Orange Background
WCA1S...WCA5S	Solid Letters and Numbers	A1...A5	36	72	—
WCB1S...WCB5S		B1...B5	36	72	—
WCC1S...WCC5S		C1...C5	36	72	—
WCD1S...WCD5S		D1...D5	36	72	—
WCE1S...WCE5S		E1...E5	36	72	—
WCF1S...WCF4S		F1...F4	36	72	—
WCG1S...WCG4S		G1...G4	36	72	—
WCH1S...WCH5S		H1...H5	36	72	—
WCJ1S...WCJ4S		J1...J4	36	72	—
WCK1S...WCK4S		K1...K4	36	72	—
WCL1S...WCL5S		L1...L5	36	72	—
WCM1S...WCM5S		M1...M5	36	72	—
WCP1S...WCP4S		P1...P4	36	72	—
WCR1S...WCR5S		R1...R5	36	72	—
WCS1S...WCS5S		S1...S5	36	72	—
WCT0S...WCT9S		T0...T9	36	72	—
WCT10S...WCT15S		T10...T15	36	72	—
WCU1S...WCU2S		U1...U2	36	72	—
WCV1S...WCV2S		V1...V2	36	72	—
WCW1S...WCW2S		W1...W2	36	72	—
WCX1S...WCX4S		X1...X4	36	72	—
WCY1S...WCY4S		Y1...Y4	36	72	—
WCZ1S...WCZ4S		Z1...Z4	36	72	—

Note: Order multiple 25 cards.

* When ¾" length markers are required, replace the last S in the catalog number with a D. For example, WC1S would become WC1D.

Wire and Cable Marking

Vinyl Cloth Wire Marker Cards (continued)

CAT. NO.	STYLE	LEGEND	MARKERS PER CARD OR PAIRS PER CARD		DESCRIPTION (IF NEEDED)
			1-½" (38MM)	¾" (19MM)*	
WC3VS	Voltage Markers	3V	36	72	—
WC6VS		6V	36	72	—
WC12VS		12V	25	50	—
WC24VS		24V	25	50	—
WC110VS		110V	22	44	—
WC115VS		115V	22	44	—
WC120VS		120V	22	44	—
WC125VS		125V	22	44	—
WC180VS		180V	22	44	—
WC220VS		220V	22	44	—
WC230VS		230V	22	44	—
WC240VS		240V	22	44	—
WC270VS		270V	22	44	—
WC280VS		280V	22	44	—
WC440VS		440V	22	44	—
WC460VS		460V	22	44	—
WC480VS		480V	22	44	—
WCPLSS	Solid Miscellaneous Electrical Symbols	+	36	72	—
WCMINS		-	36	72	—
WCAPLSS		A+	25	50	—
WCAMINS		A-	25	50	—
WCBPLSS		B+	25	50	—
WCBMINS		B-	25	50	—
WCPOSS		POS	25	50	—
WCNEGS		NEG	25	50	—
WCPHS		Phase	18	36	—
WCPHAS		Phase A	18	36	—
WCPHBS		Phase B	18	36	—
WCPHCS		Phase C	18	36	—
WC1PHS		1 Phase	18	36	—
WC2PHS		2 Phase	18	36	—
WC3PHS		3 Phase	18	36	—
WCINS		IN	36	72	—
WCOUTS		OUT	25	50	—
WCHOTS		HOT	25	50	—
WCGRDS		GRD	25	50	—
WCNEUTS		NEUT	22	44	—
WCLINES		LINE	22	44	—
WCLPLS		L+	25	50	—
WCLMIS		L-	25	50	—
WCLOADS		LOAD	22	44	—
WCPUS		PU	36	72	—
WCGRCS			36	72	—
WCGENS		GEN	25	50	—
WCACS		AC	36	72	—
WCDCS		DC	36	72	—
WCCOMS		COM	25	50	—
WCBATS		BAT	25	50	—
WCBBS		BB	36	72	—

Note: Order multiple 25 cards.

* When ¾" length markers are required, replace the last S in the catalog number with a D. For example, WC1S would become WC1D.

Wire and Cable Marking

CAT. NO.	STYLE	LEGEND	MARKERS PER CARD OR PAIRS PER CARD		DESCRIPTION (IF NEEDED)
			1-½" (38MM)	¾" (19MM)*	
WCCBS	Solid Miscellaneous Electrical Symbols	CB	36	72	—
WCCTS		CT	36	72	—
WCIGNS		IGN	25	50	—
WCSIGS		SIG	25	50	—
WCSECS		SEC	25	50	—
WCPSS		PS	36	72	—
WCPRIS		PRI	25	50	—
WCPLSS		PL	36	72	—
WCTBS		TB	36	72	—
WCSSS		SS	36	72	—
WCSPARES		SPARE	18	36	—
WCCYSS		~	36	72	—
WCGRSS			36	72	—
WCPES		PE	36	72	—
WCPENS		PEN	25	50	—
WC1US		1U	36	72	—
WC2US		2U	36	72	—
WC1VS		1V	36	72	—
WC2VS		2V	36	72	—
WC1WS		1W	36	72	—
WC2WS		2W	36	72	—
WC1L1S	Solid Machine Tool Markers	1L1	25	50	—
WC1L2S		1L2	25	50	—
WC1L3S		1L3	25	50	—
WC2L1S		2L1	25	50	—
WC2L2S		2L2	25	50	—
WC2L3S...WC6L1S		2L3...6L1	25	50	—
WC6L2S		6L2	25	50	—
WC6L3S		6L3	25	50	—
WC1T1S		1T1	25	50	—
WC1T2S		1T2	25	50	—
WC1T3S		1T3	25	50	—
WC2T1S		2T1	25	50	—
WC2T2S		2T2	25	50	—
WC2T3S...WC7T1S		2T3...7T1	25	50	—
WC7T2S		7T2	25	50	—
WC7T3S		7T3	25	50	—
WCLL1S		LL1	25	50	—
WCLL2S		LL2	25	50	—
WCLL3S		LL3	25	50	—
WC1T1-3T3S	Machine Tool Markers in Sequence	1T1, 1T2, 1T3, 2T1, 2T2, 2T3, 3T1, 3T2, 3T3	27	54	—
WC4T1-6T3S		4T1, 4T2, 4T3, 5T1, 5T2, 5T3, 6T1, 6T2, 6T3	27	54	—
WC7T1-9T3S		7T1, 7T2, 7T3, 8T1, 8T2, 8T3, 9T1, 9T2, 9T3	27	54	—
WCLL1-LL3S		LL1, LL2, LL3	27	54	—
WCA1-S2S		A1, A2, F1, F2, S1, S2	36	72	—

Note: Order multiple 25 cards.

* When ¾" length markers are required, replace the last S in the catalog number with a D. For example, WC1S would become WC1D.