

## **PRODUCT DATA SHEET**

Large Diameter Threadlocker, 1.69 FI Oz (Discontinued) No. 04520

Product Description A high strength, high viscosity threadlocking anaerobic

adhesive with high temperature resistance. The product prevents loosening & leakage of threaded fasteners

caused by shock & vibration.

Applications For maximum gap-filling and permanent applications

where heavy shock and vibration are present: studs on locomotives, cylinder liners, truck wheels, pump glands,

rock-crushers.

Unit Package Description 4 Ounce Bottle

Brand CRC

Generic Description 1 Anaerobic Threadlocker

Net Fill 1.69 Fl Oz

UPC Code 078254045207

Unit Dimensions 6.25H x 2.5W x .75D in

Units Per Case 10

Case Dimensions 6.75H x 5W x 7D in

Cases Per Pallet 288
Case Weight 2 lbs

1 2 of 5 Code 30078254045208

Appearance Red Liquid Flash point (F) >200°F

Flash point (C) >93°C (Seta)
Flammability Class - CPSC Combustible

Spec Gravity Concentrate 1.1
Plastic Safe Yes

Curing Time 24 Hours

Working Temp (F) -75 to 475°F

Working Temp (C) -59.4 to 246.1°C

Viscosity @68 F cP 7000

Gap Fill 0.016 Inches

Last revised: 7/12/2016

Page 1 of 2



**Product** 

Discontinued



## **PRODUCT DATA SHEET**

Shear StrengthSteel Nuts

4000 psi

& Bolts

**Heavy Duty** 

Propellant

None

**DOT Proper Shipping Name** 

Locking Strength

Military Specification

Not Regulated

Number

Product

Discontinued

Meets requirements of Mil-S-46163A Type II Grade K

31.5

VOC % (Federal) VOC g/L (Federal)

321

VOC Lbs./Gal. (Federal)

2.72

**VOC Category** 

Not Regulated

Removal (How To)

High Heat to Remove

Last revised: 7/12/2016

Page 2 of 2

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.

