



PROTECTION ON THE JOB SITE AND BEYOND

Safety is more than a word or an idea.

Safety is not only a feeling; it's a state of being.

We all want to live in a place of safety. We strive to safeguard our homes, our families and ourselves — so we can return home at the end of each day and continue to protect everyone and everything we love.

Enter RHINO Safety Personal Protective Equipment.
Our full product line is rugged and tough enough to stand up to any job, all day and every day, giving you everything you need to protect what's most important, both on and off the job site.







- Full Brim and Cap Brim styles available
- Fully adjustable ratchet assembly

- Impact and penetration resistant
- Washable brow pad



CAP BRIM // SH-330 SERIES



- Fully adjustable 6-point ratchet assembly with snap lock
- HDPE construction
- Meets CE0086 EN397 : 2012 + A1: 2012

HEAD

• Meets ANSI Z89.1 - 2014, Type 1 - Class C

SPECIFICATIONS			
PART #	SIZE RANGE	HAT SIZE	HEAD CIRCUMFERENCE
SH-330W	52 - 62 cm	6.5" - 7.75"	20.5" - 24.25"
SH-330Y	52 - 62 cm	6.5" - 7.75"	20.5" - 24.25"

SPECIFICATIONS HAT PART # SIZE RANGE SIZE CIRCUMFERENCE

20.5" -6.5" - 7.75" SH-200W 52 - 62 cm 24.25" 20.5" -6.5" - 7.75" 52 - 62 cm SH-200Y 24.25"

FULL BRIM // SH-200 SERIES



- Fully adjustable 4-point ratchet assembly with snap lock
- Polypropylene (PP) construction
- Meets CE0086 EN397: 2012 + A1 : 2012
- Meets ANSI Z89.1 -2014, Type 1 - Class E





SAFETY GLASSES

SG SERIES



Model Number Shown // SG-300G

FEATURES

- Impact Resistant
- Available in your choice of clear or grey lenses
- All models: ANSI Z87.1 2015, CE EN166
- Some models feature bi-focal magnification
- Durable construction for reliable eye protection





SG-100C

- Polycarbonate impact resistant lens
- Wrap around design increases protection and peripheral vision coverage
- Polycarbonate temples



SG-101G

- Polycarbonate impact resistant lens
- · Durable nylon frame with 99.9% UV protection for indoor/outdoor use
- Length adjustable temples



SG-200C SERIES

- · Polycarbonate bi-focal impact resistant lens
- Durable nylon frame
- · Adjustable rubber nosepiece and temple tip



SG-300C

- · Polycarbonate impact resistant lens
- · Streamline design
- · Adjustable rubber nosepiece and temple tip



SG-100G

- Polycarbonate impact resistant lens
- Wrap around design increases protection and peripheral vision coverage
- Polycarbonate temples



SG-103C

- Polycarbonate impact resistant lens
- Bi-injected PC and rubber temple
- Hytrel inner frame with EVA foam



SG-200G SERIES

- Polycarbonate bi-focal impact resistant lens
- Durable nylon frame with 99.9% UV protection for indoor/outdoor use
- Adjustable rubber nosepiece and temple tip



- Polycarbonate impact
- Streamline design with indoor/outdoor use
- nosepiece and temple tip



SG-101C

- Polycarbonate impact resistant lens
- Durable nylon frame
- Length adjustable temples



SG-103G

- Polycarbonate impact resistant lens
- Bi-injected PC and rubber temple
- · Hytrel inner frame with EVA foam



BI-FOCAL PART# LENS COLOR MAGNIFICATION SG-100C **SG100G** grey SG-101C clear SG-101G grey SG-103C clear SG-103G grey SG-200C15 +1.5 clear SG-200C20 +2.0 clear SG-200C25 clear +2.5 SG-200G15 +1.5 grey SG-200G20 grey +2.0 SG-200G25 +2.5 grey SG-300C clear SG-300G grey

- SG-300G
- resistant lens
- 99.9% UV protection for
- Adjustable rubber



FEATURES

- Available in a range of sizes
- Lightweight, breathable and durable

- Superior grip
- · Styles and colors to suit every need





GLV-100

- · Cut resistant
- Smooth grey nitrile coated palm for excellent grip and dexterity
- 13 ga. white nylon, lightweight and breathable



GLV-400

- ANSI Cut Level A2
- ISO Cut Level B
- Polyurethane coated palm for better grip
- 13 ga. HPPE, lightweight and breathable



GLV-700

- ANSI Cut Level A7
- ISO Cut Level F
- for better grip



GLV-800

- ANSI Cut Level A4
- ISO Cut Level D
- Black sandy nitrile coated palm for better grip
- 13 ga. HPPE, lightweight and breathable



GLV-200

- Cut resistant
- · Black polyurethane coated palm for better grip
- 13 ga. black nylon, lightweight and breathable



GLV-500

- ANSI Cut Level A2
- ISO Cut Level B
- Sandy nitrile coated palm for better grip
- 13 ga. HPPE, lightweight and breathable



GLV-300

- ANSI Cut Level A4
- ISO Cut Level D
- Polyurethane coated palm for better grip
- 13 ga. HPPE, lightweight and breathable



GLV-600

PALM

SPECIFICATIONS

COLOR

PART #

- ANSI Cut Level A4
- ISO Cut Level D
- Foam nitrile coated palm for better grip
- 13 ga. HPPE, lightweight and breathable

SIZES

CERTIFICATION

- 4X42D




- · Polyurethane coated palm
- 13 ga. HPPE, lightweight and breathable



GLV-900

- ANSI Cut Level 4
- ISO Cut Level 5
- Foam nitrile coated palm for better grip
- 13 ga. aramid fiber steel, lightweight and breathable





Model Number Shown// EM-138









STANDARD // EM-107



- Comfort cushioned adjustable vented headband
- All-day comfort cushioned ear cups
- Adjustable pivoting ear cups





SPECIFICATIONS			
PART #	NOISE REDUCTION RATING	CE CERTIFICATION	ANSI CERTIFICATION
EM-107	24dB	EN352	S3.19 - 1974

Noise Reduction Rating 24 DECIBELS
(WHEN USED AS DIRECTED)

THE RANGE OF NOISE REDUCTION RATINGS
FOR EXISTING HEARING PROTECTORS
IS APPROXIMATELY 0 TO 30
(HIGHER NUMBERS DENOTE GREATER EFFECTIVENESS)

NSI INDUSTRIES HUNTERSVILLE, NC Part # EM-107

Federal law prol

\$EPA

LABEL REQUIRED BY U.S. E.P.A. REGULATION 40 CFR PART 211

SPECIFICATIONS

PART #	NOISE REDUCTION RATING	CE CERTIFICATION	ANSI CERTIFICATION
EM-138	21dB	EN352	S3.19 - 1974

Noise Reduction Rating 21 DECIBELS
(WHEN USED AS DIRECTED)

THE RANGE OF NOISE REDUCTION RATINGS FOR EXISTING HEARING PROTECTORS IS APPROXIMATELY 0 TO 30 (HIGHER NUMBERS DENOTE GREATER EFFECTIVENESS)

NSI INDUSTRIES HUNTERSVILLE, NC

Part # EM-138

Federal law prohibits removal of this label prior to purchase.

SEPA

U.S. E.P.A. REGULATION 40 CFR PART 211 SUBPART B

LOW PROFILE // EM-138



- Comfort cushioned adjustable vented headband
- All-day comfort cushioned ear cups
- Low profile, adjustable pivoting ear cups











FOAM EAR PLUGS // FEP SERIES



- Foam construction for a comfortable fit
- Hearing protection helps reduce exposure to hazardous noise and other loud sounds





SPECIFICATIONS			
PART #	QUANTITY	PACKAGING TYPE	NOISE REDUCTION RATING
FEP-80-O-CB	80 PAIRS	CLEAR BOX	32dB
FEP-200-O-DB	200 PAIRS	DISPENSER BOX	32dB
FEP-200-O-J	200 PAIRS	JAR	32dB

Noise Reduction Rating 32 DECIBELS (WHEN USED AS DIRECTED)

THE RANGE OF NOISE REDUCTION RATINGS FOR EXISTING HEARING PROTECTORS IS APPROXIMATELY 0 TO 30 (HIGHER NUMBERS DENOTE GREATER EFFECTIVENESS)

NSI INDUSTRIES

ENSVILLE, INC

Federal law prohibits removal of this label

abel SEP

LABEL REQUIRED BY U.S. E.P.A. REGULATION 40 CFR PART 211 SURPART B

SPECIFICATIONS

PART #	QUANTITY	PACKAGING TYPE	NOISE REDUCTION RATING
TEP-100-OB- DB	100 PAIRS	DISPENSER BOX	25dB

Noise Reduction Rating 25 DECIBELS
(WHEN USED AS DIRECTED)

THE RANGE OF NOISE REDUCTION RATINGS FOR EXISTING HEARING PROTECTORS IS APPROXIMATELY O TO 30 (HIGHER NUMBERS DENOTE GREATER EFFECTIVENESS)

NSI INDUSTRIES HUNTERSVILLE,

Part # TEP-100-OB-D

ederal law prohibits emoval of this label

\$EPA

ABEL REQUIRED BY S. E.P.A. REGULATION D CFR PART 211

TETHERED EAR PLUGS // TEP SERIES



- Tethered design keeps ear plugs handy
- Hearing protection helps reduce exposure to hazardous noise and other loud sounds













PARTICULATE RESPIRATOR // DM-200



- NIOSH approved
- One-Way
 Exhalation Valve
 for added protection
- Adjustable nosepiece
- Comfortable, secure straps



SPECIFICATIONS				
PART #	NIOSH RATING	CARTON CONTAINS		
DM-200	N95	10		

PARTICULATE RESPIRATOR // DM-100

- NIOSH approved
- Adjustable nosepiece
- Comfortable, secure straps



SPECIFICATIONS		
PART #	NIOSH RATING	CARTON CONTAINS
DM-100	N95	20

SPECIFICATIONS

PART #	NIOSH RATING	CARTON CONTAINS
DM-300	N95	10

FOLD-FLAT PARTICULATE RESPIRATOR // DM-300



- NIOSH approved
- One-Way
 Exhalation Valve
 for added protection
- Folds flat for convenience











- 1 Break-away velcro at each shoulder
- 2 Radio microphone loop on each side
- **3** Vertical reflective detail on front of vest
- 4 One exterior sewn pocket

- **5** Horizontal reflective detail on front of vest
- **6** Fully adjustable fit on either side via break-away velcro
- **7** One interior sewn pocket
- 8 Polypropylene zipper will not rust





SAFETY VEST // SV-600-UCX





- 5 Point Break-Away Safety Vest
- 100% polyester, silver reflective material
- High visibility fluorescent yellow with X back
- 100% polyester fluorescent mesh
- Withstands 30 wash cycles per washing instructions
- Type R Class 2

SPECIFICATIONS			
PART #	TYPE	CLASS	SIZE
SV-600-UCX	R	2	ONE SIZE FITS MOST

- ▲ WARNING: Cancer and reproductive harm. www.P65Warnings.ca.gov.
- AVERTISSEMENT: Cancer et effets nocifs sur la reproduction.www.P65Warnings.ca.gov.

MERCHANDISING

CD-PPE-SV SAFETY VEST TEAR-AWAY DISPLAY CARTON



- Custom tear-away display carton holds 12 vests
- Keeps items organized neatly at the shelf
- Complete with header card, carton can be used as a stand-alone display or as part of a larger shelf display

PARTS LIST

Part #	Qty
SV-600-UCX	Holds 12

DIMENSIONS

12" w 12" h 16"d



MERCHANDISING

FD-PPE-A1 RHINO SAFETY SOLUTIONS CENTER



- Custom Safety Solutions
 Center features the four
 essential product categories
- Bold branding is eye-catching
- Can be refilled multiple time

DIMENSIONS

42" w 84" h 18"d

PARTS LIST

Safety Gloves:

GLV-100M - 6 GLV-100L - 6 GLV-100XL - 6

GLV-200M - 6

GLV-200L - 6 GLV-200XL - 6

GLV-300M - 6 GLV-300L - 6

GLV-300XL - 6 GLV-500M - 6

GLV-500L - 6 GLV-500XL - 6

GLV-700M - 6 GLV-700L - 6

GLV-700XL - 6

GLV-900M - 6 GLV-900L - 6

GLV-900XL - 6

Safety Glasses:

Safety Helmets:

SH-200W - 3

SH-200Y - 3

SH-330W - 2 SH-330Y - 2

Safety Vest:

SV-600-UCX - 24

MERCHANDISING

FD-PPE-A2 RHINO SAFETY SOLUTIONS CENTER



- Custom Safety Solutions
 Center features the four
 essential product categories
- Bold branding is eye-catching
- Can be refilled multiple times

DIMENSIONS

24" w 84" h 18"d

PARTS LIST

Safety Gloves:

GLV-100M - 2

GLV-100L - 2

GLV-100XL - 2

GLV-300M - 2

GLV-300L - 2 GLV-300XL - 2

GLV-500M - 2

GLV-500L - 2

GLV-500XL - 2

Safety Glasses:

SG-100C - 4

SG-100G - 4

SG-101C - 4

SG-101G - 4

SG-103C - 4 SG-103G - 4

Safety Helmets:

SH-200W - 2

SH-330Y - 2

Safety Vest:

SV-600-UCX - 24

CD-PPE-GLV RHINO SAFETY GLOVES COUNTER DISPLAY

PARTS LIST

Safety Gloves: GLV-100M - 6

GLV-100L - 6 G GLV-100XL - 6 G

GLV-300M - 6 GLV-300L - 6 GLV-300XL - 6 GLV-500M - 6

GLV-500L - 6 GLV-500XL - 6

DIMENSIONS

18" w 18" h 8"d



CD-PPE-SG1 RHINO SAFETY GLASSES COUNTER DISPLAY

PARTS LIST DIMENSIONS Safety Glasses: 18" w SG-100C - 12 18" h SG-100G - 12 8"d

SG-101C - 12 SG-101G - 12

SG-103C - 12 SG-103G - 12



CD-PPE-SG2 RHINO SAFETY BI-FOCAL GLASSES COUNTER DISPLAY

 PARTS LIST
 DIMENSIONS

 Safety Glasses:
 18" w

 SG-200C15 - 12
 18" h

 SG-200C20 - 12
 8"d

SG-200C20 - 12 SG-200C25 - 12

SG-200G15 - 12 SG-200G20 - 12

SG-200G25 - 12



