

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools		
3000 FC Digital Multimeter		
a3000 FC AC Current Clamp Meter		
a3001 FC AC Current Clamp w/iFlex		
a3002 FC AC/DC Current Module		
a3003 FC 2000 A DC Current Clamp		
a3004 FC 4-20 mA DC Clamp Meter		
v3000 FC AC Voltage Meter		
v3001 FC DC Voltage Meter		
t3000 FC Temperature Meter		
805 FC Vibration Tester		
TiX1000, TiX660 and TiX640 Infrared Cameras		
TiX560 and TiX520 Infrared Cameras	Connects with:	
Ti400, Ti300 and Ti200 Infrared Cameras		
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras		
Ti95 and Ti90 Infrared Cameras		
Fluke Connect™ accessories		
ir3000 FC Wireless Connector		
pc3000 FC PC Adapter		
Wireless FC SD Card		
Fluke Connect™ software		
Fluke Connect™ App - iOS		
Fluke Connect™ App - Android™		
SW3000 FC PC Software		

Includes: TL175 Test Leads (red/black), AC175 Alligator clips (red/black), 3-AA batteries (installed) and information pack

Compatible with CNX: No

***Requirements:** 3000 FC DMM must be in module mode to connect with another 3000 FC DMM, Ti400/300/200/TiX560 and TiX520 Infrared Cameras or with the Fluke Connect app; SW3000 FC PC Software requires the PC adapter

 Built with **FLUKE CONNECT™**



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus S, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	 Connects with:		
3000 FC Digital Multimeter			
a3000 FC AC Current Clamp Meter			
a3001 FC AC Current Clamp w/iFlex			
a3002 FC AC/DC Current Module			
a3003 FC 2000 A DC Current Clamp			
a3004 FC 4-20 mA DC Clamp Meter			
v3000 FC AC Voltage Meter			
v3001 FC DC Voltage Meter			
t3000 FC Temperature Meter			
805 FC Vibration Tester			
TiX1000, TiX660 and TiX640 Infrared Cameras			
TiX560 and TiX520 Infrared Cameras			
Ti400, Ti300 and Ti200 Infrared Cameras			
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras			
Ti95 and Ti90 Infrared Cameras			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC PC Software			



Connects with:



3000 FC Digital Multimeter



TiX560 and TiX520



Ti400, Ti300 and Ti200



pc3000 FC PC Adapter/
SW3000 FC Software*



Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)

Includes: 2-AA batteries (installed), information pack

Compatible with CNX: No

***Requirements:** SW3000 FC PC Software requires the PC adapter



Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools		Connects with:		
3000 FC Digital Multimeter				
a3000 FC AC Current Clamp Meter				
a3001 FC AC Current Clamp w/iFlex		3000 FC Digital Multimeter	TiX560 and TiX520	Ti400, Ti300 and Ti200
a3002 FC AC/DC Current Module				Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)
a3003 FC 2000 A DC Current Clamp				
a3004 FC 4-20 mA DC Clamp Meter				
v3000 FC AC Voltage Meter				
v3001 FC DC Voltage Meter		pc3000 FC PC Adapter/ SW3000 FC Software*	Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)	
t3000 FC Temperature Meter				
805 FC Vibration Tester				
TiX1000, TiX660 and TiX640 Infrared Cameras				
TiX560 and TiX520 Infrared Cameras	Includes: 1x iFlex 10" coil, 2-AA batteries (installed), one magnet hanging strap and information pack Compatible with CNX: No *Requirements: SW3000 FC PC Software requires the PC adapter			
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC PC Software				

Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools		Connects with:		
3000 FC Digital Multimeter				
a3000 FC AC Current Clamp Meter				
a3001 FC AC Current Clamp w/iFlex				
a3002 FC AC/DC Current Module				
a3003 FC 2000 A DC Current Clamp				
a3004 FC 4-20 mA DC Clamp Meter				
v3000 FC AC Voltage Meter				
v3001 FC DC Voltage Meter				
t3000 FC Temperature Meter				
805 FC Vibration Tester				
TiX1000, TiX660 and TiX640 Infrared Cameras				
TiX560 and TiX520 Infrared Cameras				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC PC Software				

Connects with:



3000 FC Digital Multimeter



TiX560 and TiX520



Ti400, Ti300 and Ti200



pc3000 FC PC Adapter/
SW3000 FC Software*



Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)

i410 and i1010 clamps sold separately

Includes: 2-AA batteries (installed), 1x magnet hanging strap and information pack

Compatible with CNX: No

***Requirements:** SW3000 FC PC Software requires the PC adapter



Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC AC Current Clamp Meter			
a3001 FC AC Current Clamp w/iFlex			
a3002 FC AC/DC Current Module			
a3003 FC 2000 A DC Current Clamp			
a3004 FC 4-20 mA DC Clamp Meter			
v3000 FC AC Voltage Meter			
v3001 FC DC Voltage Meter			
t3000 FC Temperature Meter			
805 FC Vibration Tester			
TiX1000, TiX660 and TiX640 Infrared Cameras			
TiX560 and TiX520 Infrared Cameras			
Ti400, Ti300 and Ti200 Infrared Cameras			
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras			
Ti95 and Ti90 Infrared Cameras			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC PC Software			

Includes: 1x i2000 2000A DC Current Clamp, 2-AA batteries (installed), one magnet hanging strap and information pack

Compatible with CNX: No

***Requirements:** SW3000 FC PC Software requires the PC adapter



Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter	 3000 FC Digital Multimeter	 TiX560 and TiX520	 Ti400, Ti300 and Ti200
a3000 FC AC Current Clamp Meter			
a3001 FC AC Current Clamp w/iFlex			
a3002 FC AC/DC Current Module			
a3003 FC 2000 A DC Current Clamp			
a3004 FC 4-20 mA DC Clamp Meter	 pc3000 FC PC Adapter/ SW3000 FC Software*	 Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)	Includes: 1x i20 4-20 mA DC Current Clamp, 2-AA batteries (installed), one magnet hanging strap and information pack Compatible with CNX: No *Requirements: SW3000 FC PC Software requires the PC adapter
v3000 FC AC Voltage Meter			
v3001 FC DC Voltage Meter			
t3000 FC Temperature Meter			
805 FC Vibration Tester			
TiX1000, TiX660 and TiX640 Infrared Cameras			
TiX560 and TiX520 Infrared Cameras			
Ti400, Ti300 and Ti200 Infrared Cameras			
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras			
Ti95 and Ti90 Infrared Cameras			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC PC Software			



Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.


Fluke Connect™ tools	Connects with:					
3000 FC Digital Multimeter						
a3000 FC AC Current Clamp Meter						
a3001 FC AC Current Clamp w/iFlex						
a3002 FC AC/DC Current Module						
a3003 FC 2000 A DC Current Clamp						
a3004 FC 4-20 mA DC Clamp Meter						
v3000 FC AC Voltage Meter						
v3001 FC DC Voltage Meter						
t3000 FC Temperature Meter	Includes: TL224 Test leads (red/black), AC285 Alligator Clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack Compatible with CNX: No *Requirements: SW3000 FC PC Software requires the PC adapter					
805 FC Vibration Tester						
TiX1000, TiX660 and TiX640 Infrared Cameras						
TiX560 and TiX520 Infrared Cameras						
Ti400, Ti300 and Ti200 Infrared Cameras						
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras						
Ti95 and Ti90 Infrared Cameras						
Fluke Connect™ accessories						
ir3000 FC Wireless Connector						
pc3000 FC PC Adapter						
Wireless FC SD Card						
Fluke Connect™ software						
Fluke Connect™ App - iOS						
Fluke Connect™ App - Android™						
SW3000 FC PC Software						



Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC AC Current Clamp Meter				
a3001 FC AC Current Clamp w/iFlex				
a3002 FC AC/DC Current Module				
a3003 FC 2000 A DC Current Clamp				
a3004 FC 4-20 mA DC Clamp Meter				
v3000 FC AC Voltage Meter				
v3001 FC DC Voltage Meter				
t3000 FC Temperature Meter	Includes: TL222 Test Leads (red/black), AC220 alligator clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack Compatible with CNX: No *Requirements: SW3000 FC PC Software requires the PC adapter			
805 FC Vibration Tester				
TiX1000, TiX660 and TiX640 Infrared Cameras				
TiX560 and TiX520 Infrared Cameras				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC PC Software				

 Built with **FLUKE CONNECT™**



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:				
3000 FC Digital Multimeter					
a3000 FC AC Current Clamp Meter					
a3001 FC AC Current Clamp w/iFlex					
a3002 FC AC/DC Current Module					
a3003 FC 2000 A DC Current Clamp					
a3004 FC 4-20 mA DC Clamp Meter					
v3000 FC AC Voltage Meter					
v3001 FC DC Voltage Meter					
t3000 FC Temperature Meter	Includes: 2-AA batteries (installed), 80pk-1 K-Type Thermocouple Probe, 1x magnet hanging strap and information pack				
805 FC Vibration Tester	Compatible with CNX: No				
TiX1000, TiX660 and TiX640 Infrared Cameras	*Requirements: SW3000 FC PC Software requires the PC adapter				
TiX560 and TiX520 Infrared Cameras					
Ti400, Ti300 and Ti200 Infrared Cameras					
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras					
Ti95 and Ti90 Infrared Cameras					
Fluke Connect™ accessories					
ir3000 FC Wireless Connector					
pc3000 FC PC Adapter					
Wireless FC SD Card					
Fluke Connect™ software					
Fluke Connect™ App - iOS					
Fluke Connect™ App - Android™					
SW3000 FC PC Software					

 Built with **FLUKE CONNECT™**



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools		Connects with:  Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)
3000 FC Digital Multimeter		
a3000 FC AC Current Clamp Meter		
a3001 FC AC Current Clamp w/iFlex		
a3002 FC AC/DC Current Module		
a3003 FC 2000 A DC Current Clamp		
a3004 FC 4-20 mA DC Clamp Meter		
v3000 FC AC Voltage Meter		
v3001 FC DC Voltage Meter		
t3000 FC Temperature Meter		
805 FC Vibration Tester		
TiX1000, TiX660 and TiX640 Infrared Cameras		
TiX560 and TiX520 Infrared Cameras		
Ti400, Ti300 and Ti200 Infrared Cameras		
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras		
Ti95 and Ti90 Infrared Cameras		
Fluke Connect™ accessories		
ir3000 FC Wireless Connector		
pc3000 FC PC Adapter		
Wireless FC SD Card		
Fluke Connect™ software		
Fluke Connect™ App - iOS		
Fluke Connect™ App - Android™		
SW3000 FC PC Software		

Includes: USB Cable, storage case, belt holster and two (2) AA batteries


Compatible with CNX: No



Built with
FLUKE CONNECT™




©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus S, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®


This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	 Connects with:   Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up) Wireless FC SD Card Includes: AC power supply and battery pack charger, two battery packs for TiX1000 and TiX660; one for TiX640; SD card reader; FC SD card reader, carrying case, neck strap, hand strap and free download of SmartView® analysis and reporting software. Compatible with CNX: No
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Module	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Tester	
TiX1000, TiX660 and TiX640 Infrared Cameras	
TiX560 and TiX520 Infrared Cameras	
Ti400, Ti300 and Ti200 Infrared Cameras	
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	
Ti95 and Ti90 Infrared Cameras	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC PC Software	

 Built with **FLUKE CONNECT™**



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Module	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Tester	Connects with:   
TiX1000, TiX660 and TiX640 Infrared Cameras	
TiX560 and TiX520 Infrared Cameras	
Ti400, Ti300 and Ti200 Infrared Cameras	
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	
Ti95 and Ti90 Infrared Cameras	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC PC Software	

Includes: AC power supply and battery pack charger, two battery packs, USB cable, HDMI video cable, hard carrying case, adjustable neck and hand strap, Bluetooth® headset (where available) and free download of SmartView® analysis and reporting software.

Compatible with CNX: Yes

***Requirements:** 3000 FC DMM must be in module mode to connect with TiX560 or the TiX520 Infrared Cameras

Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC AC Current Clamp Meter		3000 FC Digital Multimeter*	a3000 FC Clamp	a3002 FC Module
a3001 FC AC Current Clamp w/iFlex				
a3002 FC AC/DC Current Module				
a3003 FC 2000 A DC Current Clamp				
a3004 FC 4-20 mA DC Clamp Meter		a3003 FC Clamp	a3004 FC Clamp	v3000 FC Meter
v3000 FC AC Voltage Meter				
v3001 FC DC Voltage Meter				
t3000 FC Temperature Meter				
805 FC Vibration Tester		t3000 FC Meter	Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)	
TiX1000, TiX660 and TiX640 Infrared Cameras				
TiX560 and TiX520 Infrared Cameras				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Ti95 and Ti90 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC PC Software				

Includes: AC power supply and battery pack charger, two battery packs, USB cable, HDMI video cable, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.

Compatible with CNX: Yes


***Requirements:** 3000 FC DMM must be in module mode to connect with Ti400, Ti300 and Ti200 Infrared Cameras



Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Module	
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	
t3000 FC Temperature Meter	
805 FC Vibration Tester	
TiX1000, TiX660 and TiX640 Infrared Cameras	
TiX560 and TiX520 Infrared Cameras	
Ti400, Ti300 and Ti200 Infrared Cameras	
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	
Ti95 and Ti90 Infrared Cameras	
Fluke Connect™ accessories	
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	
Wireless FC SD Card	
Fluke Connect™ software	
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	
SW3000 FC PC Software	



Connects with:



Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)



Wireless FC SD Card

Includes: AC power supply and battery pack charger, two battery packs for Ti125; one for other models, USB cable, FC SD card, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.


Compatible with CNX: Yes



Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:
3000 FC Digital Multimeter	
a3000 FC AC Current Clamp Meter	 
a3001 FC AC Current Clamp w/iFlex	
a3002 FC AC/DC Current Module	 
a3003 FC 2000 A DC Current Clamp	
a3004 FC 4-20 mA DC Clamp Meter	 
v3000 FC AC Voltage Meter	
v3001 FC DC Voltage Meter	 
t3000 FC Temperature Meter	
805 FC Vibration Tester	 
TiX1000, TiX660 and TiX640 Infrared Cameras	
TiX560 and TiX520 Infrared Cameras	 
Ti400, Ti300 and Ti200 Infrared Cameras	
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	 
Ti95 and Ti90 Infrared Cameras	
Fluke Connect™ accessories	 
ir3000 FC Wireless Connector	
pc3000 FC PC Adapter	 
Wireless FC SD Card	
Fluke Connect™ software	 
Fluke Connect™ App - iOS	
Fluke Connect™ App - Android™	 
SW3000 FC PC Software	

Connects with:



Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)

Wireless FC SD Card

Includes: Power adapter, battery pack, USB cable, FC SD card, hard carrying case, soft transport bag, hand strap and free download of SmartView® analysis and reporting software.


Compatible with CNX: No



Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus S, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:		
3000 FC Digital Multimeter			
a3000 FC AC Current Clamp Meter			
a3001 FC AC Current Clamp w/iFlex			
a3002 FC AC/DC Current Module			
a3003 FC 2000 A DC Current Clamp			
a3004 FC 4-20 mA DC Clamp Meter			
v3000 FC AC Voltage Meter			
v3001 FC DC Voltage Meter			
t3000 FC Temperature Meter			
805 FC Vibration Tester			
TiX1000, TiX660 and TiX640 Infrared Cameras			
TiX560 and TiX520 Infrared Cameras			
Ti400, Ti300 and Ti200 Infrared Cameras			
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras			
Ti95 and Ti90 Infrared Cameras			
Fluke Connect™ accessories			
ir3000 FC Wireless Connector			
pc3000 FC PC Adapter			
Wireless FC SD Card			
Fluke Connect™ software			
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™			
SW3000 FC PC Software			

Connects with:

Fluke 789
ProcessMeter™

Fluke 289 Digital
Multimeter

Fluke 287 Digital
Multimeter

Fluke Connect™ App: iOS
(4s and later); Android™
(4.3 and up)

287, 289 and 789 compatible

Includes: Instruction sheet

Compatible with CNX: No

Built with
FLUKE CONNECT™

Download on the
App Store

ANDROID APP ON
Google play

©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:				
3000 FC Digital Multimeter					
a3000 FC AC Current Clamp Meter		3000 FC Digital Multimeter*	a3000 FC Clamp	a3001 FC Clamp	a3002 FC Module
a3001 FC AC Current Clamp w/iFlex					
a3002 FC AC/DC Current Module					
a3003 FC 2000 A DC Current Clamp					
a3004 FC 4-20 mA DC Clamp Meter		a3003 FC Clamp	a3004 FC Clamp	v3000 FC Meter	v3001 FC Meter
v3000 FC AC Voltage Meter					
v3001 FC DC Voltage Meter					
t3000 FC Temperature Meter					
805 FC Vibration Tester					
TiX1000, TiX660 and TiX640 Infrared Cameras					
TiX560 and TiX520 Infrared Cameras					
Ti400, Ti300 and Ti200 Infrared Cameras					
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras					
Ti95 and Ti90 Infrared Cameras					
Fluke Connect™ accessories					
ir3000 FC Wireless Connector					
pc3000 FC PC Adapter					
Wireless FC SD Card					
Fluke Connect™ software					
Fluke Connect™ App - iOS					
Fluke Connect™ App - Android™					
SW3000 FC PC Software					

Includes: SW3000 FC Software and instruction sheet

Compatible with CNX: No


***Requirements:** 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter



Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus S, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:						
3000 FC Digital Multimeter							
a3000 FC AC Current Clamp Meter							
a3001 FC AC Current Clamp w/iFlex							
a3002 FC AC/DC Current Module							
a3003 FC 2000 A DC Current Clamp							
a3004 FC 4-20 mA DC Clamp Meter							
v3000 FC AC Voltage Meter							
v3001 FC DC Voltage Meter							
t3000 FC Temperature Meter							
805 FC Vibration Tester							
TiX1000, TiX660 and TiX640 Infrared Cameras							
TiX560 and TiX520 Infrared Cameras							
Ti400, Ti300 and Ti200 Infrared Cameras							
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras							
Ti95 and Ti90 Infrared Cameras							
Fluke Connect™ accessories							
ir3000 FC Wireless Connector							
pc3000 FC PC Adapter							
Wireless FC SD Card							
Fluke Connect™ software							
Fluke Connect™ App - iOS							
Fluke Connect™ App - Android™							
SW3000 FC PC Software							

Connects with:



Ti125, Ti110, Ti105 and Ti100 Infrared Cameras



Ti95 and Ti90 Infrared Cameras



TiX1000, TiX660 and TiX640 Infrared Cameras



Fluke Connect™ App: iOS (4s and later); Android™ (4.3 and up)

Includes: Instruction sheet, manual is available on line at www.fluke.com/fcsdcard


Compatible with CNX: No



Built with
FLUKE CONNECT™




©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:				
3000 FC Digital Multimeter					
a3000 FC AC Current Clamp Meter		3000 FC Digital Multimeter*	a3000 FC Clamp	a3001 FC Clamp	a3002 FC Module
a3001 FC AC Current Clamp w/iFlex					
a3002 FC AC/DC Current Module					
a3003 FC 2000 A DC Current Clamp					
a3004 FC 4-20 mA DC Clamp Meter					
v3000 FC AC Voltage Meter		a3004 FC Clamp	v3000 FC Meter	v3001 FC Meter	t3000 FC Meter
v3001 FC DC Voltage Meter					
t3000 FC Temperature Meter					
805 FC Vibration Tester					
TiX1000, TiX660 and TiX640 Infrared Cameras					
TiX560 and TiX520 Infrared Cameras		TiX1000, TiX660 and TiX640	TiX560 and TiX520	Ti125, Ti110, Ti105 and Ti100	Ti400, Ti300 and Ti200
Ti400, Ti300 and Ti200 Infrared Cameras					
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras					
Ti95 and Ti90 Infrared Cameras					
Fluke Connect™ accessories					
ir3000 FC Wireless Connector					
pc3000 FC PC Adapter		Ti95 and Ti90	Wireless FC SD Card	Fluke Connect™ App: Android™ (4.3 and up)	
Wireless FC SD Card					
Fluke Connect™ software					
Fluke Connect™ App - iOS					
Fluke Connect™ App - Android™					
SW3000 FC PC Software					

Compatible with CNX: No

***Requirements:** 3000 FC DMM must be in module mode to connect with Fluke Connect App

Users with iOS phones can use the app to communicate with users with iOS or Android phones.



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en



Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:				
3000 FC Digital Multimeter					
a3000 FC AC Current Clamp Meter		3000 FC Digital Multimeter*	a3000 FC Clamp	a3001 FC Clamp	a3002 FC Module
a3001 FC AC Current Clamp w/iFlex					
a3002 FC AC/DC Current Module					
a3003 FC 2000 A DC Current Clamp					
a3004 FC 4-20 mA DC Clamp Meter					
v3000 FC AC Voltage Meter		a3004 FC Clamp	v3000 FC Meter	v3001 FC Meter	t3000 FC Meter
v3001 FC DC Voltage Meter					
t3000 FC Temperature Meter					
805 FC Vibration Tester					
TiX1000, TiX660 and TiX640 Infrared Cameras					
TiX560 and TiX520 Infrared Cameras		TiX1000, TiX660 and TiX640	TiX560 and TiX520	Ti125, Ti110, Ti105 and Ti100	Ti400, Ti300 and Ti200
Ti400, Ti300 and Ti200 Infrared Cameras					
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras					
Ti95 and Ti90 Infrared Cameras					
Fluke Connect™ accessories					
ir3000 FC Wireless Connector					
pc3000 FC PC Adapter					
Wireless FC SD Card					
Fluke Connect™ software					
Fluke Connect™ App - iOS					
Fluke Connect™ App - Android™					
SW3000 FC PC Software					

Compatible with CNX: No

***Requirements:** 3000 FC DMM must be in module mode to connect with Fluke Connect App

Users with Andoid phones can use the app to communicate with users with iOS or Android phones.

Built with
FLUKE CONNECT™

Download on the
App Store

ANDROID APP ON
Google play

©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en

Compatibility chart

FLUKE®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools

3000 FC Digital Multimeter

a3000 FC AC Current Clamp Meter

a3001 FC AC Current Clamp w/iFlex

a3002 FC AC/DC Current Module

a3003 FC 2000 A DC Current Clamp

a3004 FC 4-20 mA DC Clamp Meter

v3000 FC AC Voltage Meter

v3001 FC DC Voltage Meter

t3000 FC Temperature Meter

805 FC Vibration Tester

TiX1000, TiX660 and TiX640
Infrared Cameras

TiX560 and TiX520
Infrared Cameras

Ti400, Ti300 and Ti200
Infrared Cameras

Ti125, Ti110, Ti105 and Ti100
Infrared Cameras

Ti95 and Ti90 Infrared Cameras

Fluke Connect™ accessories

ir3000 FC Wireless Connector

pc3000 FC PC Adapter


Wireless FC SD Card

Fluke Connect™ software

Fluke Connect™ App - iOS

Fluke Connect™ App - Android™

SW3000 FC PC Software



Connects with:



3000 FC Digital Multimeter*



a3000 FC Clamp



a3001 FC Clamp



a3002 FC Module



a3003 FC Clamp



a3004 FC Clamp



v3000 FC Meter



v3001 FC Meter



t3000 FC Meter



pc3000 FC PC Adapter

Includes: pc3000 FC PC Adapter and instruction sheet

Compatible with CNX: No

***Requirements:** 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter and SW3000 FC PC Software

Built with
FLUKE CONNECT™



©2014-2015 Fluke Corporation. All trademarks are the property of their respective owners. Wi-Fi or cellular service required to share data. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad); Samsung Galaxy S4 running Android 4.3.x or higher and Samsung Galaxy S5, Nexus 5, LG G3, HTC One and One M8 running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc. 4/2015 6002581e-en