

EXTRA DUTY®



Get Tough With Extra Duty Weatherproof Covers!



Meet 2014 & 2017 Extra Duty Standards/Requirements

TayMac Extra Duty In-use Cover Features:

- More room for electrical cords
- High-impact polycarbonate construction provides maximum durability
- Heavy Duty die-cast aluminum construction
- Premium finish corrosion protection
- UL, NEC and NEMA 3R compliant



Get ahead of the Code with TayMac!

TayMac Extra Duty covers are UL Listed for Wet and Damp locations.
Our rugged and innovative products offer superior protection. Why settle for less?

2014/2017 NATIONAL ELECTRICAL CODE


NEC Adoption by State (*Extra Duty Requirement*)

406.9 Receptacles in Damp or Wet Locations.

(B) Wet Locations. (1) Receptacles of 15 and 20 Amperes in a Wet Location.

15- and 20-ampere, 125- and 250 volt receptacles installed in a wet location shall have an enclosure that is weatherproof whether or not the attachment plug cap is inserted. An outlet box hood installed for this purpose shall be listed and shall be identified as "extra-duty."

All 15- and 20- ampere, 125- and 250-volt nonlocking-type receptacles shall be listed weather-resistant type.



Product Cross Reference - Standard Code to Extra Duty Code

Standard Code	Extra Duty Cross
Nonmetallic In-Use Covers	
MM410C	MM420C
MM410G	MM420G
MM410W	MM420W
MM710C	MM720C
MM710G	MM720G
MM2410C	MM2420C
MM2410G	MM2420G
MM7440C	MM7420C
MM7440G	MM7420G
Nonmetallic Low Profile Expandable In-Use Covers	
ML450G	ML500G
ML450W	ML500W
ML450Z	ML500Z
ML2450G	ML2500G




Table of Contents

3..... Expandable Nonmetallic In-use Covers

4..... Nonmetallic In-use Covers

5..... Flat Profile Recessed Nonmetallic In-use Enclosure

6..... Metal In-use Covers

7..... Low Profile Metallic In-use Covers

8..... Receptacle /Cover Combos and Complete Kits

**EXTRA
DUTY®****EXTRA
DUTY®****EXTRA
DUTY®**

EXPANDABLE NONMETALLIC IN-USE COVERS

- Patented design expands from 1" to 3" to meet your In-Use needs
- Ultra rugged polycarbonate & synthetic neoprene rubber will not dry rot, crack or deteriorate in sunlight
- Includes patented Universal Fit Adapter System Technology (U-Fast) for custom device configurations - base configuration is set for GFCI
- Includes attached gasket and mounting hardware

16ⁱⁿ1

GFCI Duplex Switch 5 Rounds:
1-1/4" 1-3/8" 1-9/16" 1-3/4" 2-1/8"

1-GANG**EXPANDS****1" → 3"**

2014/2017 NEC Compliant
NEMA 3R Rated

CONFIGURATIONS

Horizontal or
Vertical Mount

**ML500G**

In For Looks - Out For Use

**ML500W****ML500Z****55ⁱⁿ1**

Multiple Combinations of GFCI, Duplex, Switch, and Rounds:
1-1/4" 1-3/8" 1-9/16" 1-11/16" 2-1/8" 2-1/4" 2-7/16"
& 1-5/8"

2-GANG**CONFIGURATIONS****ML2500G**

CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	UPC
1-Gang Flat Expandable Extra Duty® In-Use Covers						
ML500G	16-in-1 Flat Expandable Vertical/Horizontal	1" to 3"	Gray	Shrink	10	050169917411
ML500W	16-in-1 Flat Expandable Vertical/Horizontal	1" to 3"	White	Shrink	10	050169917428
ML500Z	16-in-1 Flat Expandable Vertical/Horizontal	1" to 3"	Bronze	Shrink	10	050169917435
2-Gang Flat Expandable Extra Duty® In-Use Covers						
ML2500G	55-in-1 Flat Expandable 2-Gang	1" to 3"	Gray	Shrink	6	050169917367




**EXTRA
DUTY®****EXTRA
DUTY®****EXTRA
DUTY®**

NONMETALLIC IN-USE COVERS

- High-impact polycarbonate construction provides maximum durability
- Patented Quick-Fit™ keyhole mounting system allows installation in under a minute

- Includes patented Universal Fit Adapter System Technology (U-Fast) for custom device configurations - base configuration is set for GFCI
- Includes attached gasket and mounting hardware
- Lockable tab


16-in-1GFCI Duplex Switch 5 Rounds:
1-1/4" 1-3/8" 1-9/16" 1-3/4" 2-1/8"**1-GANG**2014/2017 NEC Compliant
NEMA 3R Rated**CONFIGURATIONS**Patented
EZ-Change Pin
for Horizontal
or Vertical Mount**MM420C****MM420G****MM420W****MM720C****MM720G****4.75" DEPTH****55-in-1**Multiple Combinations of GFCI, Duplex, Switch, and Rounds:
1-1/4" 1-3/8" 1-9/16" 1-11/16" 1-11/8" 2-1/8" 2-1/4" 2-7/16"
& 1-5/8"**2-GANG****CONFIGURATIONS****MM2420C****MM2420G****MM7420C****MM7420G****5" DEPTH**

CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	UPC
1-Gang Nonmetallic Extra Duty® In-Use Covers						
MM420C	Horizontal/Vertical 16-in-1 Standard	2.75"	Clear	Shrink	8	050169917275
MM420G	Horizontal/Vertical 16-in-1 Standard	2.75"	Gray	Shrink	8	050169917282
MM420W	Horizontal/Vertical 16-in-1 Standard	2.75"	White	Shrink	8	050169986486
MM720C	Horizontal/Vertical 16-in-1 Jumbo	4.75"	Clear	Shrink	4	050169917299
MM720G	Horizontal/Vertical 16-in-1 Jumbo	4.75"	Gray	Shrink	4	050169917404
2-Gang Nonmetallic Extra Duty® In-Use Covers						
MM2420C	55-in-1 Standard	2.75"	Clear	Shrink	6	050169917305
MM2420G	55-in-1 Standard	2.75"	Gray	Shrink	4	050169917312
MM7420C	55-in-1 Jumbo	5.00"	Clear	Shrink	3	050169994955
MM7420G	55-in-1 Jumbo	5.00"	Gray	Shrink	3	050169994962

**EXTRA
DUTY®****EXTRA
DUTY®****EXTRA
DUTY®**

FLAT PROFILE RECESSED NONMETALLIC IN-USE ENCLOSURE

- Mounts horizontally or vertically
- Accommodates duplex, GFCI or round receptacle (*not included*)
- Patented Universal Fit Adapter System Technology (U-Fast) comes pre-configured for GFCI
- Electrical box and siding flange included
- For all common siding types and materials (vinyl, wood, stucco, brick or block)
- Installation instructions and mounting hardware included



UL
2014/2017
NEC Compliant
NEMA 3R Rated



MR420CW



MR420CZ



Stucco



Brick



Vinyl Siding

Fits Duplex, GFCI
or Round Receptacle
(not included)

Paintable

2-3/4" Inward Depth
(for large plugs/cords)

Electrical Box
21.0 CU IN wiring capacity
(4) NM Sheathed cable clamps
(2) 0.5"/0.75" eccentric knockouts

Stud or Wall Mount
Suitable for 2x4 framing
(depth) or larger

Includes Optional
Siding Flange
*Shown with exposed siding
for reference only*


CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	UPC
Metal Low Profile Extra Duty® In-Use Covers						
MR420CG	Recessed Enclosure	4.98"	Clear/Gray	Boxed	4	050169964200
MR420CW	Recessed Enclosure	4.98"	Clear/White	Boxed	4	050169998304
MR420CZ	Recessed Enclosure	4.98"	Clear/Bronze	Boxed	4	050169998311

METAL IN-USE COVERS

- Heavy duty die-cast metal construction
- Patented Quick-Fit™ keyhole mounting system allows cover installation in under a minute
- Includes patented Universal Fit Adapter System Technology (U-Fast) for custom device configurations - base configuration is set for GFCI
- Includes gasket and mounting hardware
- Premium powdercoat finish
- Lockable tab

UL 2014/2017 NEC Compliant
NEMA 3R Rated

8ⁱⁿ1
CONFIGURATIONS



1-GANG




MX3200



MX3300

Fits Full-Size
Padlock

55ⁱⁿ1
CONFIGURATIONS



Multiple Combinations of GFCI, Duplex, Switch, and Rounds:
1-1/4" 1-3/8" 1-9/16" 1-11/16" 2-1/8" 2-1/4" 2-7/16"
& 1-5/8"

2-GANG

5.125" DEPTH



MX6200



MX7200




CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	UPC
Metal Extra Duty® In-Use Covers						
MX3200	Vertical 8-in-1	3.5"	Gray	Shrink	4	092326104760
MX3300	Horizontal 8-in-1	3.5"	Gray	Shrink	4	092326104746
MX6200	2-Gang 55-in-1	3.5"	Gray	Shrink	4	092326104838
MX7200	Jumbo 2-Gang 55-in-1	5.125"	Gray	Shrink	2	050169972007


**EXTRA
DUTY®****EXTRA
DUTY®****EXTRA
DUTY®**

LOW PROFILE METALLIC IN-USE COVERS

Expands while in use, remains unobtrusive while not. Patented swivel lock device allows covers to be locked expanded or closed.

- Heavy duty die-cast metal construction
- Patented Quick-Fit™ keyhole mounting system allows cover installation in under a minute
- Includes patented Universal Fit Adapter System Technology (U-Fast) for custom device configurations - base configuration is set for GFCI
- Includes gasket and mounting hardware
- Premium powdercoat finish
- Lockable open or closed and fits fullsize padlock (up to 5/16" shackle)

 2014/2017 NEC Compliant
NEMA 3R Rated



MX4280S

*Fits Full-Size Padlock
Locks Open or Closed*




MX4280WH




MX4280Z

EXPANDS
2" → 3½"



MX4380S


EXPANDS
2" → 3½"



MX5280S



EXPANDS
2½" → 4½"



MX7280S


2-GANG



EXPANDS
2" → 3½"

CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	UPC
Metal Low Profile Extra Duty® In-Use Covers						
MX4280S	Vertical 8-in-1	2" to 3-1/2"	Gray	Shrink	6	092326101288
MX4280WH	Vertical 8-in-1	2" to 3-1/2"	White	Shrink	6	092326117401
MX4280Z	Vertical 8-in-1	2" to 3-1/2"	Bronze	Shrink	6	092326117395
MX4380S	Horizontal 8-in-1	2" to 3-1/2"	Gray	Shrink	4	092326101349
MX5280S	Vertical Deep 8-in-1	2-1/2" to 4-1/2"	Gray	Shrink	2	092326101356
MX7280S	Vertical 2-Gang 55-in-1	2" to 3-1/2"	Gray	Shrink	2	092326101370

RECEPTACLE/COVER COMBOS AND COMPLETE KITS



MD5881-0



MG5881-0



MD5802-0



MG5802-0

- Heavy duty die-cast metal construction
- Meets or exceeds Extra Duty rating in ul 514d
- Patented rain chamber for extra protection from splashing liquids
- Padlockable – accepts standard size padlocks

- Includes gasket and hardware
- Unique lid design allows larger plugs and provides more room for bend radius of electrical cords
- High quality Hubbell WRTR device included



MG420CS (Includes Self Test GFCI)



MKG420CS (Includes Self Test GFCI)



MKG4280SS (Includes Self Test GFCI)

- High-impact polycarbonate construction
- Patented Quick-Fit™ keyhole mounting system allows cover installation in under a minute

- Includes gasket and mounting hardware
- Lockable tab for full-size padlock
- High quality Hubbell WRTR Self Test GFCI included

CATALOG #	DESCRIPTION	DEPTH	COLOR	PKG. TYPE	STD. PKG.	UPC
Nonmetallic Extra Duty® Receptacle/In-Use Cover Combo and Complete Kit						
MG420CS	In-Use Cover, Hubbell WRTR 15A Self Test GFCI Combo	2.75"	Clear/Gray	Shrink	4	050169504376
MKG420CS	In-Use Cover, Box and Hubbell WRTR 15A Self Test GFCI Kit	2.75"	Clear/Black/Gray	Shrink	4	050169504413
Metal Extra Duty® Receptacle/In-Use Cover Combo						
MD5881-0	Hubbell WRTR 15A Duplex / Vertical In-Use Metal Cover Combo	3"	Gray	Shrink	4	050169986363
MG5881-0	Hubbell WRTR 15A GFCI / Vertical In-Use Metal Cover Combo	3"	Gray	Shrink	4	050169986431
MD5802-0	Hubbell WRTR 15A Duplex / Horizontal In-Use Metal Cover Combo	3"	Gray	Shrink	3	050169986356
MG5802-0	Hubbell WRTR 15A GFCI / Horizontal In-Use Metal Cover Combo	3"	Gray	Shrink	3	050169986424
Metal Extra Duty® In-Use Cover Kits						
MKG4280SS	In-Use Cover, Box and Hubbell WRTR 15A Self Test GFCI Kit	3.5"	Gray	Clamshell	4	092326113120



COMMERCIAL CONSTRUCTION^A
Division of Hubbell Incorporated (Delaware)

TAYMAC
2520 E. University Dr.
Tempe, AZ 85281
800-526-5416
www.hubbell.com/taymac/en



TM_BRO_EXD_001
10/2018