

One-Light Wall Sconce

Wall mounted • Damp location listed



Description:

The modern LED sconce is architecturally relevant, incorporating a creative design to shape light back on the wall for a dramatic effect. Perforated mesh is featured on the side to serve as diffusers. The brushed nickel finished is highlighted with polished chrome accents.

Specifications:

- Brushed Nickel (-09) (plated)
- Steel Construction
- Polished Chrome metal perforated shield
- LED Module is replaceable (part # 93054049)
- Architecturally relevant and creative design.
- Perforated mesh is featured on the side.
- Brushed Nickel finish is highlighted with Polished Chrome accents.
- 623 lumens 69.2 lumens/watt per module (source)
- 3000K color temperature, 90+ CRI.
- Dimmable to 10% brightness (See Dimming Notes)
- Back plate covers a standard 4" octagonal recessed outlet box
- Mounting strap for outlet box included
- 6" of wire supplied
- ENERGY STAR® qualified

Performance:

Number of Modules	1
Input Power	9w
Input Voltage	120 V
Input Frequency	60 Hz
Lumens/LPW (Source)	623/69.2 (LM-82)
Lumens/LPW (Delivered)	609/79.1 (LM-79)
CCT	3000 K
CRI	90 CRI
Life (hours)	60,000 (L70/TM-21)
FCC	Meets FCC Title 47, Part 15 Class B
Min. Start Temp	-30 °C
Max. Operating Temp	30 °C
Warranty	5 year warranty
Labels	cCSAus Damp location listed ENERGY STAR® qualified

P7163-0930K9

Images:



Dimensions:

Width: 4-1/2"
Depth: 3-1/4"
Height: 12-1/2"
H/CTR: 10-1/4"

P7163-0930K9**Dimming Notes:**

P7163 is designed to be compatible with many ELV/Reverse Phase controls.

The following is a partial list of known compatible dimmer controls.

Dimming Controls

Lutron	Nova T	NTELV-300
Lutron	Vierti	VTELV-600
Lutron	Ariadni	AYCL-153P
Lutron	Diva	DVCL-153P
Lutron	Maestro	MAELV-600
Lutron	spacer/system	SPSELV-600
Leviton	Renoir II	AWRMG-EAW

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation. Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.