

ALPHA TRAK®

FLAIR

P9200-28 Bright White

P9200-31 Black

Complete with black baffle.

3-1/2" dia., 7-5/8" ht.

One 50w PAR 20, one 50w

R 20, or one 75w PAR 16.



P9200-28



P9200-31

P9201-28 Bright White

P9201-31 Black

Complete with black baffle.

4-3/8" dia., 8-3/4" ht.

One 75w PAR 30 long neck

or one 65w BR 30.



P9201-28



P9201-31

HIGH TECH

Excellent for residential and retail applications. Lampholder rotates 360° horizontal, 90° up from vertical.

P6325-28 Bright White

P6325-31 Black

2-3/4" dia., 5-1/4" ht.

One 75w PAR 16.



P6325-28



P6325-31

P6326-28 Bright White

P6326-31 Black

2-3/4" dia., 5-1/2" ht.

One 50w PAR 20.



P6326-28



P6326-31

P6327-28 Bright White

P6327-31 Black

4" dia., 6-1/8" ht.

One 75w PAR 30

short neck.



P6327-28



P6327-31

P6369-28 Bright White

5" dia., 8" ht.

One 250w PAR 38.



P6369-28

ALPHA TRAK®

Line Voltage Adjustable Track Heads.

Economical AlphaTrak® accommodates PAR halogen or standard BR lamps. Most lampholders are complete with black step baffle for improved glare control. Lampholder rotates 358° horizontally and 90° vertically.

Track mounting hardware and fixture accessories available.

FINISHES

○ Bright White - 28

● Black - 31

UNIVERSAL

Simple design provides minimal obstruction into the visual space. Lampholder rotates 360° horizontal, 90° vertical.

P6280-28 Bright White

P6280-31 Black

2" dia., 5-7/8" ht.

Any medium base PAR or R lamp except PAR 30 short neck up to 300w max.



P6280-28



P6280-31

FLATBACK

P9205-28 Bright White

P9205-31 Black

Complete with black baffle. 3-1/2" dia., 7-1/4" ht.

One 50w PAR 20, one 50w R 20, or one 75w PAR 16.



P9205-28



P9205-31

P9206-28 Bright White

P9206-31 Black

Complete with black baffle. 4-3/8" dia., 9" ht.

One 75w PAR 30 long neck or one 65w BR 30.



P9206-28



P9206-31

P9207-28 Bright White

P9207-31 Black

Complete with black baffle. 6" dia., 10-7/8" ht.

One 250w PAR 38, one 300w R 40, or one 250w BR 40.



P9207-28



P9207-31



Note:
Height is
to bottom
of track.

Accessories and track
available.

ALPHA TRAK®

ROUNDBACK

P9203-28 Bright White

P9203-31 Black

Complete with black baffle.

3-1/2" dia., 7-1/4" ht.

One 50w PAR 20, one 50w R 20, or one 75w PAR 16.



P9204-28 Bright White

P9204-31 Black

Complete with black baffle.

4-3/8" dia., 8" ht.

One 75w PAR 30 long neck or one 65w BR 30.

SHALLOW PROFILE

Non-metallic, architecturally-designed molded fitter.

Designed for PAR 20 and PAR 30 lamps. Lampholder rotates 360° horizontally, 90° vertically.

P9219-28 Bright White

P9219-31 Black

3-1/2" dia., 5-3/4" ht.

One 50w PAR 20.



P9220-28 Bright White

P9220-31 Black

4-3/4" dia., 6" ht.

One 75w PAR 30.



ALPHA TRAK® KITS

All Alpha Trak® Kits come with three track heads, 4' track, canopy, dead end, feed and mounting hardware.

P9215-28 Bright White

Track heads complete with black baffle.

4-3/8" dia., 9" ht.

Three 75w PAR 30 long neck or three 65w BR 30.



P9216-28 Bright White

Track heads complete with black baffle.

4-3/8" dia., 8-3/4" ht.

Three 75w PAR 30 or three 65w BR 30.



ALPHA TRAK®

Low Voltage.

FINISHES

- Brushed Nickel - 09
- Bright White - 28
- Black - 31

MINIATURE HALOGEN

Utilizing integral transformers with MR-16 low voltage  lamps, these fully-adjustable (358° horizontally, 90° vertically) track heads provide dramatic light to any room area. Heads can be easily repositioned on the track to provide lighting in different areas of the room.

P6104-09 Brushed Nickel
2-3/4" dia., 7-3/4" ht.
One MR-16 lamp, 50w max.,
included. GU5.3 bi-pin base.



P6105-09 Brushed Nickel
2-5/8" dia., 6-7/8" ht.
One MR-16 lamp, 50w max.,
included. GU5.3 bi-pin base.



P6339-28 Bright White
P6339-31 Black
2-1/8" dia., 4-1/8" ht.
One MR-16 lamp, 50w max.
GU5.3 bi-pin base.



P9218-31 Black
2-1/8" W., 5-1/4" ht.
One MR-16 lamp, 50w max.
GU5.3 bi-pin base.



P6104-09



P6105-09



P6339-28



P6339-31



P9218-31