
KRALOY® The Fitting Choice



NONMETALLIC FLOOR BOX & ACCESSORIES

KARALOY® FL



FB Floor Box

The easy installation of the Kraloy FB floor box saves you time and money. The 6" height will extend above the poured concrete. Once the concrete has hardened, simply cut the floor box level with the finished floor surface to guarantee a trouble-free

cover attachment and flush fit.

- Nonmetallic PVC construction.
- 3/4" & 1" hubs accept both ENT and PVC conduit.
- Shipped complete with temporary protective cap and dual-purpose reducer plugs to seal and/or re-size hubs.
- Suitable for slab-on-grade or below grade, and wood floor construction.



FB 078876

FBUDK - Tri-Service Universal Divider Kit

The Tri-Service Universal Divider Kit partitions the round PVC floor box to permit power, communication and/or data cabling in one location and within the same box.

- Installs in round PVC floor boxes with diameters 41/4" 43/4".
- Kit includes adjustable lower half, riser tube, upper receptacle holder and 4 grommets.
- Field adjustable to fit a minimum 3" depth to a maximum 6" depth.

• Approved to UL standards for use with seven leading brands of nonmetallic floor boxes.

FBUDK 078993

Y Connector

Use the Y Connector to feed through (in/out) or to bring a parallel run of ³/₄" conduit to the same hub.



FBYC 078928

OOR BOX & ACCESSORIES







NRTL/C

FB Kit

The FB Kit includes:

FB box.

LRA-U

078446

- Reducer plugs for re-sizing and/or sealing unused hubs on the box.
- Temporary protective cover to use during the pour of concrete.
- · Universal Leveling Ring Adapter.

Choose from the Brass Covers to complete your Floor Box installation.





Universal Leveling Ring Adapter

- One piece contour design allows for easy self-leveling installation.
- Fits round PVC floor boxes with 4½" inside dimension/diameter.
- Accepts industry-standard brass cover plates.

Metal Cover Adapter Kit

 Complete package includes metal cover adapter ring, leveling ring and shim gaskets for height adjustment.



AFMC 078875



Brass Covers Plates

- Brass cover plates offer a one-piece design measuring 53/4" diameter.
- Available in a variety of styles accommodating power (single or duplex receptacle) and communication needs.
- Mount to FB Box using LRA-U Leveling Ring Adapter.

Nonmetallic Duplex Receptacle Covers

- · Four color choices.
- Includes leveling ring, cover plate, and blank top closure.
- Accepts standard duplex receptacle (not included).
- Easily field modified to accommodate communication and data cabling (FBUDK - Tri-Service Divider Kit is required).

Part Number	Color	Product Code
FBDRCB	Brown	078877
FBDRCG	Gold	078878
FBDRCGr	Gray	078618
FBDRCA	Light Almond	078841





Kraloy has been an industry leader for over 35 years supplying the electrical trade with a comprehensive offering of nonmetallic PVC fittings. Kraloy offers adapters, couplings, elbows, access fittings, boxes, cover plates, expansion fittings and spacers – virtually any fitting required to complete the PVC conduit system.

Check out the full Kraloy product offering on our web site wwww.kraloyfittings.com or contact us directly for information.

Only when you specify Kraloy by name are you guaranteed The Fitting Choice.

Kraloy is proud to offer these quality brands:

CUSTOMER SERVICE CENTER

1055 Wilton Grove Road London, Ontario N6A 4K3 Tel: (519) 681-2140 Toll Free: (800) 265-1815 Fax: (519) 681-2156

www.kraloyfittings.com













DISTRIBUTED BY:

WARRANTY: All Kraloy products are guaranteed against defects resulting from faulty workmanship or materials. If any such product is found to be defective by reason of faulty workmanship or materials, upon written notice and return of the product, the defective product will be replaced by Kraloy free of charge, including shipping charges for the replacement product. Claims for labor costs and other expenses required to replace such defective product or to repair any damage resulting from the use thereof will not be allowed by Kraloy. Our liability is limited to the price paid for the defective product. Kraloy will not be bound by any warranty, other than above set forth, unless such warranty is in writing.

This literature is published in good faith and is believed to be reliable. However, Kraloy does not represent and/or warrant in any manner the information and suggestions contained in this brochure. Data presented is the result of laboratory tests and field experience.

Kraloy maintains a policy of ongoing product improvement. This may result in modifications of features and/or specifications without notice