

Pass & Seymour

Wall Plates **Brass**One & Two Gang

SB1, SB2, SB8, SB82, SB26, SB262, SB13, SB23, SB7

The soft, warm look of brushed brass.

hese sturdy wall plates deliver a winning combination of commercial durability and rich style. We build these plates with a 70 percent copper/30 percent zinc brass alloy that provides a handsome, warm appearance. They are finished with durable lacquer to prevent corrosion.



Features & Benefits

Constructed of .040 inch thick brushed brass.



Packaged in protective film, with finishmatching screws.

Field Uses/Vertical Markets

- Institutional
- Retail


Office

- Hospitality/Lodging
- Multiple Dwelling



Wall Plates Brass One & Two Gang

Ordering Information



For more information on these and other P&S products refer to our Product Guide or visit our web site.

Wall Plates **Brass**One & Two Gang



Technical Specifications

3rd Party Compliance

UL Listed, Standard UL514, Cover Plates for Flush Mounted Wiring Devices. CSA Certified.

Performance

Environmental Corrosion-Resistant

Materials


Plate Material .040" Brass

Plate Finish Brushed, Lacquered


Screws Brass

Warranty

1 Year



Dimensions for One Gang



Dimensions for Two Gang

Complimentary Devices & Accessories



WALL PLATES

- TradeMaster® Thermoplastic Nylon
- Stainless Steel
- Aluminum
- Dustproof Stainless Steel Covers



WEATHERPROOF BOXES & COVERS

- While-In-Use Covers
- Heavy Cast Aluminum Covers
- Cast Covers
- Boxes



SWITCHES

- Heavy-Duty Toggle
- Heavy-Duty Lighted Toggle
- Heavy-Duty Security
- Heavy-Duty Locking
- Construction Grade Toggle
- Commercial Grade Toggle



STRAIGHT BLADE RECEPTACLES

- Extra Heavy-Duty
- Heavy-Duty
- Construction Grade
- Commercial Grade



GFCIs

- Construction Grade with Auto-Ground
- Construction Grade
- Construction Grade Dead Front

Also available...

- Light Almond Devices
- Decorator Devices
- Hospital Grade Devices
- PlugTail[™] Devices
- TVSS & Isolated Ground Devices
- Ground Continuity Monitoring (GCM)
- Straight Blade Plugs & Connectors
- Turnlok® Locking Devices
- IEC 309 Industrial Products
- Flexcor® Wire Mesh Grips
- Configurable Solutions



Legrand/Pass & Seymour P.O. Box 4822 Syracuse, NY 13221-4822 800-223-4185

60 Woodlawn Street West Hartford, CT 06110 Phone: 1.877.BY.LEGRAND (295.3472) Fax: 1.860.232.2062 www.legrand.us

North America Headquarters

Legrand Canada 570 Applewood Crescent Vaughan, ON, L4K 4B4 Phone: 905.738.9195 Fax: 905.738.9721 www.legrand.ca