

PASS & SEYMOUR®

GFCI RECEPTACLES

MORE SOLUTIONS FOR MORE SAFETY



designed to be better.™

 **legrand®**

LEGRAND

KEEPS THE INNOVATIONS COMING

At Legrand, we've been providing real solutions to real problems for so long, it's almost second nature. From the world's first GFCI receptacle in 1971, to the introduction of ground-breaking SafeLock™ Protection some 30 years later, we've been delivering GFCI innovations designed to enhance safety, shorten installation times, and increase productivity for more than four decades.

Because of their proven effectiveness, GFCIs are required by code in numerous locations. We've made it our mission to offer intelligently designed solutions for every residential and commercial environment.

Whether the jobs call for receptacles, combination devices, portable, tamper-resistant, weather-resistant, RoHS-compliant, NAFTA-compliant, hospital grade, or specification grade — there's a reliable P&S GFCI innovation for you.




High-impact-resistant, thermoplastic construction for superior strength and durability.

Illumination life expectancy exceeds 20 years, eliminating the need to change bulbs.

The most durable GFCI available. Exceeds UL943 voltage surge requirements; survives 100x the required UL 3kA/6kV voltage surge test cycles.

LED nightlight turns ON at dusk and OFF at dawn automatically.

Trip indicator light makes it easy to identify a tripped condition.



Automatic shutter system prevents young children from inserting common household objects, but releases to accommodate plugs.


1595NLTTRWCC4

Patented SafeLock™ Protection — if critical components are damaged and ground fault protection is lost, power to receptacle is disconnected.

Prevents line-load reversal miswire: no power to the face or downstream receptacles if wired incorrectly.

FSUL Listed (Federal Specification WC596)

Ground terminal back-wire clamp for fast installation.



A safety solution for every home.

IT ALL COMES DOWN TO KEEPING PEOPLE SAFE.

That was our goal when we invented the first GFCI receptacle, and it remains our singular focus to this day. Our broad Pass & Seymour product line includes all the residential GFCI devices you'd expect from an industry leader, plus a number of truly innovative solutions designed to meet today's (and tomorrow's) special requirements.



1595TRW

Tamper-Resistant GFCI — helps keep children safe.

- Patented shutter system helps prevent insertion of foreign objects
- Patented SafeLock™ Protection — if critical components are damaged and ground fault protection is lost, power to receptacle is disconnected
- Meets NEC® requirements



1595SWTTRWCC4

Decorator Switch/GFCI Combination Devices — ideal for remodeling.

- User-preferred up-and-down switching combined with standard GFCI safety features
- Provides more function in single-gang opening
- Tamper-Resistant for added safety
- Ideal for bath and kitchen vent fans



1595TRRW

RoHS-Compliant GFCI — designed to meet environmental regulations.

- Meet all the requirements of the Restriction of Hazardous Substances regulations
- Provides the same functionality and protection as our traditional GFCI



1595NTLTRWCC4

**Tamper-Resistant Nightlight/
GFCI combination — ensures
safety and convenience.**

- Sealed nightlight with Lexan® lens prevents tampering
- LED illumination with a 20+ year life expectancy means no bulbs to change
- Photocell turns nightlight ON in the dark — OFF in the daylight

Make nighttime
navigation automatic.

Ideal for bathrooms, hallways,
kitchens, stairs, nurseries,
and more, this award-winning
device delivers advanced
safety and protection.



OTHER SUGGESTED PRODUCTS



**Single-Gang Flush Mount
While-In-Use Covers**

- Meet NEC® requirements for outdoor power
- Corner hinges enable horizontal or vertical installation

**Weatherproof While-In-Use
Covers**

- Corner hinges enable horizontal or vertical installation
- Easy-opening one-finger latch




SPEED AND RELIABILITY ARE THE KEY to successful commercial installations. Our GFCIs are designed to meet those needs... and then some. That's because we've been offering GFCIs longer than anyone else, so we know what you need to do the job right the first time. Take a look at our innovative line — we'll think you'll find a solution that perfectly matches your needs. Every time.



PT2095NTLTR, PT2095W



2095W



P&S PlugTail™ GFCI — the fastest-installing GFCI ever. Period.

- Beats tough deadlines on any commercial job
- Patented plug and connector design enables simultaneous, one-click termination of all terminals
- No exposed terminals creates a finger-safe application before, during, and after installation
- Available in Spec Grade, Hospital Grade, Tamper-Resistant, and LED/Nightlight combinations

Specification Grade GFCI

- 20 amp designed for heavy commercial use
- High-impact-resistant, thermoplastic construction for superior strength and durability
- The most durable GFCI available. Exceeds UL943 voltage surge requirements; survives 100x the required UL 3kA/6kV voltage surge test cycles

Innovations that translate into faster commercial installations.



2095TRAW



2095HGNTLTRW



2095TRNALA, PT2095HGNALA

Audible Alarm GFCI Receptacle

- Audible alert of tripped condition
- Ideal for areas where GFCI indicator light is not readily apparent
- Exceeds UL943 voltage surge requirements
- Withstands 100x the required UL 3kA/6kV voltage surge test cycles

Hospital Grade GFCI

- Meets rigorous requirements of Hospital Grade supplement of UL 498
- Available in Tamper-Resistant and LED/Nightlight combinations

NAFTA-Compliant GFCIs — designed to meet government regulations.

- GFCIs that meet the requirements of the Buy American provision of the American Recovery and Reinvestment Act
- Provides the same functionality and protection as our traditional GFCI

Residential GFCI Receptacles



Catalog Number	Description	Color	Ratings		NEMA Config. No.
			A.	V.	
TradeMaster®/Spec Grade Tamper-Resistant 15 Amp Duplex GFCI					
1595TR*	Decorator	I, W, —, BK, LA, NI, AB, DB	15	125	5-15R
1595TRS*	with Auto-Ground	I, W, LA			
TradeMaster®/Spec Grade 15 Amp Duplex GFCI					
1595*	Decorator	I, W, —, GRY, BK, RED, LA	15	125	5-15R
1595S*	with Auto-Ground	I, W, LA			
TradeMaster® Audible Alarm Tamper-Resistant Duplex GFCI					
1595TRA*	Decorator	I, W, —, BK, LA	15	125	5-15R
TradeMaster® Isolated Ground Tamper-Resistant Duplex GFCI					
1595IGTR*	Decorator	I, W, —, BK, LA, O	15	125	5-15R
TradeMaster® Self-Test Tamper-Resistant Duplex GFCI					
1596TR*	Decorator	I, W, LA	15	125	5-15R
Combination Tamper-Resistant Single-Pole Switch/GFCI					
1595SWTTR*CC4	Switch Rating: 15A, 120VAC	I, W, BK, LA	15	125	5-15R
Combination Tamper-Resistant 15 Amp Nightlight/GFCI					
1595NTLTR*CC4	Decorator	I, W, BK, LA, NI, AB, DB	15	125	5-15R
TradeMaster®/Spec Grade Weather-Resistant 15 Amp Duplex GFCI					
1595TRWR*	Decorator	I, W, —, BK, LA	15	125	5-15R
RoHS-Compliant TradeMaster®/Spec Grade Tamper-Resistant 15 Amp Duplex GFCI					
1595TRR*	Decorator	I, W, LA	15	125	5-15R

Commercial GFCI Receptacles

*Color Designation

I	Ivory
W	White
GRY	Gray
BK	Black
RED	Red
LA	Light Almond
NI	Nickel
—	Brown
AB	Antique Brass
DB	Dark Bronze
O	Orange

Catalog Number	Description	Color	Ratings		NEMA Config. No.
			A.	V.	
Spec Grade Tamper-Resistant 20 Amp Duplex GFCI					
2095TR*	Decorator	I, W, —, GRY, BK, RED, LA	20	125	5-20R
2095TRS*	with Auto-Ground	I, W, LA			
Spec Grade 20 Amp Duplex GFCI					
2095*	Decorator	I, W, —, GRY, BK, RED, LA	20	125	5-20R
2095S*	with Auto-Ground	I, W, LA			
Hospital Grade Tamper-Resistant Duplex GFCI					
1595HGTR*	15 Amp	I, W, —, GRY, RED, LA	15	125	5-15R
2095HGTR*	20 Amp		20	125	5-20R
Hospital Grade Duplex GFCI					
1595HG*	15 Amp	I, W, GRY, RED, LA	15	125	5-15R
2095HG*	20 Amp	I, W, —, GRY, RED, LA	20	125	5-20R
Spec Grade Isolated Ground Tamper-Resistant Duplex GFCI					
2095IGTR*	Decorator	I, W, —, GRY, BK, RED, LA, O	20	125	5-20R
Hospital Grade Isolated Ground Tamper-Resistant Duplex GFCI					
1595IGHGTR*	15 Amp	I, W, —, GRY, RED, LA, O	15	125	5-15R
2095IGHGTR*	20 Amp		20	125	5-20R
Combination Tamper-Resistant 20 Amp Nightlight/GFCI					
2095NTLTR*	Decorator	I, W, GRY, LA	20	125	5-20R
Hospital Grade Combination Tamper-Resistant Nightlight/GFCI					
1595HGNTLTR*	15 Amp	I, W, —, RED	15	125	5-15R
2095HGNTLTR*	20 Amp	I, W, GRY, RED, LA	20	125	5-20R
Spec Grade Weather-Resistant 20 Amp Duplex GFCI					
2095TRWR*	Decorator	I, W, —, GRY, LA	20	125	5-20R

Commercial GFCI Receptacles


Catalog Number	Description	Color	Ratings		NEMA Config. No.
			A.	V.	
Spec Grade Audible Alarm Tamper-Resistant 20 Amp Duplex GFCI					
2095TRA*	Decorator	I, W, —, GRY, BK, RED, LA	20	125	5-20R
Hospital Grade Audible Alarm Tamper-Resistant Duplex GFCI					
1595HGTRA*	15 Amp	I, W, —, GRY, RED, LA	15	125	5-15R
2095HGTRA*	20 Amp		20	125	5-20R
RoHS-Compliant TradeMaster®/Spec Grade Tamper-Resistant 20 Amp Duplex GFCI					
2095TRR*	Decorator	I	20	125	5-20R
Spec Grade Self-Test 20 Amp Duplex GFCI					
2096*	Decorator	I, W, —, GRY, LA	20	125	5-20R
Spec Grade Self-Test Tamper-Resistant 20 Amp Duplex GFCI					
2096TR*	Decorator	I, W, LA	20	125	5-20R
Hospital Grade Self-Test 20 Amp Duplex GFCI					
2096HG*	Decorator	I, W, —, GRY, RED, LA	20	125	5-20R
Hospital Grade Self-Test Tamper-Resistant 20 Amp Duplex GFCI					
2096HGTR*	Decorator	I, W, LA	20	125	5-20R

Dead Front GFCI Receptacles

Catalog Number	Description	Color	Ratings		NEMA Config. No.
			A.	V.	
Spec Grade Dead Front GFCI — 1-1/2 HP Motor Control Rating					
2085	20 Amp	I, W, BK, LA	20	125	5-20R


P&S PlugTail™ GFCI Receptacles

Catalog Number	Description	Color	Ratings		NEMA Config. No.
			A.	V.	
Spec Grade Duplex GFCI					
PT1595*	15 Amp	I, W, GRY, BK, RED, LA	15	125	5-15R
PT2095*	20 Amp	I, W, —, GRY, RED, LA	20	125	5-20R
Spec Grade Tamper-Resistant Duplex GFCI					
PT1595TR*	15 Amp	I, W, —, GRY, BK, RED, LA	15	125	5-15R
PT2095TR*	20 Amp	I, W, —, GRY, RED, LA	20	125	5-20R
Hospital Grade Duplex GFCI					
PT1595HG*	15 Amp	I, W, —, GRY, RED, LA	15	125	5-15R
PT2095HG*	20 Amp		20	125	5-20R
Hospital Grade Tamper-Resistant Duplex GFCI					
PT1595HGTR*	15 Amp	I, W, GRY, RED, LA	15	125	5-15R
PT2095HGTR*	20 Amp		20	125	5-20R
Spec Grade Tamper-Resistant Combination Nightlight/GFCI					
PT2095NTLTR*	20 Amp	I, W	20	125	5-20R
Hospital Grade Tamper-Resistant Combination Nightlight/GFCI					
PT1595HGNTLTR*	15 Amp	I, W, RED	15	125	5-15R
PT2095HGNTLTR*	20 Amp	I, W, LA	20	125	5-20R



Third-Party Compliance:

cULus Listed, File Number E42190, Standard UL498, Federal Specification WC596



NAFTA-Compliant GFCI Receptacles



*Color Designation

I	Ivory
W	White
GRY	Gray
BK	Black
RED	Red
LA	Light Almond
NI	Nickel
—	Brown
AB	Antique Brass
DB	Dark Bronze

Catalog Number	Description	Color	Ratings		NEMA Config. No.
			A.	V.	
NAFTA-Compliant TradeMaster®/Spec Grade Tamper-Resistant Duplex GFCI					
1595TRNA*	15 Amp	I, W, —, GRY, BK, LA	15	125	5-15R
2095TRNA*	20 Amp		20	125	5-20R
NAFTA-Compliant TradeMaster®/Spec Grade Duplex GFCI					
1595NA*	15 Amp	I, W, —, GRY, BK, LA	15	125	5-15R
2095NA*	20 Amp		20	125	5-20R
NAFTA-Compliant Hospital Grade Tamper-Resistant 20 Amp Duplex GFCI					
2095HGTRNA*	Decorator	I, W, GRY, RED, LA	20	125	5-20R
NAFTA-Compliant Hospital Grade Duplex GFCI					
2095HGNA*	20 Amp	I, W, —, GRY, RED, LA	20	125	5-20R
NAFTA-Compliant Tamper-Resistant Weather-Resistant Duplex GFCI					
1595TRWRNA*	15 Amp	I, W, —, LA,	15	125	5-15R
2095TRWRNA*	20 Amp	I, W, —, GRY, LA	20	125	5-20R

NAFTA-Compliant P&S PlugTail™ GFCI Receptacles

NAFTA-Compliant Spec Grade Duplex GFCI					
PT1595NA*	15 Amp	I, W, GRY, LA	15	125	5-15R
PT2095NA*	20 Amp	I, W, —, GRY, BK	20	125	5-20R
NAFTA-Compliant Spec Grade Tamper-Resistant 20 Amp Duplex GFCI					
PT2095TRNA*	Decorator	I, W, LA	20	125	5-20R
NAFTA-Compliant Hospital Grade 20 Amp Duplex GFCI					
PT2095HGNA*	Decorator	I, W, GRY, RED	20	125	5-20R
NAFTA-Compliant Hospital Grade Tamper-Resistant 20 Amp Duplex GFCI					
PT2095HGTRNA*	Decorator	I, W, GRY, RED, LA	20	125	5-20R
NAFTA-Compliant Spec Grade Tamper-Resistant Combination Nightlight/Duplex GFCI					
PT1595NTLTRNA*	15 Amp	I, W	15	125	5-15R
PT2095NTLTRNA*	20 Amp		20	125	5-20R
NAFTA-Compliant Hospital Grade Tamper-Resistant Combination Nightlight/Duplex GFCI					
PT1595HGNTLTRNA*	15 Amp	I, W	15	125	5-15R
PT2095HGNTLTRNA*	20 Amp		20	125	5-20R

©2014 Legrand BR1241 All Rights Reserved 03/14 EMA/CGXTP

designed to be better.™



Electrical Wiring Systems

P.O. Box 4822
Syracuse, NY 13221-4822
800.776.4035
www.legrand.us/PassandSeymour

570 Applewood Crescent
Vaughan, Ontario L4K 4B4
905.738.9195
www.legrand.ca

For additional technical or application-specific information, call 800-223-4185 or visit our website at www.legrand.us/PassandSeymour. We're eager to put our expertise to work for you.

