



La legrand

THREE COVERS. MULTIPLE FINISHES.


1 POWDER COAT

• Perfect for areas with light foot traffic or when placed under furniture



2 DURABLE FINISHES

- Perfect for areas with high foot traffic or projects with attention to aesthetics
- Lasts 4x longer than standard powder coat finishes and 3x longer than industry standard finishes



Nickel

Aluminum

3 HEAVY-DUTYTested to a load r

- Tested to a load rating of 8,000 lbs. with 1.5 factor of safety
- Naturally resistant to chemicals and corrosion from harsh cleaning solutions
- Perfect for areas that will see significant rolling loads or abrasive cleaners



ONE DEVICE. ANY FLOOR COVERING.



IDEAL FOR MANY APPLICATIONS





Brass





EVOLVING DEVICES

Many of your customers need a variety of A/V devices and connections, and they're concerned about the proper fit. Evolution Poke-Thru Devices accept a number of them and are designed with enough depth behind the device face for larger cables to sweep in gradually—not twist, bend or coil. Because they're recessed below floor level, connections are kept safe.

POWER

• Add receptacles with GFCI protection, plug load control or USB ports

COMMUNICATIONS

• Accepts industry standard communications devices

A/V

- Enough space for active A/V transmitters and larger connection points
- Accepts devices from leading manufacturers like Extron[®], Crestron[®] and even Legrand AVIP



EVOLVING CAPACITY

No matter what capacity you need, there's an option. From small 2-gang solutions that fit perfectly in huddle spaces to large 8-gang solutions that make future changes easier than ever, you can specify Evolution Poke-Thru Devices anywhere connections are needed.



4" DEVICE

Perfectly sized with 2-gangs for smaller capacity needs



6" DEVICE

Recessed poke-thru device with 3-gangs of capacity for future expansion and configurability



8" DEVICE

Large capacity dual service recessed poke-thru device with 5-gangs



10" DEVICE

An industry first with 8-gangs of capacity




MATCH THE FIRE RATING OF YOUR FLOOR

With options for either 2-hour or 3-hour (available in 6AT only) fire-rated devices, you can pick the right poke-thru for your application. The devices utilize an intumescent material that swells when exposed to heat, increasing in volume to seal off the passage of flames for the same amount of time as the fire rated floor assembly.



WWW.LEGRAND.US/EVOLUTIONPOKETHRU



designed to be better.



Electrical Wiring Systems

60 Woodlawn Street West Hartford, CT 06110 1.877.BY.LEGRAND (295.3472) www.legrand.us

Canada

1.800.723.5175; 905.738.9195 www.legrand.ca

Costa Rica +506.298.56.04; +506.239.71.13 www.legrand.crv

