

GETTING UP TO SPEED

with Legrand's Commercial USB Charging Receptacles

When it comes to adding the convenience of built-in USB charging, it's no longer "one speed fits all." Legrand offers three tiers of charging speeds to fit any project's needs or customer's preference.

THE GOOD



PlugTail® 15A & 20A Hospital-Grade Tamper-Resistant **USB Type-A/C** Receptacle

3.1A charging capacity between both ports.

PTTR15HACUSB**X** Brown, BK, GRY, I, LA, RED, W

PTTR20HACUSB**X** Brown, BK, GRY, I, LA, RED, W



PlugTail® 15A & 20A Tamper-Resistant **USB Type-A/C** Receptacle

3.1A charging capacity between both ports.

PTTR15ACUSB**X**Brown, BK, GRY, I, LA, W

PTTR20ACUSB**X**Brown, BK, GRY, I, LA, W



Trademaster® 15A & 20A Hospital-Grade Tamper-Resistant **USB Type-A/C** Receptacle

3.1A charging capacity between both ports.

TR15HUSBAC**X** Brown, BK, GRY, I, RED, W

TR20HUSBAC**X**Brown, BK, GRY, I, LA,
RED, W



Trademaster® 15A & 20A Tamper-Resistant **USB Type-A/C** Receptacle

3.1A charging capacity between both ports.

TR15USBAC**X**Brown, BK, GRY, I, LA, W

TR20USBAC**X**Brown, BK, GRY, I, LA, NI,
RED, W



Trademaster® 15A & 20A Fed Spec-Grade Tamper-Resistant **USB Type-A/A** Receptacle

3.1A charging capacity between both ports.

TR5262USB**X** Brown, BK, GRY, I, LA, NI, W

TR5362USB**X**Brown, BK, GRY, I, LA, NI,
RED, W



BETTER

Trademaster® 20A Hospital-Grade Tamper-Resistant USB Type-A/A Receptacle

3.1A charging capacity between both ports.

TR8300HUSB**X**Brown, BK, GRY, I, LA,
RED, W



radiant® 20A Hospital-Grade Tamper-Resistant Self-Test GFCI USB Type-A/C Receptacle

2A charging capacity between both ports.

2097HGTRUSBACLA



radiant® 20A Tamper-Resistant Self-Test GFCI **USB Type-A/A** Receptacle

2A charging capacity between both ports.

2097TRUSBAAX Brown, BK, GRY, I, LA, RED, W



radiant® 20A Tamper-Resistant Self-Test GFCI **USB Type-A/C** Receptacle

2A charging capacity between both ports.

2097TRUSBAC**X** Brown, BK, DB, GRY, I, LA, RED, W



radiant® 20A Tamper-Resistant Self-Test GFCI **USB Type-C/C** Receptacle

2A charging capacity between both ports.

2097TRUSBCCW



radiant® 20A Tamper-Resistant Weather-Resistant Self-Test GFCI **USB Type-A/C** Receptacle

2A charging capacity between both ports.

2097TRWRUSBAC**X** BK, GRY, W



radiant® 20A Tamper-Resistant Weather-Resistant Self-Test GFCI **USB Type-C/C** Receptacle

2A charging capacity between both ports.

2097TRWRUSBCCW W



WHAT IS USB TYPE-C? USB Type-C is the latest standard for charging. With its smaller connector head and symmetrical, reversible orientation, it fits easily into phones, tablets, laptops and more. Type-C can provide higher power for faster charging.

THE BETTER Charge phones, tablets & more up to 40% faster.



Trademaster® 15A & 20A Tamper-Resistant Hospital-Grade Ultra-Fast **USB Type-A/C** Receptacle

6A charging capacity; 5V output; 15W per port.

TR15HUSBAC6**X**Brown, BK, GRY, I, RED, W
TR20HUSBAC6**X**Brown, BK, GRY, I, LA,
RED, W



Trademaster® 15A & 20A
Tamper-Resistant UltraFast USB Type-A/C
Receptacle

6A charging capacity; 5V output; 15W per port.

TR15USBAC6**X**Brown, BK, GRY, I, LA, W
TR20USBAC6**X**Brown, BK, G, GRY, I, LA,
NI, RED, W



Trademaster® 15A & 20A Tamper-Resistant Weather-Resistant Ultra-Fast **USB Type-A/C** Receptacle

6A charging capacity; 5V output; 15W per port.

WRTR15USBAC6X Brown, BK, GRY, I, LA, W WRTR20USBAC6X Brown, BK, GRY, I, LA, W



Trademaster® 15A & 20A Tamper-Resistant Hospital-Grade Ultra-Fast **USB Type-C/C** Receptacle

6A charging capacity; 5V output; 15W per port.

TR15HUSBCC6X
Brown, BK, GRY, I, RED, W
TR20HUSBCC6X
Brown, BK, GRY, I, LA,
RED, W



Trademaster® 15A & 20A
Tamper-Resistant UltraFast USB Type-C/C
Receptacle

6A charging capacity; 5V output; 15W per port.

TR15USBCC6**X**Brown, BK, GRY, I, LA, W
TR20USBCC6**X**Brown, BK, GRY, I, LA,
RED, W

BETTER



adorne® 20A Tamper-Resistant Ultra-Fast **USB Type-A/C** Outlet

6A charging capacity; 5V output; 15W per port.

ARTRUSB206AC**X**4 G, M, W

WHAT IS POWER DELIVERY? Power Delivery (PD) is a technology standard that has revolutionized charging. Supplying a higher level, it delivers faster, safer charging to the latest PD-enabled devices and is the ideal, future-proof solution for tablets, laptops and other devices that require more power for optimized charging speeds. Using a PD-enabled USB in-wall charger is the ideal way to be certain all devices are receiving the highest level of power they can accept for the fastest charge.

THE BEST Charge phones, tablets and more up to 2X faster.



radiant® 20A Tamper-Resistant Ultra-Fast Plus Power Delivery **USB Type-C/C** Outlet

5V, 9V & 15V output; 30W per port. Multilayered overcurrent protection. Indicator light for charging status.

TR20USBPD**X**Brown, BK, DB, G, GRY, I, LA, NI, RED, W



adorne® Ultra-Fast Plus Power Delivery
USB Type-C/C Outlet Module

5V, 9V & 15V output; 30W per port. Multilayered overcurrent protection. Indicator light for charging status.

> ARTRUSB20PD30**X**4 G, M, W

BASE SKU	LINE / COLLECTION	RATINGS	NOTES	COLORS	USB PORT TYPE(S)	CHARGING Wattage		TR	WR
PTTR15HACUSBX	PlugTail	15A, 120V	Hospital-Grade	– , BK, GRY, I, RED, W	A, C		3.1A (between both ports)	√	
PTTR15ACUSBX	PlugTail	15A, 120V		- , BK, GRY, I, LA, W	A, C		3.1A (between both ports)	√	
PTTR20HACUSBX	PlugTail	20A, 120V	Hospital-Grade	– , BK, GRY, I, LA, RED, W	A, C		3.1A (between both ports)	√	
PTTR20ACUSBX	PlugTail	20A, 120V		- , BK, GRY, I, LA, W	A, C		3.1A (between both ports)	√	
TR15HUSBACX	Trademaster	15A, 120V	Hospital-Grade	- , BK, GRY, I, RED, W	A, C		3.1A (between both ports)	√	
TR15USBACX	Trademaster	15A, 120V		- , BK, GRY, I, LA, W	A, C		3.1A (between both ports)	√	
TR20HUSBACX	Trademaster	20A, 120V	Hospital-Grade	– , BK, GRY, I, LA, RED, W	A, C		3.1A (between both ports)	√	
TR20USBACX	Trademaster	20A, 120V		– , BK, GRY, I, LA, NI, RED, W	A, C		3.1A (between both ports)	√	
TR5262USBX	Trademaster	15A, 120V	Fed Spec-Grade	– , BK, GRY, I, LA, NI, W	Α, Α		3.1A (between both ports)	√	
TR5362USBX	Trademaster	20A, 120V	Fed Spec-Grade	– , BK, GRY, I, LA, NI, RED, W	Α, Α		3.1A (between both ports)	√	
TR8300HUSBX	Trademaster	20A, 120V	Hospital-Grade	– , BK, GRY, I, LA, RED, W	A, A		3.1A (between both ports)	√	
2097HGTRUSBACX	radiant	20A, 120V	Hospital-Grade; with GFCI	LA	A, C	5W (Qi wireless charging pad)	2A (between both ports)	√	
2097TRUSBAAX	radiant	20A, 120V	with GFCI	– , BK, GRY, I, LA, RED, W	A, A		2A (between both ports)	√	
2097TRUSBACX	radiant	20A, 120V	with GFCI	– , BK, DB, GRY, I, LA, RED, W	A, C		2A (between both ports)	√	
2097TRUSBCCX	radiant	20A, 120V	with GFCI	W	C, C		2A (between both ports)	√	
2097TRWRUSBACX	radiant	20A, 120V	with GFCI	BK, GRY, W	A, C		2A (between both ports)	√	✓
2097TRWRUSBCCW	radiant	20A, 120V	with GFCI	W	C, C		2A (between both ports)	√	✓
TR15HUSBAC6X	Trademaster	15A, 120V	Hospital-Grade	– , BK, GRY, I, RED, W	A, C	15W (per port)	6A, 5V Output	✓	
TR15USBAC6X	Trademaster	15A, 120V		- , BK, GRY, I, LA, W	A, C	15W (per port)	6A, 5V Output	✓	
TR20HUSBAC6X	Trademaster	20A, 120V	Hospital-Grade	– , BK, GRY, I, LA, RED, W	A, C	15W (per port)	6A, 5V Output	√	
TR20USBAC6X	Trademaster	20A, 120V		– , BK, G, GRY, I, LA, NI, RED, W	A, C	15W (per port)	6A, 5V Output	√	
WRTR15USBAC6X	Trademaster	15A, 120V		- , BK, GRY, I, LA, W	A, C	15W (per port)	6A, 5V Output	✓	√
WRTR20USBAC6X	Trademaster	20A, 120V		- , BK, GRY, I, LA, W	A, C	15W (per port)	6A, 5V Output	✓	√
TR15HUSBCC6X	Trademaster	15A, 120V	Hospital-Grade	- , BK, GRY, I, RED, W	C, C	15W (per port)	6A, 5V Output	✓	
TR15USBCC6X	Trademaster	15A, 120V		- , BK, GRY, I, LA, W	C, C	15W (per port)	6A, 5V Output	✓	
TR20HUSBCC6X	Trademaster	20A, 120V	Hospital-Grade	– , BK, GRY, I, LA, RED, W	C, C	15W (per port)	6A, 5V Output	√	
TR20USBCC6X	Trademaster	20A, 120V		– , BK, GRY, I, LA, RED, W	C, C	15W (per port)	6A, 5V Output	√	
ARTRUSB206ACX4	adorne	20A, 120V		G, M, W	C, C	15W (per port)	6A, 5V Output	✓	
TR20USBPDX	radiant	20A, 120V	with Power Delivery; multi-layered overcurrent protection; charging status indicator light	- , BK, DBCCV4, G, GRY, I, LA, NI, RED, W	C, C	30W (per port)	5V, 9V & 15V Output	✓	
ARTRUSB20PD30X4	adorne	20A, 120V	with Power Delivery; multi-layered overcurrent protection; charging status indicator light	G, M, W	C, C	30W (per port)	5V, 9V & 15V Output	/	

Graphite G **Dark Bronze**

DB

Black

ВК

Ivory

Gray

GRY

Brown

Light Almond

LA

White

W

Red

RED

Magnesium M

Nickel

NI