

Marketing Bulletin

TO: LES RSM & TSSs, LES Agents, LES

FROM: Leviton Marketing Department, Lighting & Energy Solutions

DATE: August 17, 2015

RE: North American Free Trade Agreement (NAFTA) and American Recovery and Reinvestment Act (ARRA) Compliant Products

The following list of Leviton products conform to NAFTA and/or ARRA guidelines:

Where to use:

- NAFTA specific project
 - Require NAFTA compliant products.
- ARRA stimulus funded project
 - Project less than \$7.443M must use ARRA (made in USA) compliant products.
 - Projects over \$7.443M, ARRA permits use of NAFTA compliant products.

***Please refer to the documentation specific to your project as requirements vary from state to state.*

Ordering NAFTA

- NAFTA products are a manual order process.
- Submit your order to customer service using the Cat No. and specify product is to be NAFTA compliant.
- Customer service will then allocate the order to DC 18 where all NAFTA products are stocked.
- To assist customer service you can provide the NAFTA specific San listed in the chart below but it is not a requirement.

Ordering ARRA

- ARRA products are an automated process.
- Submit your order to customer service using the correct Made in USA Cat No. and specific product is to be ARRA compliant.

For more information, or to request an official NAFTA (CF434) or Country of Origin (COO) certificate, please call 1-800-736-6682 to speak to a Leviton LES representative. Visit us online at www.leviton.com/les.

Note: Data sheets correspond to all like products, whether standard, NAFTA or Made in USA.

Note: Items marked with asterisks (*) are Title 24 and/or ASHRAE 90.1 compliant – contact factory for more information.

Ordering Information

Occupancy Sensors							
PIR Wallbox Occupancy Sensor Dual Relay*							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
ODS0D-IDI*	120-277V. Ivory	001	07847795409	3.0	-	X	Mexico
ODS0D-IAI*	120-277V. Ivory	302	07847750868	3.0	X	X	USA
ODS0D-IDW*	120-277V. White	002	07847795408	3.8	-	X	Mexico
ODS0D-IAW*	120-277V. White	301	07847750874	3	X	X	USA
ODS0D-IDG*	120-277V. Gray	004	07847795410	3.3	-	X	Mexico
ODS0D-IG*	120-277V. Gray	305	07847750869	3.3	X	X	USA
ODS0D-IDT*	120-277V. Light Almond	N13	07847727745	3.7	-	X	Mexico
ODS0D-IAT*	120-277V. Light Almond	304	07847750875	3.7	X	X	USA
ODS0D-INE*	120-277V. Black	N06	07847748688	3.6	-	X	Mexico
ODS0D-IAE*	120-277V. Black	306	07847750870	3.3	X	X	USA
ODS0D-INR*	120-277V. Red	N07	07847751832	3.6	-	X	Mexico
ODS0D-TDI*	120-277V. Ivory. California T24 Compliant Manual ON	007	07847734980	3.8	-	X	Mexico
ODS0D-TAI*	120-277V. Ivory. California T24 Compliant Manual ON	312	07847750877	3.0	X	X	USA
ODS0D-TDG*	120-277V. Gray. California T24 Compliant Manual ON	008	07847734981	3.8	-	X	Mexico
ODS0D-TNE*	120-277V. Black. California T24 Compliant Manual ON	N16	07847748693	3.6	-	X	Mexico
PIR Wallbox Occupancy Sensor Single Relay*							
ODS10-IDW*	120-277V. White	N21	07847701018	3.1	-	X	Mexico
ODS10-IAW*	120-277V. White.	301	07847750884	3	X	X	USA
ODS10-IDI*	120-277V. Ivory.	N12	07847701019	3.2	-	X	Mexico
ODS10-IAI*	120-277V. Ivory.	302	07847750881	3	X	X	USA
ODS10-IDG*	120-277V. Gray.	N14	07847701020	3.3	-	X	Mexico
ODS10-IG*	120-277V. Gray.	305	07847750880	3.2	X	X	USA
ODS10-IDT*	120-277V. Light Almond.	N13	07847727746	3.2	-	X	Mexico
ODS10-IAT*	120-277V. Light Almond.	304	07847750882	3.3	X	X	USA
ODS10-INE*	120-277V. Black	N06	07847748694	3.2	-	X	Mexico
ODS10-INR*	120-277V. Red	N07	07847751588	3.2	-	X	Mexico
PIR Wallbox Occupancy Sensor Auto Only*							
ODS10-IQW*	120-277V. White	020	07847755351	3.2	-	X	Mexico
ODS10-IQI*	120-277V. Ivory	021	07847755352	3.2	-	X	Mexico
ODS10-IQE*	120-277V. Black	022	07847755353	3.2	-	X	Mexico
PIR Wallbox Occupancy Sensor Single Relay 15A*							
ODS15-IDW*	120-277V. White	002	07847701022	3.5	-	X	Mexico
ODS15-IAW*	120-277V. White	301	07847750885	3.0	X	X	USA
ODS15-IDI*	120-277V. Ivory	001	07847701023	3.0	-	X	Mexico
ODS15-IAI*	120-277V. Ivory	302	07847750886	3.0	X	X	USA
ODS15-IDG*	15A, 120-277V. Gray	004	07847701024	3.5	-	X	Mexico
ODS15-IG*	15A, 120-277V. Gray	305	07847750888	3.5	X	X	USA
ODS15-IDT*	15A, 120-277V. Light Almond	N13	07847727749	3.7	-	X	Mexico
ODS15-IAT*	15A, 120-277V. Light Almond	304	07847750887	3.7	X	X	USA
ODS15-INE*	15A, 120-277V. Black	N06	07847748695	3.8	-	X	Mexico
PIR Wallbox Occupancy Sensor w/Night Light*							
OSSNL-IAW*	120-277VAC, White	301	07847750898	3.8	X	X	USA
OSSNL-IDI*	120-277VAC, Ivory	N12	07847730687	3.8	-	X	Mexico

OSSNL-IAI*	120-277VAC,Ivory	302	07847750899	3.8	X	X	USA
OSSNL-IDT*	120-277VAC,Light Almond	N13	07847730692	3.8	-	X	Mexico
OSSNL-IDG*	120-277VAC,Gray	N14	07847730688	3.8	-	X	Mexico
PIR Wallbox Vacancy Sensors*							
ODS10-TDW*	Single Relay 120-277V. White	N03	07847761229	3.8	-	X	Mexico
ODS10-TDI*	Single Relay 120-277V. Ivory	N04	07847761228	3.8	-	X	Mexico
ODS10-TDT*	Single Relay 120-277V. Light Almond	N05	07847761227	3.8	-	X	Mexico
ODS15-TDW*	Single Relay 15A.120-277V. White	N03	07847761235	3.8	-	X	Mexico
ODS15-TDI*	Single Relay 15A. 120-277V. Ivory	N04	07847761224	3.8	-	X	Mexico
ODS15-TDT*	Single Relay 15A. 120-277V. Light Almond	N05	07847761230	3.8	-	X	Mexico
Multi-Tech Wallbox Occupancy Sensor w/Neutral Single Relay*							
OSSMT-MDW*	120-277V. White California T24 Compliant Manual ON	040	07847727937	3.8	-	X	Mexico
OSSMT-MAW*	120-277V. White California T24 Compliant Manual ON	320	07847750923	3.8	X	X	USA
OSSMT-MDI*	120-277V. Ivory. California T24 Compliant Manual ON	041	07847727938	3.7	-	X	Mexico
OSSMT-MAI*	120-277V. Ivory. California T24 Compliant Manual ON	321	07847750924	3.8	X	X	USA
OSSMT-MDG*	120-277V. Gray. California T24 Compliant Manual ON	043	07847727940	3.7	-	X	Mexico
OSSMT-MAG*	120-277V. Gray. California T24 Compliant Manual ON	324	07847750926	3.8	X	X	USA
OSSMT-MDT*	120-277V. Light Almond. California T24 Compliant Manual ON	042	07847729807	3.7	-	X	Mexico
OSSMT-MAT*	120-277V. Light Almond. California T24 Compliant Manual ON	323	07847750925	3.8	X	X	USA
OSSMT-MDE*	120-277V. Black. California T24 Compliant Manual ON	044	07847747969	3.7	-	X	Mexico
OSSMT-MAE*	120-277V. Black. California T24 Compliant Manual ON	325	07847750927	4.2	X	X	USA
OSSMT-MDR*	120-277V. Red. California T24 Compliant Manual ON	045	07847753962	3.7	-	X	Mexico
OSSMT-MQW*	120-277V. White. California T24 Compliant Auto ON Only	053	07847755356	3.8	-	X	Mexico
OSSMT-MQI*	120-277V. Ivory California T24 Compliant Auto ON Only	054	07847755357	3.8	-	X	Mexico
OSSMT-MQE*	120-277V. Black. California T24 Compliant Auto ON Only	055	07847755358	3.8	-	X	Mexico
Multi-Tech Wallbox Occupancy Sensor w/No Neutral Single Relay*							
OSSMT-GDW*	120-277V. White California T24 Compliant Manual ON	060	07847740696	3.8	-	X	Mexico
OSSMT-GAW*	120-277V. White California T24 Compliant Manual ON	330	07847750918	3.9	X	X	USA
OSSMT-GDI*	120-277V. Ivory. California T24 Compliant Manual ON	061	07847740697	3.8	-	X	Mexico
OSSMT-GAI*	120-277V. Ivory. California T24 Compliant Manual ON	331	07847750919	3.9	X	X	USA
OSSMT-GAT*	120-277V. Light Almond. California T24 Compliant Manual ON	333	07847750920	3.9	X	X	USA
OSSMT-GAE*	120-277V. Black. California T24 Compliant Manual ON	335	07847750922	3.9	X	X	USA
OSSMT-GQW*	120-277V. White. California T24 Compliant Auto ON only	050	07847755374	3.8	-	X	Mexico
OSSMT-GQI*	120-277V. Ivory. California T24 Compliant Auto ON only	051	07847755355	3.8	-	X	Mexico
OSSMT-GQE*	120-277V.Black.California T24 Compliant Auto ON only	052	07847755354	3.8	-	X	Mexico
OSSMT-GDG*	120-277V. Gray. California T24 Compliant Manual ON	062	07847740699	3.9	-	X	Mexico
OSSMT-GAG*	120-277V. Gray. California T24 Compliant Manual ON	334	07847750921	3.9	X	X	USA
OSSMT-GDT*	120-277V. Light Almond. California T24 Compliant Manual ON	063	07847740700	3.9	-	X	Mexico
OSSMT-GDE*	120-277V. Black. California T24 Compliant Manual ON	065	07847748701	3.9	-	X	Mexico
OSSMT-GDR*	120-277V. Red. California T24 Compliant Manual ON	064	07847751199	3.9	-	X	Mexico

Multi-Tech Wallbox Vacancy Sensor Single Relay*							
OSSMT-GTW*	No Neutral, 120-277V. White. California T24 Compliant Manual ON	N01	07847761231	3.9	-	X	Mexico
OSSMT-GTI*	No Neutral, 120-277V. Ivory. California T24 Compliant Manual ON	N02	07847761234	3.9	-	X	Mexico
OSSMT-GTT*	No Neutral, 120-277V. Light Almond. California T24 Compliant Manual ON	N03	07847761225	3.9	-	X	Mexico
OSSMT-TMW*	W/Neutral 120-277V. White. California T24 Compliant Manual ON	N04	07847761233	3.9	-	X	Mexico
OSSMT-TMI*	W/Neutral 120-277V. Ivory. California T24 Compliant Manual ON	N05	07847761232	3.9	-	X	Mexico
OSSMT-TMT*	W/Neutral 120-277V. Light Almond. California T24 Compliant Manual ON	N06	07847761226	3.9	-	X	Mexico
Multi-Tech Wallbox Occupancy Sensor w/Neutral Dual Relay*							
OSSMD-MDW*	Photocell controlled 120-277V. White. California T24 Compliant Manual ON	040	07847740307	4.2	-	X	Mexico
OSSMD-MAW*	Photocell controlled 120-277V. White. California T24 Compliant Manual ON	320	07847750914	4.2	X	X	USA
OSSMD-MDI*	120-277V. Ivory. California T24 Compliant Manual ON	041	07847740308	4.2	-	X	Mexico
OSSMD-MAI*	120-277V. Ivory.	321	07847750915	4.2	X	X	USA
OSSMD-MDG*	Photocell controlled 120-277V. Gray. California T24 Compliant Manual ON	042	07847740309	4.2	-	X	Mexico
OSSMD-MAG*	Photocell controlled 120-277V. Gray. California T24 Compliant Manual ON	324	07847750917	4.2	X	X	USA
OSSMD-MDT*	Photocell controlled 120-277V. Light Almond. California T24 Compliant Manual ON	043	07847740311	4.2	-	X	Mexico
OSSMD-MAT*	Photocell controlled 120-277V. Light Almond. California T24 Compliant Manual ON	323	07847750916	4.2	X	X	USA
OSSMD-MDE*	Photocell controlled 120-277V. Black. California T24 Compliant Manual ON	044	07847748698	4.2	-	X	Mexico
OSSMD-MAE*	Photocell controlled 120-277V. Black. California T24 Compliant Manual ON	325	07847750906	4.2	X	X	USA
Multi-Tech Wallbox Occupancy Sensor w/No Neutral Dual Relay – Photocell controlled*							
OSSMD-GDW*	120-277V. White California T24 Compliant Manual ON	045	07847740313	4.2	-	X	Mexico
OSSMD-GAW*	120-277V. White California T24 Compliant Manual ON	330	07847750907	4.2	X	X	USA
OSSMD-GDI*	120-277V. Ivory. California T24 Compliant Manual ON	046	07847740314	4.2	-	X	Mexico
OSSMD-GAI*	120-277V. Ivory. California T24 Compliant Manual ON	331	07847750908	4.2	X	X	USA
OSSMD-GDG*	120-277V. Gray. California T24 Compliant Manual ON	047	07847740315	4.2	-	X	Mexico
OSSMD-GAG*	120-277V. Gray. California T24 Compliant Manual ON	334	07847750910	4.2	X	X	USA
OSSMD-GDT*	120-277V. Light Almond. California T24 Compliant Manual ON	048	07847740317	4.2	-	X	Mexico
OSSMD-GAT*	120-277V. Light Almond. California T24 Compliant Manual ON	333	07847750909	4.2	X	X	USA
OSSMD-GDE*	120-277V. Black. California T24 Compliant Manual ON	049	07847748699	4.2	-	X	Mexico
OSSMD-GAE*	120-277V. Black. California T24 Compliant Manual ON	335	07847750911	4.2	X	X	USA
Multi-Tech Wallbox Occupancy Sensor Fan Timer*							
OSSMD-FTT*	2 Relay Fan Timer, Light Almond	053	07847740302	4.2	-	X	Mexico
OSSMD-FTE*	2 Relay Fan Timer, Black	054	07847748700	4.2	-	X	Mexico
Occupancy Sensor							
IPP15-1FI	Single pole or 3-way, Manual On /Auto Off, Neutral Required, 15Amp, 120VAC, Incandescent, Ivory	201	07847752687	4.1	-	X	Mexico
Fixture Mount High-Bay Occupancy Sensors*							
OSFHU-IAW*	PIR, White	322	07847750872	6.7	X	X	USA
OSFHU-CAW*	PIR, Cold Storage Model, White	323	07847750867	6.7	X	X	USA
OSFHU-ITW*	PIR 120-347V, White	N02	07847735430	5.2	-	X	Mexico
OSFHU-CTW*	PIR, Cold Storage Model 120-347V, White	N03	07847735437	5.1	-	X	Mexico
Ceiling Mount Occupancy Sensors*							
OSC04-IOW*	PIR 450SF. California T24 Compliant, White	N11	07847718053	5.2	-	X	Mexico
OSC04-IAW*	PIR 450SF. California T24 Compliant, White	301	07847750859	3	X	X	USA
OSC04-RIW*	PIR w/Isolated Relay, 450SF, White	207	07847754347	6.4	-	X	Mexico

OSC05-M0W*	MultiTech 500SF. California T24 Compliant, White	N21	07847718055	5.5	-	-	Mexico
OSC05-MAW*	MultiTech 500SF. California T24 Compliant, White	320	07847750861	3.0	X	X	USA
OSC05-U0W*	Ultrasonic 500SF. California T24 Compliant, White	N11	07847718054	5.5	-	-	Mexico
OSC05-UAW*	Ultrasonic 500SF. California T24 Compliant, White	310	07847750860	3.0	X	X	USA
OSC05-RMW*	Multi Tech w/Isolated Relay 500SF, White	207	07847754348	6.4	-	X	Mexico
OSC05-RUW*	Ultrasonic w/Isolated Relay, 500SF, White	217	07847754349	6.4	-	X	Mexico
OSC10-M0W*	MultiTech 1000SF. California T24 Compliant, White	N21	07847718057	5.5	-	X	Mexico
OSC10-MAW*	MultiTech 1000SF. California T24 Compliant, White	320	07847750863	3.0	X	X	USA
OSC10-U0W*	Ultrasonic 1000SF. California T24 Compliant, White	N11	07847718056	5.7	-	X	Mexico
OSC10-UAW*	Ultrasonic 1000SF. California T24 Compliant, White	310	07847750862	3.0	X	X	USA
OSC10-RMW*	Multi Tech w/Isolated Relay 1000SF, White	207	07847754350	6.4	-	X	Mexico
OSC10-RUW*	Ultrasonic w/Isolated Relay, 1000SF, White	217	07847754351	6.4	-	X	Mexico
OSC15-I0W*	PIR 1500SF. California T24 Compliant, White	N11	07847718058	4.5	-	X	Mexico
OSC15-IAW*	PIR 1500SF. California T24 Compliant, White	301	07847750864	3.0	X	X	USA
OSC15-RIW*	PIR w/Isolated Relay, 1500SF, White	207	07847754352	6.4	-	X	Mexico
OSC20-M0W*	MultiTech 2000SF. California T24 Compliant, White	N21	07847718013	5.6	-	X	Mexico
OSC20-MAW*	MultiTech 2000SF. California T24 Compliant, White	320	07847750866	3.0	X	X	USA
OSC20-U0W*	Ultrasonic 2000SF. California T24 Compliant, White	N11	07847718059	5.5	-	X	Mexico
OSC20-UAW*	Ultrasonic 2000SF. California T24 Compliant, White	310	07847750865	3.0	X	X	USA
OSC20-RMW*	Multi Tech w/Isolated Relay 2000SF, White	207	07847754353	6.4	-	X	Mexico
OSC20-RUW*	Ultrasonic w/Isolated Relay, 2000SF, White	217	07847754354	6.4	-	X	Mexico
Wall Mount Occupancy Sensors*							
OSW12-M0W*	MultiTech1200SF. California T24 Compliant, White	N11	07847718645	8.7	-	X	Mexico
OSW12-MAW*	MultiTech 1200SF. California T24 Compliant, White	320	07847750855	3.0	X	X	USA
OSW12-RMW*	MultiTech Isolated Relay 1200SF. California T24 Compliant, White	208	07847755371	8.7	-	X	Mexico
Wall Mount High Bay Occupancy Sensors*							
OSWHB-I0W*	PIR, California T24 Compliant, white	N11	07847718834	8.6	-	X	Mexico
OSWHB-IAW*	PIR, California T24 Compliant, white	301	07847750856	3.0	X	X	USA
OSWHB-RIW*	PIR, w/Isolated Relay, California T24 Compliant, White	208	07847755372	8.6	-	X	Mexico
Wall Mount Long Range Occupancy Sensors*							
OSWLR-I0W*	PIR, California T24 Compliant, white	N11	07847718835	8.4	-	X	Mexico
OSWLR-IAW*	PIR, California T24 Compliant, white	301	07847750857	3.0	X	X	USA
OSWLR-RIW*	PIR, w/Isolated Relay California T24 Compliant, white	208	07847755373	8.6	-	X	Mexico
Wall Mount Wide View Occupancy Sensors*							
OSWWV-I0W*	PIR, 2500SF. California T24 Compliant	N11	07847718836	8.6	-	X	Mexico
OSWWV-IAW*	PIR, 2500SF. California T24 Compliant	301	07847750858	3.0	X	X	USA
OSWWV-RIW*	PIR, w/Isolated Relay 2500SF. California T24 Compliant	208	07847755377	8.6	-	X	Mexico
OSWWV-AIW*	PIR, w/Isolated Relay 2500SF. California T24 Compliant	308	07847755468	8.6	-	X	Mexico
Occupancy Sensor Power Packs/Accessories							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
OSP20-DA0*	Occ sensor Power Pack. 120-277Vac	300	07847750890	4.2	X	X	USA
OSP20-RAD*	Occ sensor High HVAC Power Pack. 120-277Vac	310	07847750891	4.2	X	X	USA
OSP20-RDH*	Occ sensor Power Pack AutoON/Override 120-277VAC	000	07847748459	5.1	-	X	Mexico
OSP20-RAH*	Occ sensor Power Pack AutoON/Override 120-277VAC	320	07847750892	4.2	X	X	USA
OSA20-R00*	Occ sensor Power Pack Add-a-relay	N02	07847716651	2.0	-	X	Mexico
OSA20-RA0*	Occ sensor Power Pack Add-a-relay	300	07847750889	4.2	X	X	USA
OPB15-ODW*	Line to low voltage power base adapter	N02	07847729967	4.2	-	X	Mexico
OPB15-DAW*	Line to low voltage power base adapter	301	07847750871	4.2	X	X	USA

OPBCA-00W*	OPB15 Cosmetic	001	07847753017	5.0	-	X	Mexico
------------	----------------	-----	-------------	-----	---	---	--------

LevNet RF 902 MHz*							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
WSS20-G9N*	Wireless Receiver Switch, No-Neutral	001	07847767179	4.3	-	X	Mexico
WSS20-N9N*	Wireless Receiver Switch, Neutral	010	07847767178	4.3	-	X	Mexico
WSD05-9D0*	5A Relay 1-10V Dimming Fixture Controller	001	07847771348	5.0	X	X	USA
WSD20-9D0*	20A Relay 1-10V Dimming Area Controller	001	07847771361	5.0	X	X	USA
WSP20-9D0*	20A Relay Power Pack, Switching	001	07847771359	5.0	X	X	USA
WSTLT-9D0*	Control Transmitter	001	07847771362	5.0	X	X	USA
WSS0S-D9E*	Remote switch, dual rocker, self-powered, Black	179	07847767269	4.3	X	X	USA
WSS0S-D9G*	Remote switch, dual rocker, self-powered, Gray	178	07847767263	4.3	X	X	USA
WSS0S-D9I*	Remote switch, dual rocker, self-powered, Ivory	176	07847767267	4.3	X	X	USA
WSS0S-D9T*	Remote switch, dual rocker, self-powered, Light Almond	177	07847767264	4.3	X	X	USA
WSS0S-D9W*	Remote switch, dual rocker, self-powered, White	175	07847767265	4.3	X	X	USA
WSS0S-R9W*	Handheld remote switch, self-powered, White	165	07847767272	4.3	X	X	USA
WSS0S-S9E*	Remote switch, single rocker, self-powered, Black	174	07847767274	4.3	X	X	USA
WSS0S-S9G*	Remote switch, single rocker, self-powered, Gray	173	07847767277	4.3	X	X	USA
WSS0S-S9I*	Remote switch, single rocker, self-powered, Ivory	171	07847767271	4.3	X	X	USA
WSS0S-S9T*	Remote switch, single rocker, self-powered, Light Almond	172	07847767275	4.3	X	X	USA
WSS0S-S9W*	Remote switch, single rocker, self-powered, White	170	07847767278	4.3	X	X	USA
LevNet RF 315 MHz*							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
WSS10-0UZ*	Wireless Receiver Switch, Neutral, Adv Software	035	07847753987	4.3	-	X	Mexico
WSS10-GUZ*	Wireless Receiver Switch, No-Neutral, Adv Software	045	07847753989	4.3	-	X	Mexico
WSS10-AUZ*	Wireless Receiver Switch, Neutral, Adv Software	335	07847753976	4.3	X	X	USA
WSS10-UAZ*	Wireless Receiver Switch, No-Neutral, Adv Software	345	07847753978	4.3	X	X	USA
WSC04-I0W*	Wireless Self-Powered Sensor, PIR, White, 450SF	010	07847745046	5.0	X	X	USA
WSC04-IRW*	Wireless Self Powered Sensor, PIR, White 450SF	040	07847751066	5.0	-	X	Mexico
WSC04-RAW*	Wireless Self Powered Sensor, PIR, White 450SF	340	07847754621	5.0	X	X	USA
WSC15-IRW*	Wireless Self Powered Sensor, PIR, White 1500SF	040	07847751067	5.0	-	X	Mexico
WSC15-RAW*	Wireless Self Powered Sensor, PIR, White 1500SF	340	07847754622	5.0	X	X	USA
WSCPC-00W*	Wireless Self Powered Light Sensor, White	000	07847753409	5.0	X	X	USA
WSP02-R10*	5 WIRE 300W RELAY RCVR WH	000	07847748434	5.0	X	X	USA
WST02-R10*	5 WIRE 300W RELAY RCVR, Threaded, WH	030	07847753281	5.0	X	X	USA
WST05-010*	3 WIRE 500W RELAY RCVR, Threaded, WH	010	07847753282	5.0	X	X	USA
WST05-020*	3 WIRE 1200W RELAY RVR, Threaded, WH	012	07847753283	5.0	X	X	USA
WST05-080*	3 WIRE 1000W RELAY RVR, Threaded, WH	018	07847753287	5.0	X	X	USA
WST12-020*	5 WIRE 3200W RELAY RVR, Threaded, WH	012	07847753289	5.0	X	X	USA
WS0RC-300*	Wireless 3 channel room	003	07847748474	5.0	X	X	USA
WS0RC-400*	Wireless 4 channel room controller	004	07847748475	5.0	X	X	USA
WSD01-001*	0-10V Wireless Dimming Module	001	07847753284	5.0	X	X	USA
WSD02-010*	Constant Voltage LED Dimmer w/RF	001	07847753285	5.0	X	X	USA
WSD02-020*	Constant Voltage LED Dimmer w/o RF	002	07847753286	5.0	X	X	USA
WS0RF-300*	RF SERIAL BOX - RS232	000	07847748477	5.0	X	X	USA
WS0TH-D00*	24VAC WIRED THERMOSTAT	001	07847762776	4.0	X	X	USA
WS0TH-A00*	120-277VAC WIRED THERMOSTAT	002	07847762772	4.0	X	X	USA
WSCOM-03W*	RF Computer Link	001	07847759612	4.0	-	X	Mexico
WSMET-010*	SIGNAL STRENGTH METER	000	07847748487	5.0	X	X	USA

WSAP0-TIP*	RF Access Point	000	07847762774	15.0	X	X	USA
WSPAS-LV4*	AC/DC 4 CHANNEL RELAY REC	000	07847748488	5.0	X	X	USA
WSTLT-010*	120V SLT Interlock Trans, Threaded	000	07847753411	5.0	X	X	USA
WSSLT-010*	120V SLT Interlock Trans	000	07847748490	5.0	X	X	USA
WSSLT-GP0*	LV 4 GPIO SLT Trans	002	07847748492	5.0	X	X	USA
Relay Control Panels*							
EZ-Max Plus*							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
R08BD-000*	8 Relay Cabinet, No Relays	300	07847746569	18.1	-	X	Mexico
R08BD-208*	8 Relay Cabinet 20A 2P Normally Open Relays	303	07847746571	20.6	-	X	Mexico
R08BD-L04*	8 Relay Cabinet, 4 30A (No/NC) Relays	320	07847748023	19.0	-	X	Mexico
R08BD-L08*	8 Relay Cabinet, 8 30A (No/NC) Relays	311	07847746570	18.7	-	X	Mexico
R24BD-000*	24 Relay Cabinet, No Relays	300	07847746382	46.8	-	X	Mexico
R24BD-00A*	Configured panel, relays added as required per job	350	07847753620	46.8	X	X	USA
R24BD-216*	24 Relay Cabinet, 16 20A 2P Normally Open Relays	303	07847746550	53.3	-	X	Mexico
R24BD-L16*	24 Relay Cabinet, 16 30A (No/NC) Relays	311	07847746549	53.0	-	X	Mexico
R24BD-224*	8 Relay Cabinet, 24 20A 2P Normally Open Relays	306	07847746384	52.3	-	X	Mexico
R24BD-L24*	24 Relay Cabinet, 24 30A (No/NC) Relays	312	07847746383	55.2	-	X	Mexico
GreenMAX*							
CTP-R08TC-000*	ARRA Relay Enclosure, 8 Relay Size, Surface Mount, with Locking Door, NEMA 1	N/A		29.6	X	X	USA
CTP-R16TC-000*	ARRA Relay Enclosure, 16 Relay Size, Surface Mount, with Locking Door, NEMA 1	N/A		44.9	X	X	USA
CTP-R32TC-000*	ARRA Relay Enclosure, 32 Relay Size, Surface Mount, with Locking Door, NEMA 1	N/A		62.7	X	X	USA
CTP-R48TC-000*	Relay Enclosure ARRA, 48 Relay Size, Surface Mount, with Locking Door, NEMA 1	N/A		82.9	X	X	USA
RGBAR-008*	ARRA Voltage Barrier for 8 Relay Cabinet, White, 1 Pair.	003	07847754792	5.6	X	X	USA
RGBAR-016*	ARRA Voltage Barrier for 16, 32, or 48 Relay Cabinets, White, 1 Pair.	004	07847754793	5.6	X	X	USA
CTP-RH DU1-000*	LumaCAN ARRA Handheld Display Unit for GreenMAX relay systems. Comes complete with rechargeable batteries.	N/A		1.31	X	X	USA
CTP-RLV16-000*	ARRA Remote Low Voltage input cabinet. Standalone cabinet includes a 70W power supply with 16 Low Voltage inputs. Cabinet is rated NEMA1. 100-277VAC 50/60Hz	N/A		12.4	X	X	USA
CTP-RDGSW-1D*	ARRA LumaCAN Digital Switch, 1 Button, White, 1 Gang Decora, Wallplate included	N/A		1.9	X	X	USA
CTP-RDGSW-2DW*	ARRA LumaCAN Digital Switch, 2 Button, White, 1 Gang Decora, Wallplate included	N/A		1.9	X	X	USA
CTP-RDGSW-4DW*	ARRA LumaCAN Digital Switch, 4 Button, White, 1 Gang Decora, Wallplate included	N/A		1.9	X	X	USA
Relay Panel Digital Switches*							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
ZMDSW-02W*	2 Button, White, 1 Gang Decora Faceplate Included.	012	07847723546	1.9	-	X	Mexico
ZMDSW-03W*	3 Button, White, 1 Gang Decora Faceplate Included.	022	07847723547	1.9	-	X	Mexico
ZMDSW-04W*	4 Button, White, 1 Gang Decora Faceplate Included.	032	07847723548	1.9	-	X	Mexico
ZMDSW-05W*	5 Button, White, 1 Gang Decora Faceplate Included.	042	07847723549	1.9	-	X	Mexico
ZMDSW-06W*	6 Button, White, 1 Gang Decora Faceplate Included.	052	07847723550	1.9	-	X	Mexico
ZMDSW-08W*	8 Button, White, 1 Gang Decora Faceplate Included.	062	07847723563	1.9	-	X	Mexico
ZMDSW-10W*	10 Button, White, 1 Gang Decora Faceplate Included.	072	07847723564	1.9	-	X	Mexico
ZMDSW-01A*	1 Button, White, 1 Gang Decora Faceplate Included.	102	07847753688	1.9	X	X	USA
ZMDSW-02A*	2 Button, White, 1 Gang Decora Faceplate Included.	112	07847753699	1.9	X	X	USA
ZMDSW-03A*	3 Button, White, 1 Gang Decora Faceplate Included.	122	07847753689	1.9	X	X	USA
ZMDSW-04A*	4 Button, White, 1 Gang Decora Faceplate Included.	132	07847753690	1.9	X	X	USA

ZMDSW-05A*	5 Button, White, 1 Gang Decora Faceplate Included.	142	07847753691	1.9	X	X	USA
ZMDSW-06A*	6 Button, White, 1 Gang Decora Faceplate Included.	152	07847753692	1.9	X	X	USA
ZMDSW-08A*	8 Button, White, 1 Gang Decora Faceplate Included.	162	07847753693	1.9	X	X	USA
ZMDSW-10A*	10 Button, White, 1 Gang Decora Faceplate Included.	172	07847753694	1.5	X	X	USA

Low Voltage Switches*

Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
00LVS-01W*	LV 1G Entry Station, 1 Button, White, Momentary contacts & LED indication. Use w/ any 24V system.	001	07847723551	1.6	-	X	Mexico
00LVS-03W*	LV 1G Entry Station, 3 Button, White, Momentary contacts & LED indication. Use with any 24V system.	003	07847723553	1.6	-	X	Mexico
00LVS-04W*	LV 1G Entry Station, 4 Button, White, Momentary contacts & LED indication. Use with any 24V system.	004	07847723554	1.6	-	X	Mexico
00LVS-05W*	LV 1G Entry Station, 5 Button, White, Momentary contacts & LED indication. Use with any 24V system.	005	07847723555	1.7	-	X	Mexico
00LVS-01A*	LV 1G Entry Station, 1 Button, White, Momentary contacts & LED indication. Use with any 24V system.	011	07847553678	1.6	X	X	USA
00LVS-02A*	LV 1G Entry Station, 2 Button, White, Momentary contacts & LED indication. Use with any 24V system.	012	07847753679	1.6	X	X	USA
00LVS-03A*	LV 1G Entry Station, 3 Button, White, Momentary contacts & LED indication. Use with any 24V system.	013	07847753680	1.6	X	X	USA
00LVS-04A*	LV 1G Entry Station, 4 Button, White, Momentary contacts & LED indication. Use with any 24V system.	014	07847753681	1.6	X	X	USA
00LVS-05A*	LV 1G Entry Station, 5 Button, White, Momentary contacts & LED indication. Use with any 24V system.	015	07847753682	1.6	X	X	USA
00LVS-06A*	LV 1G Entry Station, 6 Button, White, Momentary contacts & LED indication. Use with any 24V system.	016	07847753684	1.7	X	X	USA
00LVS-08A*	LV 1G Entry Station, 8 Button, White, Momentary contacts & LED indication. Use with any 24V system.	018	07847753685	1.7	X	X	USA
00LVS-10A*	LV 1G Entry Station, 10 Button, White, Momentary contacts & LED indication. Use with any 24V system.	020	07847753686	1.7	X	X	USA
LV240-00W*	LV 240 1G Control Station for use w/mini-Z, EZ-MAX, 2 Button, White	000	07847727802	1.2		X	Mexico

Dimensions D4000 Architectural Lighting Controls*

Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
D42MO-00W*	Remote Station: Max, Off, White	002	07847718073	1.9	-	X	Mexico
D42MO-RLW*	Remote Station: Max, Raise/Lower, Off, White	012	07847718074	1.9	-	X	Mexico
D42MO-RLA*	Remote Station: Max, Raise/Lower, Off	022	07847753622	1.9	X	X	USA
D42P1-00W*	Remote Station: Scene 1, Off, White	002	07847718078	1.8	-	X	Mexico
D42P1-00A*	Remote Station: Scene 1, Off, White	102	07847753632	1.8	X	X	USA
D42P1-RLW*	Remote Station: Scene 1, Max, Raise/Lower, Off, White	012	07847718081	1.9	-	X	Mexico
D42P1-RLA*	Remote Station: Scene 1, Raise/Lower, Max, Off	122	07847753633	1.9	X	X	USA
D42P1-M0W*	Remote Station: Scene 1, Max, Off, White	022	07847718079	1.9	-	X	Mexico
D42P1-M0A*	Remote Station: Scene 1, Off	112	07847753623	1.9	X	X	USA
D42P4-00W*	Remote Station: Scene 1-4, Off, White	002	07847718082	1.8	-	X	Mexico
D42P4-00A*	Remote Station: Scene 1- 4, Off	032	07847753634	1.8	X	X	USA
D42P4-RLW*	Remote Station: Scenes 1 - 4, Max, Raise/Lwr, Off, White	012	07847718083	1.8	-	X	Mexico
D42P4-RLA*	Remote Station: Scenes 1 - 4, Max, Raise/Lwr, Off, White	022	07847753624	1.8	X	X	USA
D42P8-00W*	Remote Station: Scene 1 - 8, Max, Off	002	07847718084	1.8	-	X	Mexico
D42P8-00A*	Remote Station: Scene 1 - 8, Max, Off	012	07847753625	1.8	X	X	USA
D42P9-RLW*	Remote Station: Scene 9 – 16, Raise, Lower	012	07847718085	1.9	-	X	Mexico
D42P9-RLA*	Remote Station: Scene 9 – 16, Raise, Lower	022	07847753626	1.9	X	X	USA
D42P9-16W*	Remote Station: Scenes 9 – 16	032	07847718086	1.9	-	X	Mexico
D42P9-16A*	Remote Station: Scenes 9 – 16	042	07847753627	1.9	X	X	USA
D42RL-00W*	Remote Station: Raise/Lower	002	07847718087	1.9	-	X	Mexico
D42RL-00A*	Remote Station: Raise/Lower	012	07847753628	1.9	X	X	USA

D42SQ-00W*	Sequencer	002	07847718091	1.9	-	X	Mexico
D42SQ-00A*	Sequencer	012	07847753618	1.9	X	X	USA
D4104-1LW*	Lighting Controller for Luma-Net system. (4) 120V Dimmers, (4) Channels. 20A 120V Input.	000	07847731773	5.9	-	X	Mexico
D4104-2LW*	Lighting Controller for Luma-Net system. (4) 230V Dimmers, (4) Channels. 20A 230V Input.	002	07847731779	4.0	-	X	Mexico
D4106-1LW*	Lighting Controller for Luma-Net system. (6) 120V Dimmers, (6) Channels. 20A 120V Input.	000	07847731781	6.1	-	X	Mexico
D4106-2LW*	Lighting Controller for Luma-Net system. (6) 230V Dimmers, (6) Channels. 20A 230V Input.	002	07847731783	4.0	-	X	Mexico
D4200-0LW*	Lighting Controller for Luma-Net system. (32) Channel Controller, (0) internal dimmers. 12-24Vdc input.	002	07847753616	4.6	-	X	Mexico
D4206-1LW*	Lighting Controller for Luma-Net system. (6) 120V Dimmers, (32) Channels. 20A 120V Input.	000	07847731774	6.0	-	X	Mexico
D4206-2LW*	Lighting Controller for Luma-Net system. (6) 230V Dimmers, (32) Channels. 20A 230V Input.	002	07847731776	6.0	-	X	Mexico
D4006-1LW*	Remote Dimmer. (6) 120V dimmers, Luma-Net control.	000	07847731769	5.7	-	X	Mexico
D4006-2LW*	Remote Dimmer. (6) 230V dimmers, Luma-Net control.	002	07847731771	5.7	-	X	Mexico
Photocells*							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
PCIND-000*	Indoor Photocell. White.	002	07847723560	2.5	X	X	USA
PCIND-0SV*	Indoor Photocell, Side View. White.	004	07847747832		X	X	USA
PCOUT-000*	Outdoor Photocell. White.	002	07847723561		X	X	USA
PCOUT-0SV*	Outdoor Photocell, Side View. White.	004	07847747833		X	X	USA
PCSKY-000*	Skylight Photocell. White.	001	07847723562	2.5	X	X	USA
PCATR-000*	Atrium Photocell. White.	001	07847723559	2.5	X	X	USA
ODC0P-00W*	Indoor Photocell. White.	002	07847704732	2.5	-	X	Mexico
Dimmers							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
IPI06-1FZ	Ilumatech Slide Dimmer, Single Pole & 3 Way, 600W, 120VAC, Incandescent, White, Ivory, Light Almond	201	07847752681	4.0	-	X	Mexico
IP710-LFZ	Ilumatech Preset Slide Dimmer, for LED Fixtures Using 0-10V Power Supply, Fluorescent Advance Mark VII or Osram Sylvania Quicktronic Helios, Single Pole/3-Way, No locator Light 1200VA-120VAC and 1500VA, 277VAC, White, Ivory, and Light Almond	211	07847762049	4.2	-	X	Mexico
IPE04-1FZ	Ilumatech Slide Dimmer, Single Pole & 3 Way, Neutral Required, 400VA (320W), 120VAC, Electronic Low Voltage, White, Ivory, Light Almond	201	07847752691	4.1	-	X	Mexico
IPX10-1FZ	Ilumatech Slide Dimmer, Single Pole & 3 Way, Neutral Required, 1000VA, 120VAC, Advance Mark X Powerline Ballast, White, Ivory, Light Almond	201	07847752687	4.4	-	X	Mexico
Sector*							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
SBCS0-L00*	Sector Relay. Switches 0-120-230-347V, 20A Tungsten, Incandescent, or Ballast Load. 1/2HP@120V, 2HP@277V. Optional 0-10V control, 10mA Sourcing, 50mA Sinking.	003	07847754895	3.2	-	X	Mexico
SLIQD-000*	SectorNET LV interface module for (1) Occupancy Sensors & (1) Photo Cell.	000	07847745644	10.0	X	X	USA
SLIQS-000*	SectorNET LV 5 channel Interface for switches.	002	07847745645	10.0	X	X	USA
ODC0P-0SW*	SectorNet Photocell, White	030	07847743282	1.0	X	X	USA
OSC20-MSW*	SectorNet US Ceiling Mount Occupancy Sensor	030	07847743284	2.0	X	X	USA
OSC04-ISW*	SectorNet PIR Ceiling Mount Occupancy Sensor	030	07847743283	5.6	X	X	USA
SDS00-12W*	SectorNet 2-button digital switch,	012	07847743286	1.5	X	X	USA
SDS00-15W*	SectorNet 5-button digital switch.	015	07847743287	1.5	X	X	USA
SDSP1-R5W*	Artwork Kit for Sector & D4000 entry station. Includes Decora Frame labeled as Scene 1, Off.	000	07847772663		-	X	Mexico

SDSP1-M2W*	Artwork Kit for Sector & D4000 entry station. Includes Decora Frame labeled as Scene 1, Max, Off.	001	07847772664		-	X	Mexico
SDSP1-02W*	Artwork Kit for Sector and D4000 entry station. Includes Decora Frame labeled as Scene 1, Raise, Lower, Max, Off.	002	07847772665		-	X	Mexico
SDSP4-05W*	Artwork Kit for Sector and D4000 entry station. Includes Decora Frame labeled as Scene 1, Scene 2, Scene 3, Scene 4, Off.	000	07847772662		-	X	Mexico
SDSP4-G1W*	Artwork Kit for Sector and D4000 entry station. Includes Decora Frame labeled as Zone 1, Zone 2, All Off.	001	07847772661		-	X	Mexico
SDSP4-G2W*	Artwork Kit for Sector and D4000 entry station. Includes Decora Frame labeled as High, Low, All Off.	002	07847772660		-	X	Mexico
Metering*							
Series 1000 Indoor Kits*							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
1K120-2SW*	120V 200A 1P2W w/1 Solid Core CT	006	07847759749	6.0	X	X	USA
1K120-1SW*	120V 100A 1P2W w/1 Solid Core CT	005	07847759739	10.0	X	X	USA
1K120-08W*	120V 800A 1P2W w/1 Split Core CT	004	07847759734	8.0	X	X	USA
1K120-04W*	120V 400A 1P2W w/1 Split Core CT	003	07847759732	6.0	X	X	USA
1K120-02W*	120V 200A 1P2W w/1 Split Core CT	002	07847759731	6.0	X	X	USA
1K120-01W*	120V 100A 1P2W w/1 Split Core CT	001	07847759733	8.0	X	X	USA
1K240-2SW*	120/240V 200A 1P3W w/2 Solid Core CTs	006	07847759748	6.0	X	X	USA
1K240-1SW*	120/240V 100A 1P3W w/2 Solid Core CTs	005	07847759745	6.0	X	X	USA
1K240-08W*	120/240V 800A 1P3W w/2 Split Core CTs	004	07847759747	8.0	X	X	USA
1K240-04W*	120/240V 400A 1P3W w/2 Split Core CTs	003	07847759742	8.0	X	X	USA
1K240-02W*	120/240V 200A 1P3W w/2 Split Core CTs	002	07847759744	8.0	X	X	USA
1K240-01W*	120/240V 100A 1P3W w/2 Split Core CTs	001	07847759743	6.0	X	X	USA
1K277-2SW*	277V 200A 1P2W w/1 Solid Core CT	006	07847759793	10.0	X	X	USA
1K277-1SW*	277V 100A 1P2W w/1 Solid Core CT	005	07847759796	10.0	X	X	USA
1K277-08W*	277V 800A 1P2W w/1 Split Core CT	004	07847759792	10.0	X	X	USA
1K277-04W*	277V 400A 1P2W w/1 Split Core CT	003	07847759794	6.0	X	X	USA
1K277-02W*	277V 200A 1P2W w/1 Split Core CT	002	07847759795	10.0	X	X	USA
1K277-01W*	277V 100A 1P2W w/1 Split Core CT	001	07847759789	8.0	X	X	USA
Series 1000 Indoor Single Element Meter – METER ONLY*							
1N120-04D*	Demand Meter, 1P2W, 120V, 400:0.1A, Max 400A.	008	07847755580	4.0	X	X	USA
1N120-02D*	Demand Meter, 1P2W, 120V, 200:0.1A, Max 200A.	007	07847755579	4.0	X	X	USA
1N120-01D*	Demand Meter, 1P2W, 120V, 100:0.1A, Max 100A.	006	07847755578	4.0	X	X	USA
1N120-081*	1P2W, 120V, 800:0.1A, Max 800A.	005	07847754835	4.0	X	X	USA
1N120-041*	1P2W, 120V, 400:0.1A, Max 400A.	003	07847754824	4.0	X	X	USA
1N120-021*	1P2W, 120V, 200:0.1A, Max 200A.	002	07847754512	4.0	X	X	USA
1N120-011*	1P2W, 120V, 100:0.1A, Max 100A.	001	07847754511	4.0	X	X	USA
1N277-08D*	Demand Meter, 1P2W, 277V, 800:0.1A, Max 800A.	010	07847755631	4.0	X	X	USA
1N277-04D*	Demand Meter, 1P2W, 277V, 400:0.1A, Max 400A.	008	07847755629	4.0	X	X	USA
1N277-02D*	Demand Meter, 1P2W, 277V, 200:0.1A, Max 200A.	007	07847755628	4.0	X	X	USA
1N277-01D*	Demand Meter, 1P2W, 277V, 100:0.1A, Max 100A.	006	07847755817	4.0	X	X	USA
1N277-081*	1P2W, 277V, 800:0.1A, Max 800A.	005	07847754839	4.0	X	X	USA
1N277-041*	1P2W, 277V, 400:0.1A, Max 400A.	003	07847754837	4.0	X	X	USA
1N277-021*	1P2W, 277V, 200:0.1A, Max 200A.	002	07847754514	4.0	X	X	USA
1N277-011*	1P2W, 277V, 100:0.1A, Max 100A.	001	07847754513	4.0	X	X	USA
Series 1000 Indoor Dual Element Meter – METER ONLY*							
1N240-08D*	Demand Meter, 2P3W, 120/208/240V, 800:0.1A, Max 800A.	010	07847755627	4.0	X	X	USA
1N240-04D*	Demand Meter, 2P3W, 120/208/240V, 400:0.1A, Max 400A.	008	07847755625	4.0	X	X	USA
1N240-02D*	Demand Meter, 2P3W, 120/208/240V, 200:0.1A, Max 200A.	007	07847755610	4.0	X	X	USA

1N240-01D*	Demand Meter, 2P3W, 120/208/240V, 100:0.1A, Max 100A.	006	07847755609	4.0	X	X	USA
1N240-081*	2P3W, 120/208/240V, 800:0.1A, Max 800A.	005	07847754836	4.0	X	X	USA
1N240-041*	2P3W, 120/208/240V, 400:0.1A, Max 400A.	003	07847754828	4.0	X	X	USA
1N240-021*	2P3W, 120/208/240V, 200:0.1A, Max 200A.	002	07847754827	4.0	X	X	USA
1N240-011*	2P3W, 120/208/240V, 100:0.1A, Max 100A.	001	07847754826	4.0	X	X	USA
1N480-08D*	Demand Meter, 2P3W, 277/480V, 800:0.1A, Max 800A.	010	07847755636	4.0	X	X	USA
1N480-04D*	Demand Meter, 2P3W, 277/480V, 400:0.1A, Max 400A.	008	07847755634	4.0	X	X	USA
1N480-02D*	Demand Meter, 2P3W, 277/480V, 200:0.1A, Max 200A.	007	07847755633	4.0	X	X	USA
1N480-01D*	Demand Meter, 2P3W, 277/480V, 100:0.1A, Max 100A.	006	07847755632	4.0	X	X	USA
1N480-081*	2P3W, 277/480V, 800:0.1A, Max 800A.	005	07847755052	4.0	X	X	USA
1N480-041*	2P3W, 277/480V, 400:0.1A, MAX 400A.	003	07847755050	4.0	X	X	USA
1N480-021*	2P3W, 277/480V, 200:0.1A, Max 200A.	002	07847755049	4.0	X	X	USA
1N480-011*	2P3W, 277/480V, 100:0.1A, Max 100A.	001	07847755048	4.0	X	X	USA
Series 1000 Outdoor Kits*							
1O120-08W*	120V 800A 1P2W w/1 Split Core CT	004	07847759740	10.0	X	X	USA
1O120-04W*	120V 400A 1P2W w/1 Split Core CT	003	07847760301	8.0	X	X	USA
1O120-02W*	120V 200A 1P2W w/1 Split Core CT	002	07847759741	4.0	X	X	USA
1O120-01W*	120V 100A 1P2W w/1 Split Core CT	001	07847759738	5.0	X	X	USA
1O240-08W*	120/240V 800A 1P3W w/2 Split Core CTs	004	07847759752	10.0	X	X	USA
1O240-04W*	120/240V 400A 1P3W w/2 Split Core CTs	003	07847759754	10.0	X	X	USA
1O240-02W*	120/240V 200A 1P3W w/2 Split Core CTs	002	07847759755	8.0	X	X	USA
1O240-01W*	120/240V 100A 1P3W w/2 Split Core CTs	001	07847759746	8.0	X	X	USA
1O277-08W*	277V 800A 1P2W w/1 Split Core CT	004	07847759753	5.0	X	X	USA
1O277-04W*	277V 400A 1P2W w/1 Split Core CT	003	07847759750	10.0	X	X	USA
1O277-02W*	277V 200A 1P2W w/1 Split Core CT	002	07847759751	8.0	X	X	USA
1O277-01W*	277V 100A 1P2W w/1 Split Core CT	001	07847759756	10.0	X	X	USA
Series 1000 Outdoor Single Element Meter – METER ONLY*							
1R120-081*	1P2W, 120V, 800:0.1A, Max 800A.	005	07847755055	4.0	X	X	USA
1R120-041*	1P2W, 120V, 400:0.1A, Max 400A.	003	07847755053	4.0	X	X	USA
1R120-021*	1P2W, 120V, 200:0.1A, Max 200A.	002	07847754543	4.0	X	X	USA
1R120-011*	1P2W, 120V, 100:0.1A, Max 100A.	001	07847754515	4.0	X	X	USA
1R277-081*	1P2W, 277V, 800:0.1A, Max 800A.	005	07847755071	4.0	X	X	USA
1R277-041*	1P2W, 277V, 400:0.1A, Max 400A.	003	07847754840	4.0	X	X	USA
1R277-021*	1P2W, 277V, 200:0.1A, Max 200A.	002	07847754517	4.0	X	X	USA
1R277-011*	1P2W, 277V, 100:0.1A, Max 100A.	001	07847754516	4.0	X	X	USA
Series 1000 Outdoor Dual Element Meter – METER ONLY*							
1R240-081*	2P3W, 120/208/240V, 800:0.1A, Max 800A.	005	07847755070	4.0	X	X	USA
1R240-041*	2P3W, 120/208/240V, 400:0.1A, Max 400A.	003	07847755068	4.0	X	X	USA
1R240-021*	2P3W, 120/208/240V, 200:0.1A, Max 200A.	002	07847755057	4.0	X	X	USA
1R240-011*	2P3W, 120/208/240V, 100:0.1A, Max 100A.	001	07847755056	4.0	X	X	USA
1R480-081*	2P3W, 277/480V, 800:0.1A, Max 800A.	005	07847755076	4.0	X	X	USA
1R480-041*	2P3W, 277/480V, 400:0.1A, Max 400A.	003	07847755074	4.0	X	X	USA
1R480-021*	2P3W, 277/480V, 200:0.1A, Max 200A.	002	07847755073	4.0	X	X	USA
1R480-011*	2P3W, 277/480V, 100:0.1A, Max 100A.	001	07847755072	4.0	X	X	USA
Series 2000 Indoor Three Element Meter - METER ONLY*							
2N208-12D*	Demand Meter, 3P4W, 120/240/208V, 1200:0.1A, Max 1200A.	012	07847755552	4.0	X	X	USA
2N208-08D*	Demand Meter, 3P4W, 120/240/208V, 800:0.1A, Max 800A.	011	07847755551	4.0	X	X	USA
2N208-04D*	Demand Meter, 3P4W, 120/240/208V, 400:0.1A, Max 400A.	009	07847755549	4.0	X	X	USA
2N208-02D*	Demand Meter, 3P4W, 120/240/208V, 200:0.1A, Max 200A.	008	07847755548	4.0	X	X	USA

2N208-01D*	Demand Meter, 3P4W, 120/240/208V, 100:0.1A, Max 100A.	007	07847755547	4.0	X	X	USA
2N208-121*	3P4W, 120/240/208V, 1200:0.1A, Max 1200A.	006	07847754523	4.0	X	X	USA
2N208-081*	3P4W, 120/240/208V, 800:0.1A, Max 800A.	005	07847754522	4.0	X	X	USA
2N208-041*	3P4W, 120/240/208V, 400:0.1A, Max 400A.	003	07847754520	4.0	X	X	USA
2N208-021*	3P4W, 120/240/208V, 200:0.1A, Max 200A.	002	07084775451	4.0	X	X	USA
2N208-011*	3P4W, 120/240/208V, 100:0.1A, Max 100A.	001	07847754518	4.0	X	X	USA
2N480-12D*	Demand Meter, 3P4W, 277/480V, 1200:0.1A, Max 1200A.	012	07847755587	4.0	X	X	USA
2N480-08D*	Demand Meter, 3P4W, 277/480V, 800:0.1A, Max 800A.	011	07847755586	4.0	X	X	USA
2N480-04D*	Demand Meter, 3P4W, 277/480V, 400:0.1A, Max 400A.	009	07847755585	4.0	X	X	USA
2N480-02D*	Demand Meter, 3P4W, 277/480V, 200:0.1A, Max 200A.	008	07847755584	4.0	X	X	USA
2N480-01D*	Demand Meter, 3P4W, 277/480V, 100:0.1A, Max 100A.	007	07847755583	4.0	X	X	USA
2N480-121*	3P4W, 277/480V, 1200:0.1A, Max 1200A.	006	07847754529	4.0	X	X	USA
2N480-081*	3P4W, 277/480V, 800:0.1A, Max 800A.	005	07847754528	4.0	X	X	USA
2N480-041*	3P4W, 277/480V, 400:0.1A, Max 400A.	003	07847754526	4.0	X	X	USA
2N480-021*	3P4W, 277/480V, 200:0.1A, Max 200A.	002	07847754525	4.0	X	X	USA
2N480-011*	3P4W, 277/480V, 100:0.1A, Max 100A.	001	07847754524	4.0	X	X	USA
Series 2000 Outdoor Three Element Meter - METER ONLY*							
2R208-121*	3P4W, 120/240/208V, 1200:0.1A, Max 1200A.	006	07847754535	4.0	X	X	USA
2R208-081*	3P4W, 120/240/208V, 800:0.1A, Max 800A.	005	07847754534	4.0	X	X	USA
2R208-041*	3P4W, 120/240/208V, 400:0.1A, Max 400A.	003	07847754532	4.0	X	X	USA
2R208-021*	3P4W, 120/240/208V, 200:0.1A, Max 200A.	002	07847754531	4.0	X	X	USA
2R208-011*	3P4W, 120/240/208V, 100:0.1A, Max 100A.	001	07847754530	4.0	X	X	USA
2R480-121*	3P4W, 277/480V, 1200:0.1A, Max 1200A.	006	07847754626	4.0	X	X	USA
2R480-081*	3P4W, 277/480V, 800:0.1A, Max 800A.	005	07847754625	4.0	X	X	USA
2R480-041*	3P4W, 277/480V, 400:0.1A, Max 400A.	003	07847754538	4.0	X	X	USA
2R480-021*	3P4W, 277/480V, 200:0.1A, Max 200A.	002	07847754537	4.0	X	X	USA
2R480-011*	3P4W, 277/480V, 100:0.1A, Max 100A.	001	07847754536	4.0	X	X	USA
Series 2000 Indoor Kit*							
2K208-12D*	208V 3P4W 1200A Demand w/3 Split Core CTs	012	07847759776	10.0	X	X	USA
2K208-08D*	208V 3P4W 800A Demand w/3 Split Core CTs	011	07847759769	10.0	X	X	USA
2K208-04D*	208V 3P4W 400A Demand w/3 Split Core CTs	010	07847759771	10.0	X	X	USA
2K208-02D*	208V 3P4W 200A Demand w/3 Split Core CTs	009	07847759770	10.0	X	X	USA
2K208-01D*	208V 3P4W 100A Demand w/3 Split Core CTs	008	07847759764	7.0	X	X	USA
2K208-2SW*	480V 3P4W 200A w/3 Solid Core CTs	007	07847759777	8.0	X	X	USA
2K208-1SW*	480V 3P4W 100A w/3 Solid Core CTs	006	07847759775	10.0	X	X	USA
2K208-12W*	208V 3P4W 1200A w/3 Split Core CTs	005	07847759778	10.0	X	X	USA
2K208-08W*	208V 3P4W 800A w/3 Split Core CTs	004	07847759772	10.0	X	X	USA
2K208-04W*	208V 3P4W 400A w/3 Split Core CTs	003	07847759767	8.0	X	X	USA
2K208-02W*	208V 3P4W 200A w/3 Split Core CTs	002	07847759768	8.0	X	X	USA
2K208-01W*	208V 3P4W 100A w/3 Split Core CTs	001	07847759765	10.0	X	X	USA
2K480-2SW*	277/480V 3P4W 200A W/3 Solid Core CTs	012	07847760377	6.0	X	X	USA
2K480-1SW*	277/480V 3P4W 100A W/3 Solid Core CTs	011	07847760376	6.0	X	X	USA
2K480-12D*	480V 3P4W 1200A Demand w/3 Split Core CTs	010	07847759782	10.0	X	X	USA
2K480-08D*	480V 3P4W 800A Demand w/3 Split Core CTs	009	07847759786	10.0	X	X	USA
2K480-04D*	480V 3P4W 400A Demand w/3 Split Core CTs	008	07847759780	8.0	X	X	USA
2K480-02D*	480V 3P4W 200A Demand w/3 Split Core CTs	007	07847759783	8.0	X	X	USA
2K480-01D*	480V 3P4W 100A Demand w/3 Split Core CTs	006	07847759779	10.0	X	X	USA

2K480-12W*	480V 3P4W 1200A w/3 Split Core CTs	005	07847759788	11.0	X	X	USA
2K480-08W*	480V 3P4W 800A w/3 Split Core CTs	004	07847759787	10.0	X	X	USA
2K480-04W*	480V 3P4W 400A w/3 Split Core CTs	003	07847759781	8.0	X	X	USA
2K480-02W*	480V 3P4W 200A w/3 Split Core CTs	002	07847759785	8.0	X	X	USA
2K480-01W*	480V 3P4W 100A w/3 Split Core CTs	001	07847759784	8.0	X	X	USA
Series 2000 Outdoor Kit*							
2O208-08W*	120/208V 3P4W 800A w/3 Split Core CTs	004	07847759838	10.0	X	X	USA
2O208-04W*	120/208V 3P4W 400A w/3 Split Core CTs	003	07847759837	10.0	X	X	USA
2O208-02W*	120/208V 3P4W 200A w/3 Split Core CTs	002	07847759840	10.0	X	X	USA
2O208-01W*	120/208V 3P4W 100A w/3 Split Core CTs	001	07847759839	10.0	X	X	USA
2O480-12W*	277/480V 3P4W 1200A w/3 Split Core CTs	005	07847759841	10.0	X	X	USA
2O480-08W*	277/480V 3P4W 800A w/3 Split Core CTs	004	07847759832	10.0	X	X	USA
2O480-04W*	277/480V 3P4W 400A w/3 Split Core CTs	003	07847759834	10.0	X	X	USA
2O480-02W*	277/480V 3P4W 200A w/3 Split Core CTs	002	07847759836	10.0	X	X	USA
2O480-01W*	277/480V 3P4W 100A w/3 Split Core CTs	001	07847759833	10.0	X	X	USA
Series 2000 Medium Multi Meter Unit Configured for Amperage Ratings & Optional Demand Feature*							
2M202-CFG*	2-Meter 208VAC 3P4W, CT Not Included.	100	07847760734	22.0	X	X	USA
2M203-CFG*	3-Meter 208VAC 3P4W, CT Not Included.	100	07847760733	22.0	X	X	USA
2M204-CFG*	4-Meter 208VAC 3P4W, CT Not Included	100	07847760736	22.0	X	X	USA
2M402-CFG*	2-Meter 480VAC 3P4W, CT Not Included	100	07847760735	22.0	X	X	USA
2M403-CFG*	3-Meter 480VAC 3P4W, CT Not Included	100	07847760740	22.0	X	X	USA
2M404-CFG*	4-Meter 480VAC 3P4W, CT Not Included	100	07847760741	22.0	X	X	USA
Series 2000 Large Multi Meter Unit Configured for Amperage Ratings & Optional Demand Feature*							
2L205-CFG*	5-Meter 208VAC, 3P4W, CT Not Included	100	07847760790	17.0	X	X	USA
2L206-CFG*	6-Meter 208VAC, 3P4W, CT Not Included	100	07847760791	17.0	X	X	USA
2L207-CFG*	7-Meter 208VAC, 3P4W, CT Not Included	100	07847760789	17.0	X	X	USA
2L208-CFG*	8-Meter 208VAC, 3P4W, CT Not Included	100	07847760792	17.0	X	X	USA
2L405-CFG*	5-Meter 480VAC, 3P4W, CT Not Included	100	07847760805	17.0	X	X	USA
2L406-CFG*	6-Meter 480VAC, 3P4W, CT Not Included	100	07847760793	17.0	X	X	USA
2L407-CFG*	7-Meter 480VAC, 3P4W, CT Not Included	100	07847760802	17.0	X	X	USA
2L408-CFG*	8-Meter 480VAC, 3P4W, CT Not Included	100	07847760795	17.0	X	X	USA
Series 2000 Xtra-Large Multi Meter Unit Configured for Amperage Ratings & Optional Demand Feature*							
2X209-CFG*	9-Meter 208VAC, 3P4W, CTs not included	100	07847760803	40.0	X	X	USA
2X210-CFG*	10-Meter 208VAC, 3P4W, CTs not included	100	07847760796	40.0	X	X	USA
2X211-CFG*	11-Meter 208VAC, 3P4W, CTs not included	100	07847760804	40.0	X	X	USA
2X212-CFG*	12-Meter 208VAC, 3P4W, CTs not included	100	07847760797	40.0	X	X	USA
2X213-CFG*	13-Meter 208VAC, 3P4W, CTs not included	100	07847760798	40.0	X	X	USA
2X214-CFG*	14-Meter 208VAC, 3P4W, CTs not included	100	07847760794	40.0	X	X	USA
2X215-CFG*	15-Meter 208VAC, 3P4W, CTs not included	100	07847760799	40.0	X	X	USA
2X216-CFG*	16-Meter 208VAC, 3P4W, CTs not included	100	07847760800	40.0	X	X	USA
2X409-CFG*	9-Meter 480VAC, 3P4W, CTs not included	100	07847760801	40.0	X	X	USA
2X410-CFG*	10-Meter 480VAC, 3P4W, CTs not included	100	07847760809	40.0	X	X	USA
2X411-CFG*	11-Meter 480VAC, 3P4W, CTs not included	100	07847760807	40.0	X	X	USA
2X412-CFG*	12-Meter 480VAC, 3P4W, CTs not included	100	07847760810	40.0	X	X	USA
2X413-CFG*	13-Meter 480VAC, 3P4W, CTs not included	100	07847760811	40.0	X	X	USA
2X414-CFG*	14-Meter 480VAC, 3P4W, CTs not included	100	07847760808	40.0	X	X	USA
2X415-CFG*	15-Meter 480VAC, 3P4W, CTs not included	100	07847760806	40.0	X	X	USA

2X416-CFG*	16-Meter 480VAC, 3P4W, CTs not included	100	07847760812	40.0	X	X	USA
Series 3300& 3500 Indoor Meter – METER ONLY*							
3NUBM-02M*	BACnet MS/TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W200A	003	07847763103	4.0	X	X	USA
3NUBM-04M*	BACnet MS/TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W400A	005	07847763099	4.0	X	X	USA
3NUBM-08M*	BACnet MS/TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W800A	007	07847763089	4.0	X	X	USA
3NUBM-16M*	BACnet MS/TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W1600A	008	07847763097	4.0	X	X	USA
3NUBM-30M*	BACnet MS/TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W3000A	009	07847763101	4.0	X	X	USA
3NUBM-50M*	BACnet MS/TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W5000A	010	07847763106	4.0	X	X	USA
3NUMR-01M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 100A	001	07847763050	4.0	X	X	USA
3NUMR-02M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 200A	003	07847763052	4.0	X	X	USA
3NUMR-04M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 400A	005	07847763054	4.0	X	X	USA
3NUMR-08M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 800A	007	07847763053	4.0	X	X	USA
3NUMR-16M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 1600A	008	07847763047	4.0	X	X	USA
3NUMR-30M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 3000A	009	07847763051	4.0	X	X	USA
3NUMR-50M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 5000A	010	07847763049	4.0	X	X	USA
3NUMT-01M*	Modbus TCP/BACnet IP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 100A	001	07847763064	4.0	X	X	USA
3NUMT-02M*	Modbus TCP/BACnet IP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 200A	003	07847763063	4.0	X	X	USA
3NUMT-04M*	Modbus TCP/BACnet IP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 400A	005	07847763066	4.0	X	X	USA
3NUMT-08M*	Modbus TCP/BACnet IP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 800A	007	07847763067	4.0	X	X	USA
3NUMT-16M*	Modbus TCP/BACnet IP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 1600A	008	07847763065	4.0	X	X	USA
3NUMT-30M*	Modbus TCP/BACnet IP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 3000A	009	07847763077	4.0	X	X	USA
3NUMT-50M*	Modbus TCP/BACnet IP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 5000A	010	07847763070	4.0	X	X	USA
Series 3300 & 3500 Outdoor Meter – METER ONLY*							
3RUBM-01M*	BACnet MS/TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 100A	001	07847763102	4.0	X	X	USA
3RUBM-02M*	BACnet MS/TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 200A	003	07847763096	4.0	X	X	USA
3RUBM-04M*	BACnet MS/TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 400A	005	07847763092	4.0	X	X	USA
3RUBM-08M*	BACnet MS/TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 800A	007	07847763104	4.0	X	X	USA
3RUBM-16M*	BACnet MS/TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 1600A	008	07847763095	4.0	X	X	USA
3RUBM-30M*	BACnet MS/TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 3000A	009	07847763090	4.0	X	X	USA
3RUBM-50M*	BACnet MS/TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 5000A	010	07847763091	4.0	X	X	USA
3RUMR-01M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 100A	001	07847763055	4.0	X	X	USA
3RUMR-02M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 200A	003	07847763166	4.0	X	X	USA
3RUMR-04M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 400A	005	07847763048	4.0	X	X	USA
3RUMR-08M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 800A	007	07847763058	4.0	X	X	USA
3RUMR-16M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 1600A	008	07847763059	4.0	X	X	USA
3RUMR-30M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 3000A	009	07847763057	4.0	X	X	USA
3RUMR-50M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 5000A	010	07847763068	4.0	X	X	USA
3RUMT-01M*	Modbus TCP/BACnet IP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 100A	001	07847763078	4.0	X	X	USA
3RUMT-02M*	Modbus TCP/BACnet IP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 200A	003	07847763071	4.0	X	X	USA
3RUMT-04M*	Modbus TCP/BACnet IP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 400A	005	07847763075	4.0	X	X	USA
3RUMT-08M*	Modbus TCP/BACnet IP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 800A	007	07847763079	4.0	X	X	USA
3RUMT-16M*	Modbus TCP/BACnet IP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 1600A	008	07847763073	4.0	X	X	USA

3RUMT-30M*	Modbus TCP/BACnet IP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 3000A	009	07847763074	4.0	X	X	USA
3RUMT-50M*	Modbus TCP/BACnet IP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W 5000A	010	07847763072	4.0	X	X	USA
Series 3300 & 3500 Indoor Kit*							
3KUBM-01M*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 100A Split Core CTs	001	07847763137	14.0	X	X	USA
3KUBM-02M*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 200A Split Core CTs	003	07847763152	14.0	X	X	USA
3KUBM-04M*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 400A Split Core CTs	005	07847763144	14.0	X	X	USA
3KUBM-08M*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 800A Split Core CTs	007	07847763146	14.0	X	X	USA
3KUBM-16M*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 1600A Split Core CTs	008	07847763153	14.0	X	X	USA
3KUBM-1SM*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 100A Solid Core CTs	002	07847763142	14.0	X	X	USA
3KUBM-2SM*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 200A Solid Core CTs	004	07847763148	14.0	X	X	USA
3KUBM-30M*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 3000A Split Core CTs	009	07847763149	14.0	X	X	USA
3KUBM-4SM*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 400A Solid Core CTs	006	07847763138	14.0	X	X	USA
3KUBM-50M*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 5000A Split Core CTs	010	07847763147	14.0	X	X	USA
3KUMR-01M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 100A Split Core CTs	001	07847763098	14.0	X	X	USA
3KUMR-02M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 200A Split Core CTs	003	07847763100	14.0	X	X	USA
3KUMR-04M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 400A Split Core CTs	005	07847763093	14.0	X	X	USA
3KUMR-08M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 800A Split Core CTs	007	07847763094	14.0	X	X	USA
3KUMR-16M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 1600A Split Core CTs	008	07847763105	14.0	X	X	USA
3KUMR-1SM*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 100A Solid Core CTs	002	07847763165	14.0	X	X	USA
3KUMR-2SM*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 200A Solid Core CTs	004	07847763107	14.0	X	X	USA
3KUMR-30M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 3000A Split Core CTs	009	07847763113	14.0	X	X	USA
3KUMR-4SM*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 400A Solid Core CTs	006	07847763111	14.0	X	X	USA
3KUMR-50M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 5000A Split Core CTs	010	07847763109	14.0	X	X	USA
Series 3300 & 3500 Outdoor Kit*							
3OUBM-01M*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 100A Split Core CTs	001	07847763160	14.0	X	X	USA
3OUBM-02M*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 200A Split Core CTs	003	07847763157	14.0	X	X	USA
3OUBM-04M*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 400A Split Core CTs	005	07847763155	14.0	X	X	USA
3OUBM-08M*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 800A Split Core CTs	007	07847763163	14.0	X	X	USA
3OUBM-16M*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 1600A Split Core CTs	008	07847763156	14.0	X	X	USA
3OUBM-1SM*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 100A Solid Core CTs	002	07847763164	14.0	X	X	USA
3OUBM-2SM*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 200A Solid Core CTs	004	07847763158	14.0	X	X	USA
3OUBM-30M*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 3000A Split Core CTs	009	07847763159	14.0	X	X	USA
3OUBM-4SM*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 400A Solid Core CTs	006	07847763161	14.0	X	X	USA
3OUBM-50M*	BACnet MS / TP Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 5000A Split Core CTs	010	07847763162	14.0	X	X	USA
3OUMR-01M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 100A Split Core CTs	001	07847763110	14.0	X	X	USA
3OUMR-02M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included),200A Split Core CTs	003	07847763112	14.0	X	X	USA
3OUMR-04M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 400A Split Core CTs	005	07847763108	14.0	X	X	USA
3OUMR-08M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 800A Split Core CTs	007	07847763114	14.0	X	X	USA
3OUMR-16M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 1600A Split Core CTs	008	07847763120	14.0	X	X	USA
3OUMR-1SM*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 100A Solid Core CTs	002	07847763119	14.0	X	X	USA
3OUMR-2SM*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 200A Solid Core CTs	004	07847763116	14.0	X	X	USA
3OUMR-30M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 3000A Split Core CTs	009	07847763121	14.0	X	X	USA

3OUMR-4SM*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 400A Solid Core CTs	006	07847763117	14.0	X	X	USA
3OUMR-50M*	Modbus RTU Universal Voltage (208-480 VAC) 3 PHASE 3W/4W (CTs included), 5000A Split Core CTs	010	07847763122	14.0	X	X	USA
Series 4000*							
4KUMR-01M*	Indoor Universal Voltage 3-phase 3W/4W Modbus Meter Kits. Din Rail Mount - NO ENCLOSURE. 100A Split Core CTs Included.	001	07847770182		X	X	USA
4KUMR-02M*	Indoor Universal Voltage 3-phase 3W/4W Modbus Meter Kits. Din Rail Mount - NO ENCLOSURE. 200A Split Core CTs Included.	002	07847770183		X	X	USA
4KUMR-04M*	Indoor Universal Voltage 3-phase 3W/4W Modbus Meter Kits. Din Rail Mount - NO ENCLOSURE. 400A Split Core CTs Included.	003	07847770184		X	X	USA
4KUMR-08M*	Indoor Universal Voltage 3-phase 3W/4W Modbus Meter Kits. Din Rail Mount - NO ENCLOSURE. 800A Split Core CTs Included.	004	07847770186		X	X	USA
4KUMR-R12*	Indoor Universal Voltage 3-phase 3W/4W Modbus Meter Kits. Din Rail Mount - NO ENCLOSURE. With 12" Rogowski Coil CTs (20A-5000A) Included.	008	07847770185		X	X	USA
4KUMR-R18*	Indoor Universal Voltage 3-phase 3W/4W Modbus Meter Kits. Din Rail Mount - NO ENCLOSURE. With 18" Rogowski Coil CTs (20A-5000A) Included.	009	07847770187		X	X	USA
4KUMR-R24*	Indoor Universal Voltage 3-phase 3W/4W Modbus Meter Kits. Din Rail Mount - NO ENCLOSURE. With 24" Rogowski Coil CTs (20A-5000A) Included.	010	07847770190		X	X	USA
4OUMR-01M*	Outdoor Universal Voltage 3-phase 3W/4W Modbus Meter Kits 100A Split Core CTs Included in NEMA 4X Enclosure	001	07847770236		X	X	USA
4OUMR-02M*	Outdoor Universal Voltage 3-phase 3W/4W Modbus Meter Kits 200A Split Core CTs Included in NEMA 4X Enclosure	002	07847770230		X	X	USA
4OUMR-04M*	Outdoor Universal Voltage 3-phase 3W/4W Modbus Meter Kits 400A Split Core CTs Included in NEMA 4X Enclosure	003	07847770234		X	X	USA
4OUMR-08M*	Outdoor Universal Voltage 3-phase 3W/4W Modbus Meter Kits 800A Split Core CTs Included in NEMA 4X Enclosure	004	07847770232		X	X	USA
4OUMR-R12*	Outdoor Universal Voltage 3-phase 3W/4W Modbus Meter Kits with 12" Rogowski Coil CTs (20A-5000A) Included in NEMA 4X Enclosure	005	07847770237		X	X	USA
4OUMR-R18*	Outdoor Universal Voltage 3-phase 3W/4W Modbus Meter Kits with 18" Rogowski Coil CTs (20A-5000A) Included in NEMA 4X Enclosure	006	07847770241		X	X	USA
4OUMR-R24*	Outdoor Universal Voltage 3-phase 3W/4W Modbus Meter Kits with 24" Rogowski Coil CTs (20A-5000A) Included in NEMA 4X Enclosure	007	07847770238		X	X	USA
Potted Mini Meter (Mechanical Counter)*							
5B101-T02*	Single Element 1P2W, 120V, 0.1 kWh Resolution, 1 Permanently Attached 200:0.1A CT.	013	07847754816	3.0	X	X	USA
5B101-T01*	Single Element 1P2W, 120V, 0.1 kWh Resolution, 1 Permanently Attached 100:0.1A CT.	012	07847754813	3.0	X	X	USA
5B101-H02*	Single Element 1P2W, 120V, 1 kWh Resolution, 1 Permanently Attached 200:0.1A CT.	011	07847754830	3.0	X	X	USA
5B101-H01*	Single Element 1P2W, 120V, 1 kWh Resolution, 1 Permanently Attached 100:0.1A CT.	010	07847754811	3.0	X	X	USA
5B201-T02*	Dual Element 2P3W, 120/240V, 0.1 kWh Resolution, 1 Permanently Attached 200:0.1A CT.	004	07847755269	3.0	X	X	USA
5B201-T01*	Dual Element 2P3W, 120/240V, 0.1 kWh Resolution, 1 Permanently Attached 100:0.1A CT.	003	07847755268	3.0	X	X	USA
5B201-H02*	Dual Element 2P3W, 120/240V, 1 kWh Resolution, 1 Permanently Attached 200:0.1A CT.	002	07847755267	3.0	X	X	USA
5B201-H01*	Dual Element 2P3W, 120/240V, 1 kWh Resolution, 1 Permanently Attached 100:0.1A CT.	001	07847755266	3.0	X	X	USA
Mini Meter*							
6F101-C02*	Single Element 1P2W, 120V, 1 kWh Resolution, LCD Counter, 200:0.1A Rated CT Required.	006	07847756232	4.0	X	X	USA
6F101-C01*	Single Element 1P2W, 120V, 1 kWh Resolution, LCD Counter, 100:0.1A Rated CT Required.	005	07847756231	4.0	X	X	USA
6F201-C02*	Dual Element 2P3W, 240V, 1 kWh Resolution, LCD Counter, 200:0.1A Rated CT Required.	006	07847756234	2.0	X	X	USA
6F201-C01*	Dual Element 2P3W, 240V, 1 kWh Resolution, LCD Counter, 100:0.1A Rated CT Required.	005	07847756233	4.0	X	X	USA
6S101-D02*	Single Element 1P2W, 120V, 0.1 kWh Resolution, Mechanical Counter, 200:0.1A Rated CT Required.	008	07847754776	3.0	X	X	USA
6S101-D01*	Single Element 1P2W, 120V, 0.1 kWh Resolution, Mechanical Counter, 100:0.1A Rated CT Required.	007	07847754775	3.0	X	X	USA
6S101-B02*	Single Element 1P2W, 120V, 1 kWh Resolution, Mechanical Counter, 200:0.1A Rated CT Required.	006	07847754774	3.0	X	X	USA
6S101-B01*	Single Element 1P2W, 120V, 1 kWh Resolution, Mechanical Counter, 100:0.1A Rated CT Required.	005	07847754773	3.0	X	X	USA

6S201-D02*	Dual Element 2P3W, 240V, 0.1 kWh Resolution, Mechanical Counter, 200:0.1A Rated CT Required.	004	07847755279	3.0	X	X	USA
6S201-D01*	Dual Element 2P3W, 240V, 0.1 kWh Resolution, Mechanical Counter, 100:0.1A Rated CT Required.	003	07847755278	3.0	X	X	USA
6S201-B02*	Dual Element 2P3W, 240V, 1 kWh Resolution, Mechanical Counter, 200:0.1A Rated CT Required.	002	07847755277	3.0	X	X	USA
6S201-B01*	Dual Element 2P3W, 240V, 1 kWh Resolution, Mechanical Counter, 100:0.1A Rated CT Required.	001	07847755276	3.0	X	X	USA
7B101-U02*	Single Element 1P2W, 120V, 0.1 kWh Resolution, LCD Counter, 200:0.1A Rated CT Required.	008	07847755287	3.0	X	X	USA
7B101-U01*	Single Element 1P2W, 120V, 0.1 kWh Resolution, LCD Display, 100:0.1A Rated CT Required.	007	07847755286	3.0	X	X	USA
7B101-S02*	Single Element 1P2W, 120V, 1 kWh Resolution, LCD Counter, 200:0.1A Rated CT Required.	423	07847755285	3.0	X	X	USA
7B101-S01*	Single Element 1P2W, 120V, 1 kWh Resolution, LCD Counter, 100:0.1A Rated CT Required.	422	07847755284	3.0	X	X	USA
7B101-T02*	Single Element 1P2W, 120V, 0.1 KWH Resolution, 200:0.1A Rated CT Required.	425	07847755283	3.0	X	X	USA
7B101-T01*	Single Element 1P2W, 120V, 0.1 KWH Resolution, 100:0.1A Rated CT Required.	424	07847755282	3.0	X	X	USA
7B101-H02*	Single Element 1P2W, 120V, 1 kWh Resolution, 100:0.1A Rated CT Required.	421	07847755281	3.0	X	X	USA
7B101-H01*	Single Element 1P2W, 120V, 1 kWh Resolution, 100:0.1A Rated CT Required.	420	07847755280	3.0	X	X	USA
7B201-U01*	Dual Element 2P3W, 120/240V, 0.1 kWh Resolution, LCD Counter, 100:0.1A Rated CT Required.	007	07847755294	3.0	X	X	USA
7B201-S02*	Dual Element 2P3W, 120/240V, 1 kWh Resolution, LCD Counter, 200:0.1A Rated CT Required.	423	07847755293	3.0	X	X	USA
7B201-S01*	Dual Element 2P3W, 120/240V, 1 kWh Resolution, LCD Counter, 100:0.1A Rated CT Required.	422	07847755292	3.0	X	X	USA
7B201-T02*	Dual Element 2P3W, 120/240V, 0.1 kWh Resolution, 200:0.1A Rated CT Required.	425	07847755291	3.0	X	X	USA
7B201-T01*	Dual Element 2P3W, 120/240V, 0.01 kWh Resolution, 100:0.1A Rated CT Required.	424	07847755290	3.0	X	X	USA
7B201-H02*	Dual Element 2P3W, 120/240V, 1 kWh Resolution, 200:0.1A Rated CT Required.	421	07847755289	3.0	X	X	USA
7B201-H01*	Dual Element 2P3W, 120/240V, 1 kWh Resolution, 100:0.1A Rated CT Required.	420	07847755288	3.0	X	X	USA
Mini Meter Kits*							
MK240-2SW*	Indoor Flush Mount LCD Display 120/208/240V 2P3W 200A w/two Solid Core CTs	002	07847760302	15.0	X	X	USA
MK240-1SW*	Indoor Flush Mount LCD Display 120/208/240V 2P3W 100A w/two Solid Core CTs	001	07847760303	15.0	X	X	USA
MO240-02W*	Outdoor Surface Mount Mechanical Counter 120/208/240V 2P3W 200A w/two Split Core CTs	004	07847760305	5.0	X	X	USA
MO240-01W*	Outdoor Surface Mount Mechanical Counter 120/208/240V 2P3W 100A w/two Split Core CTs	003	07847760307	5.0	X	X	USA
MO240-2SW*	Outdoor Surface Mount Mechanical Counter 120/208/240V 2P3W 200A w/two Solid Core CTs	002	07847760306	5.0	X	X	USA
MO240-1SW*	Outdoor Surface Mount Mechanical Counter 120/208/240V 2P3W 100A w/two Solid Core CTs	001	07847760308	5.0	X	X	USA
Mini Meter Medium Dual Element MMU NEMA 4X – CT Not Included*							
6M202-CFG*	120/240V 1P3W REF VOLTAGE, 2 Meters	100	07847760590	3.0	X	X	USA
6M203-CFG*	120/240V 1P3W REF VOLTAGE, 3 Meters	100	07847760584	3.0	X	X	USA
6M204-CFG*	120/240V 1P3W REF VOLTAGE, 4 Meters	100	07847760594	3.0	X	X	USA
6M302-CFG*	120/208V 3P4W REF VOLTAGE, 2 Meters	100	07847760611	3.0	X	X	USA
6M303-CFG*	120/208V 3P4W REF VOLTAGE, 3 Meters	100	07847760629	3.0	X	X	USA
6M304-CFG*	120/208V 3P4W REF VOLTAGE, 4 Meters	100	07847760623	3.0	X	X	USA
Mini Meter Large Dual Element MMU NEMA 4X – CT Not Included*							
6L205-CFG*	120/240V 1P3W REF VOLTAGE, 5 Meters	100	07847760585	15.0	X	X	USA
6L206-CFG*	120/240V 1P3W REF VOLTAGE, 6 Meters	100	07847760588	16.0	X	X	USA
6L207-CFG*	120/240V 1P3W REF VOLTAGE, 7 Meters	100	07847760587	17.0	X	X	USA
6L208-CFG*	120/240V 1P3W REF VOLTAGE, 8 Meters	100	07847760586	18.0	X	X	USA
6L305-CFG*	120/208V 3P4W REF VOLTAGE, 5 Meters	100	07847760609	15.0	X	X	USA
6L306-CFG*	120/208V 3P4W REF VOLTAGE, 6 Meters	100	07847760608	16.0	X	X	USA
6L307-CFG*	120/208V 3P4W REF VOLTAGE, 7 Meters	100	07847760610	17.0	X	X	USA
6L308-CFG*	120/208V 3P4W REF VOLTAGE, 8 Meters	100	07847760612	18.0	X	X	USA
Mini Meter X-tra Large Dual Element MMU NEMA 4x – CT Not Included*							
6X209-CFG*	120/240V 1P3W REF VOLTAGE, 9 Meters	100	07847760595	23.0	X	X	USA
6X210-CFG*	120/240V 1P3W REF VOLTAGE, 10 Meters	100	07847760596	23.0	X	X	USA
6X211-CFG*	120/240V 1P3W REF VOLTAGE, 11 Meters	100	07847760597	23.0	X	X	USA
6X212-CFG*	120/240V 1P3W REF VOLTAGE, 12 Meters	100	07847760592	23.0	X	X	USA

6X213-CFG*	120/240V 1P3W REF VOLTAGE, 13 Meters	100	07847760593	23.0	X	X	USA
6X214-CFG*	120/240V 1P3W REF VOLTAGE, 14 Meters	100	07847760599	23.0	X	X	USA
6X215-CFG*	120/240V 1P3W REF VOLTAGE, 15 Meters	100	07847760601	23.0	X	X	USA
6X216-CFG*	120/240V 1P3W REF VOLTAGE, 16 Meters	100	07847760598	23.0	X	X	USA
6X217-CFG*	120/240V 1P3W REF VOLTAGE, 17 Meters	100	07847760600	23.0	X	X	USA
6X218-CFG*	120/240V 1P3W REF VOLTAGE, 18 Meters	100	07847760602	23.0	X	X	USA
6X219-CFG*	120/240V 1P3W REF VOLTAGE, 19 Meters	100	07847760603	23.0	X	X	USA
6X309-CFG*	120/208V 3P4W REF VOLTAGE, 9 Meters	100	07847760626	23.0	X	X	USA
6X310-CFG*	120/208V 3P4W REF VOLTAGE, 10 Meters	100	07847760624	23.0	X	X	USA
6X311-CFG*	120/208V 3P4W REF VOLTAGE, 11 Meters	100	07847760627	23.0	X	X	USA
6X312-CFG*	120/240V 3P4W REF VOLTAGE, 12 Meters	100	07847760628	23.0	X	X	USA
6X313-CFG*	120/208V 3P4W REF VOLTAGE, 13 Meters	100	07847760625	23.0	X	X	USA
6X314-CFG*	120/208V 3P4W REF VOLTAGE, 14 Meters	100	07847760621	23.0	X	X	USA
6X315-CFG*	120/208V 3P4W REF VOLTAGE, 15 Meters	100	07847760620	23.0	X	X	USA
6X316-CFG*	120/208V 3P4W REF VOLTAGE, 16 Meters	100	07847760622	23.0	X	X	USA
6X317-CFG*	120/208V 3P4W REF VOLTAGE, 17 Meters	100	07847760630	23.0	X	X	USA
6X318-CFG*	120/208V 3P4W REF VOLTAGE, 18 Meters	100	07847760631	23.0	X	X	USA
6X319-CFG*	120/208V 3P4W REF VOLTAGE, 19 Meters	100	07847760632	23.0	X	X	USA
Current Transformer*							
CDF04-K24*	CT 400:0.1A, Solid Core, 1.5", Black.	102	07847754735	13.2	X	X	USA
CTC08-K46*	CT 800:0.1A, Split Core, 3x3.5", Black.	101	07847755219	13.0	X	X	USA
CTC12-K46*	CT 1200:0.1A, Split Core, 4x6", Black. UL Recognized.	102	07847755220	12.4	X	X	USA
CTC16-K96*	CT 1600:0.1A, Split Core, 4x6", Black.	101	07847754745	20.8	X	X	USA
CTC30-57B*	CT 3000:0.1A, Split Core, 5x7", Black.	101	07847757000	15.0	X	X	USA
CTC50-57B*	CT 5000:0.1A Split Core 5x7" Black	101	07847757001	15.0	X	X	USA
CTD01-K16*	CT 100:0.1A Split Core .75x.75" Black	101	07847754748	5.0	X	X	USA
CTD02-K16*	CT 200:0.1A Split Core 1x1" Black	101	07847754749	6.4	X	X	USA
CTD04-K23*	CT 400:0.1A Split Core1.5x1.5" Black.	103	07847754750	8.6	X	X	USA
Data Acquisition Equipment & Software*							
LEMS8-812*	Leviton Energy Manager Base Pk - EMH (Modbus/485, Ethernet, No Modem), 8 Flex Inputs & Energy Manager 8 Point/ 1 YR. License Subscription.	001	07847755874	4.29	X	X	USA
LEMSB-R00*	Leviton Energy Manager Software Base Renewal- 8 Points/ 1YR. License Subscription Renewal. Includes One (1) User Account.	002	07847755876	0.2	X	X	USA
LEMSB-000*	Leviton Energy Manager Software Base - 8 Points/ 1YR. License Subscription. Includes One (1) User Account.	001	07847755875	0.2	X	X	USA
LEMSP-R00*	Leviton Energy Manager Software Points Renewal- Additional 8 points/ 1YR. License Subscription Renewal.	002	07847755878	0.2	X	X	USA
LEMSP-000*	Leviton Energy Manager Software Points - Additional 8 Points/ 1YR. License Subscription.	001	07847755877	1.0	X	X	USA
LEMSU-R00*	Leviton Energy Manager (1) User Account Renewal.	002	07847755880	0.2	X	X	USA
LEMSU-000*	Leviton Energy Manager (1) User Account 1YR. License Subscription.	001	07847755879	0.2	X	X	USA
A7810-000*	Energy Monitoring Hub EMB Lite, 4 pulse inputs & Modbus TCP, power supply not included	006	07847761260	10.0	X	X	USA
A8332-8FD*	Flex I/O Module, 8 inputs, 2 digital outputs, Modbus. Power Supply not Included	004	07847764212	10.0	X	X	USA
A8810-000*	Energy Monitoring Hub EMB, power supply not included	005	07847761262	10.0	X	X	USA
A8812-001*	Energy Monitoring Hub (EMH) - Configured, Data Acquisition Server.	002	07847755855	4.29	X	X	USA
A8812-000*	Energy Monitoring Hub (EMH) - Not Configured, Data Acquisition Server.	001	07847755805	4.29	X	X	USA
A8911-023*	HD Pulse Module, 23 inputs, Modbus. Power Supply not Included	003	07847764229	10.0	X	X	USA
R9120-500*	Modhopper wireless transceiver, Extended Range, power supply included	007	07847761261	1.0	X	X	USA

Sapphire Touch Screens*							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
TS007-000*	Sapphire 7" Touch Screen, Capacitive Interface	000	07847762448	2.0	-	X	Mexico
TS007-C0W*	7" Touch Screen Color Change Kit, White Faceplate	003	07847761962	4.1	-	X	Mexico
TS007-C0T*	7" Touch Screen Color Change Kit, LT Almond Faceplate	004	07847761961	4.1	-	X	Mexico
TS007-C0E*	7" Touch Screen Color Change Kit, Black Faceplate	005	07847762741	4.1	-	X	Mexico
Dimmers							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
NDS08-1E0	DS 8-12, 8x1.2kW Dimmer Pack, Edison 5-20R Outputs.	400	07847712122	40.0	-	X	Mexico
NDS08-1K0	DS 8-12, 8x1.2kW Dimmer Pack, Knockout Panel.	401	07847712123	40.0	-	X	Mexico
NDS08-1S0	DS 8-12, 8x1.2kW Dimmer Pack, Stage Pin Panel.	402	07847712124	42.0	-	X	Mexico
NDS08-2E0	DS 8-24, 8x2.4kW Dimmer Pack, Edison 5-20R Outputs.	403	07847712130	40.0	-	X	Mexico
NDS08-2K0	DS 8-24, 8x2.4kW Dimmer Pack, Knockout Panel.	404	07847712131	40.0	-	X	Mexico
NDS08-2S0	DS 8-24, 8x2.4kW Dimmer Pack, Stage Pin Panel.	405	07847712132	42.0	-	X	Mexico
NDS12-0K0	DS12 Rack mount Dimmer Pack, Knockout Panel. Setup for (12) 2.4KW or (12) 1.2KW dimmers.	406	07847754371	26.0	-	X	Mexico
NDS12-1E0	DS 12-12E - 12 Channel 1200 Watt/Channel Dimmer Pack, Edison Output Panel, UL/C-UL Listed.	400	07847712125	48.0	-	X	Mexico
NDS12-1K0	DS 12-12, 12x1.2kW Dimmer Pack, Knockout Panel.	401	07847712128	48.0	-	X	Mexico
NDS12-1S0	DS 12-12, 12x1.2kW Dimmer Pack, Stage Pin Panel.	402	07847712133	50.0	-	X	Mexico
NDS12-2E0	DS 12-24E - 12 Channel 2400 Watt/Channel Modular Dimmer Pack, Edison Output Panel, UL/C-UL Listed.	403	07847712134	48.0	-	X	Mexico
NDS12-2K0	DS 12-24, 12x2.4kW Dimmer Pack, Knockout Panel.	404	07847712137	45.0	-	X	Mexico
NDS12-2S0	DS 12-24, 12x2.4kW Dimmer Pack, Stage Pin Panel.	405	07847712138	48.1	-	X	Mexico
ADSAC-0CM	Replacement DS Dimmer Control Module. (1) required per rack.	400	07847712136	5.0	-	X	Mexico
ADSAC-1DM	Replacement 1200W/Channel Dual DS Dimmer Module	401	07847712139	4.2	-	X	Mexico
ADSAC-2CM	Replacement 2400W/Channel Dual DS Dimmer Module	402	07847712142	5.0	-	X	Mexico
N8000-0E0	8 Channel, 1200W / Channel Rack, Microplex, Edison Output, 120V.	400	07847711526	27.6	-	X	Mexico
N8000-0E9	8 Channel, 1200W / Channel Rack, Microplex, Edison Output, 230V.	402	07847711528	27.6	-	X	Mexico
N8000-0K0	NRD 8000, 8 x 1200W, Microplex 120V Knockout Version	401	07847711527	26.9	-	X	Mexico
N8000-0K9	8 Channel, 1200W / Ch Rack Microplex Knockout Panel, 230V.	403	07847711529	27.0	-	X	Mexico
N2404-CD0	Commercial Dimmer Pack, 4 Ch 2400W/Channel, Microprocessor Controlled, Dual SCR, Toroidal Filters, Microplex, DMX512, 0-10V Analog Inputs, UL/C-UL LISTED, 120V. Convection Cooled. LUMA-NET 1.	400	07847712223	52.0	-	X	Mexico
N2408-CD0	Commercial Dimmer Pack, 8 Ch, 2400W/Channel, Microprocessor Controlled, Dual SCR, Toroidal Filters, Microplex, DMX512, and 0-10 V Analog Inputs, UL/C-UL LISTED, 120V. Convection Cooled. LUMA-NET 1.	400	07847712224	62.0	-	X	Mexico
N2408-CD9	Commercial Dimmer Pack, 8 Ch, 2400W/Channel, Microprocessor Controlled, Dual SCR, Toroidal Filters, Microplex, DMX512, and 0-10 V Analog Inputs, UL/C-UL LISTED, 230V. Convection Cooled. LUMA-NET 1.	401	07847712225	62.0	-	X	Mexico
N2408-CR0	Commercial Relay Pack with 8 Chs, 2400W/Channel, Microprocessor Controlled, Dual SCR, Microplex, DMX512, 0-10V Analog Inputs, UL/C-UL LISTED, 120V. Convection Cooled. LUMA-NET 1.	402	07847712226	31.0	-	X	Mexico
N2408-CR9	Commercial Relay Pack with 8 Chs, 2400W/Channel, Microprocessor Controlled, Dual SCR, Microplex, DMX512, 0-10V Analog Inputs, UL/C-UL LISTED, 230V. Convection Cooled. LUMA-NET 1.	403	07847712227	31.0	-	X	Mexico

N6000-000	DDS 6000 4 Ch, 1200W /Channel 1800W Max, Dimmer /Relay System, Microplex and 0-10V Analog standard, 15A Power Supply Cord, 120V, UL/C-UL Listed	400	07847711964	13.7	-	X	Mexico
N6000-009	DDS 6000 4 Ch, 1200W /Channel 2400 Watt Max, Dimmer/Relay System, Microplex and 0-10V Analog standard, 15A Power Supply Cord, 230V	408	07847711974	13.6	-	X	Mexico
N6000-020	DDS 6000, 120V - 4 Ch, 1200W /Channel 2400W Max, Dimmer/Relay System, Microplex and 0-10V Analog standard, 20A Power Supply Cord, 120V, UL/C-UL Listed	404	07847711969	13.7	-	X	Mexico
N6000-D00	DDS 6000 W/DMX Only - 4 Ch, 1200W /Channel 1800Wt Max, Dimmer/Relay System, DMX installed, 15A Power Supply Cord, 120V, UL/C-UL Listed	402	07847711966	13.5	-	X	Mexico
N6000-D09	DDS 6000 W/DMX Only, 240V - 4 Ch, 1200W/ Channel 2400W Max, Dimmer/Relay System, DMX installed, 15A Power Supply Cord, 230V	410	07847711977	13.7	-	X	Mexico
N6000-D20	DDS 6000 W/DMX Only- 4 Ch, 1200W /Channel 2400W Max, Dimmer/Relay System, DMX installed, 20A Power Supply Cord, 120V, UL/C-UL Listed	406	07847711971	13.8	-	X	Mexico
N600P-000	DDS 6000+ 4 Ch, 1200 W/ Ch 3600W Max with Dual 15A Power Supply Cords, Dimmer/Relay System, Microplex and 0-10V Analog standard, 120V, UL/C-UL Listed	400	07847711980	14.7	-	X	Mexico
N600P-009	DDS 6000+ 4 Channel, 1200W / Channel 3600W Max with Dual 15A Power Supply Cords, Dimmer/Relay System, Microplex and 0-10V Analog standard, 230V	408	07847711990	14.7	-	X	Mexico
N600P-020	DDS 6000+, 120V - 4 Channel, 1200W / Channel 4800W Max with Dual 20A Power Supply Cords, Dimmer/Relay System, Microplex and 0-10V Analog standard, 120V, UL/C-UL Listed	404	07847711985	14.8	-	X	Mexico
N600P-02K	DDS 6000+ KO - 4 Channel, 1200W / Channel 4800W Max, Dimmer/Relay System, Microplex and 0-10V Analog standard, Knockout, 120V, UL/C-UL Listed	405	07847711986	12.2	-	X	Mexico
N600P-0K9	DDS 6000+ KO, 240V - 4 Channel, 1200W / Channel 4800W Max . Dimmer/Relay System, Microplex And 0-10V Analog Is Standard, Knockout, 230V	409	07847711993	12.1	-	X	Mexico
N600P-D00	DDS 6000+, 120V W/DMX Only - 4 Channel, 1200W / Channel 3600W Max with Dual 15A Power Supply Cords, Dimmer/Relay System, Microplex and 0-10V Analog standard, 120V, UL/C-UL Listed	402	07847711982	14.8	-	X	Mexico
N600P-D09	DDS 6000+, 120V W/DMX Only - 4 Channel, 1200W / Channel 2400W Max, Dimmer/Relay System, 0-10V Analog standard, 230V, UL/C-UL Listed	410	07847711995	14.8	-	X	Mexico
N600P-D20	DDS 6000+ W/DMX Only - 4 Channel, 1200W / Channel 4800W Max with Dual 20A power supply cords, Dimmer /Relay System, DMX installed, 120V, UL/C-UL Listed	406	07847711988	15.0	-	X	Mexico
N600P-D2K	DDS 6000+ KO w/DMX - 4 Channel, 1200W / Channel 4800W Max, Dimmer/Relay System, DMX installed, Knockout, 120V, UL/C-UL Listed	407	07847711989	12.3	-	X	Mexico
N600P-DK9	DDS 6000+ KO w/DMX - 4 Channel, 1200W / Channel 2400W Max, Dimmer/Relay System, DMX installed, Knockout, 230V, UL/C-UL Listed	411	07847711996	12.3	-	X	Mexico
N4600-000	4 Channel, 600W / Channel, Microplex. 120V	400	07847710897	8.9	-	X	Mexico
N4600-009	4 Channel, 600W / Channel, Microplex is Standard. 230V	401	07847710898	9.0	-	X	Mexico
N5600-000	DDS 5600 4 Channel, 600W / Channel Dimmer/Relay System, Microplex And 0-10V Analog standard. 15A Power Supply Cord, 120V, UL/C-UL Listed	400	07847711954	9.1	-	X	Mexico
N5600-009	DDS 5600 4 Channel, 600W / Channel, Dimmer/Relay System, Microplex and 0-10V Analog standard, 15A Power Supply Cord, 230V	404	07847711960	10.0	-	X	Mexico
N5600-020	DDS 5600, 120V - 4 Channel, 600W / Channel, Dimmer/Relay System, Microplex and 0-10V Analog standard, 20A Power Supply Cord, 120V, UL/C-UL Listed	402	07847711958	9.2	-	X	Mexico
N5600-D00	DDS 5600, 120V W/DMX - 4 Channel, 600W / Channel Dimmer/Relay System, DMX installed, 15A Power Supply Cord, 120V, UL/C-UL Listed	401	07847711957	9.2	-	X	Mexico
N5600-D09	DDS 5600, 230V W/DMX - 4 Channel, 600W / Channel, Dimmer/Relay System, DMX installed, 15A Power Supply Cord, 240V	405	07847711961	9.3	-	X	Mexico
N5600-D20	DDS 5600, 120V W/DMX - 4 Channel, 600W / Channel, Dimmer/Relay System, DMX installed, 20A Power Supply Cord, 120V, UL/C-UL Listed	403	07847711959	9.3	-	X	Mexico
IAD18-210	i Series, single dimmer module, 230V, 800uS	003	07847732893	6.0	-	X	Mexico
IAD23-220	i Series, dual dimmer module, 230V, 350uS	000	07847732914	23.9	-	X	Mexico

IAD25-115	i Series, dual dimmer module, 120V, 15A, 500uS	000	07847732896	31.5	-	X	Mexico
IAD25-120	i Series, dual dimmer module, 120V, 20A, 500uS	001	07847732915	31.3	-	X	Mexico
IAD28-210	i Series, dual dimmer module, 230V, 500uS	002	07847732897	32.0	-	X	Mexico
CTP-4-0311	I Series 120V Control Module (ICM)	N/A		5.0	-	X	Mexico
CTP-4-0312	I Series 230V Control Module (ICM)	N/A		5.0	-	X	Mexico
IER96-130	48 Module 120V i96e Dimmer Rack, standard configuration with mount for hand held terminal.	000	07847763903	438.0	-	X	Mexico
IER2X-130	(2) 48 module i Series e Cross bussed dimmer racks, standard configuration with mount for hand held terminal.	000	07847763899		-	X	Mexico
IER3X-130	(3) 48 module i Series e Cross bussed dimmer racks, standard configuration with mount for hand held terminal.	000	07847763904		-	X	Mexico
IER48-130	24 module i Series e Dimmer Rack, std configuration w/hand held terminal mount.	000	07847763901	284.0	-	X	Mexico
IER24-130	12 module i Series e Dimmer Rack, std configuration	000	07847763894	145.0	-	X	Mexico
IER96-430	48 module i Series e Dimmer Rack, 230V, dual 2.5kW, sequential/phase balanced w/HHT mnt	020	07847763902	438.0	-	X	Mexico
IER96-43B	48 Module Dimmer Rack, 230V, configured for Dual 5kw dimmer modules W/hand held terminal mount.	030	07847763906	438.0	-	X	Mexico
IER48-430	24 module i Series e Dimmer Rack, 230V, dual 2.5 kW, sequential or phase balanced w/hand held terminal mnt.	020	07847763907	284.0	-	X	Mexico
IER48-43B	24 Module 230V i48e Dimmer configured for dual 5kw dimmer modules w/ hand held terminal mount.	030	07847763908	284.0	-	X	Mexico
IER24-430	12 module i Series e Dimmer Rack, 230V, dual 2.5 kW, sequential/phase balanced	020	07847763900	145.0	-	X	Mexico
IER24-43B	12 module i Series e dimmer rack, 230V, configured for dual 5kw dimmer modules	030	07847763898	145.0	-	X	Mexico
IED13-150	i Series e, single dimmer module, 120V, 500uS	000	07847732901	30.0	-	X	Mexico
IED15-220	i Series e, single dimmer module, 230V, 500uS	000	07847732902	30.1	-	X	Mexico
IED18-120	i Series e, single dimmer module, 120V, 800uS	000	07847732903	29.9	-	X	Mexico
IED23-115	i Series e, dual dimmer module, 120V, 1.8kw, 500uS	000	07847732904	30.9	-	X	Mexico
IED23-120	i Series e, dual dimmer module, 120V, 2.5Kw, 500uS	001	07847732905	31.0	-	X	Mexico
IED23-210	i Series e, dual dimmer module, 230V, 500uS	002	07847732906	31.6	-	X	Mexico
IED23-220	i Series e, dual dimmer module, 230V, 350uS	003	07847732907	30.8	-	X	Mexico
IECM0-12C	iSeriesE Control Module (iCM), 120/230V, 24 channel, Configured	002	07847763890		-	X	Mexico
IECM0-124	iSeriesE Control Module (iCM), 120/230V, 24 channel	000	07847763889	5.0	-	X	Mexico
IECM0-148	iSeries E Control Module	001	07847763892	7.0	-	X	Mexico
IEQ48-130	48 Rack, 120V, Quad 1.8/2.4kW, sequential /phase balanced	001	07847763891	458.0	-	X	Mexico
IEQ48-230	48 Rack, 230V, Quad 4.0kW, sequential / phase balanced	002	07847763893	458.0	-	X	Mexico
IEC40-115	Quad Dimmer, 60A, 120V Constant Module	000	07847732899	16.1	-	X	Mexico
IEC40-120	Quad Constant Module, 20A 120V	001	07847732900	16.1	-	X	Mexico
IED43-115	Quad Dimmer, 1.8kW, 120V. 350us	000	07847732908	33.3	-	X	Mexico
IED43-120	Quad Dimmer, 2.4kW, 120V, 350us	001	07847732909	33.4	-	X	Mexico
IED43-215	Quad Dimmer, 4.0kW, 230V, 270us	002	07847732911	33.3	-	X	Mexico

Entertainment Fixtures							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
000BR-22B	Single Broad with Stagepin Connector, Includes C-Clamp and 3' cord	002	07847717598	12.1	-	X	Mexico
000BR-42B	Single Broad with NEMA 5-15p Edison (U-Ground), Includes C-Clamp and 3' cord	004	07847717599	12.0	-	X	Mexico
000BR-50B	Single Broad with Bare Leads, Includes C-Clamp and 3' cord	000	07847717597	11.6	-	X	Mexico
000BR-62B	Single Broad with NEMA L5-20P Locking Connector, Includes C-Clamp and 3' cord	006	07847717607	12.3	-	X	Mexico
000MB-42B	Mini-Broad w/9' cable & Edison connector	000	07847718161	3.1	-	X	Mexico
000MP-42B	Mini-Pro provided w/9' cable & Edison connector	000	07847718210	2.8	-	X	Mexico
000MS-22B	Mini Soft-Light with Combo Stud and 12' cable. Stage Pin Connector.	002	07847717613	14.3	-	X	Mexico

000MS-42B	Mini Soft-Light with Combo Stud and 12' cable. PBG connector.	004	07847717614	14.0	-	X	Mexico
000MS-50B	1kW-2kW Mini Soft-Lite with combo stud and 12' cable. Bare Wire.	000	07847717612	13.6	-	X	Mexico
000MS-62B	Mini Soft-Light with Combo Stud and 12' cable. Locking Connector.	006	07847717615	14.2	-	X	Mexico
000SL-22B	Set-Light, Stage Pin	002	07847717618	6.1	-	X	Mexico
000SL-42B	Set-Light, Edison	004	07847717619	6.0	-	X	Mexico
000SL-50B	Set-Light, Bare Wire	000	07847717617	5.9	-	X	Mexico
000SL-62B	Set-Light, Twist-Lock	006	07847717620	6.1	-	X	Mexico
1FC1V-22B	1 Light Far-Cyc w/C-Clamp, hanging yoke, stage pin	002	07847715847	16.1	-	X	Mexico
1FC1V-42B	1 Light Far-Cyc w/C-Clamp, hanging yoke, 5-15P connector	004	07847715851	15.8	-	X	Mexico
1FC1V-50B	1 Light Far Cyc 120V, w/C-Clamp, hanging yoke, bare ends	000	07847715846	15.7	-	X	Mexico
1FC1V-62B	1 Light Far-Cyc w/C-Clamp, hanging yoke, twistlock (L5-20P)	006	07847715933	16.0	-	X	Mexico
1FC2V-50B	1 Light Far Cyc 220V w/C-Clamp, hanging yoke, bare ends	000	07847715874	15.7	-	X	Mexico
2FC1V-22B	2 Light Far-Cyc w/C-Clamp, hanging yoke, stage pin	002	07847715853	29.9	-	X	Mexico
2FC1V-42B	2 Light Far-Cyc w/C-Clamp, hanging yoke, 5-15P connector	004	07847715854	30.3	-	X	Mexico
2FC1V-50B	2 Light Far Cyc 120V w/C-Clamp, hanging yoke, bare ends	000	07847715852	29.5	-	X	Mexico
2FC1V-62B	2 Light Far-Cyc w/C-Clamp, hanging yoke, twistlock (L5-20P)	006	07847715856	30.0	-	X	Mexico
2FC2V-50B	2 Light Far Cyc 220V w/C-Clamp, hanging yoke, bare ends	000	07847715875	29.4	-	X	Mexico
3FC1V-22B	3 Light Far-Cyc w/C-Clamp, hanging yoke, stage pin	002	07847715857	41.6	-	X	Mexico
3FC1V-42B	3 Light Far-Cyc w/C-Clamp, hanging yoke, 5-15P connector	004	07847715858	41.6	-	X	Mexico
3FC1V-50B	3 Light Far Cyc 120V w/C-Clamp, hanging yoke, bare ends	000	07847715856	41.9	-	X	Mexico
3FC1V-62B	3 Light Far-Cyc w/C-Clamp, hanging yoke, twistlock (L5-20P)	006	07847715859	41.7	-	X	Mexico
3FC2V-50B	3 Light Far Cyc 220V w/C-Clamp, hanging yoke, bare ends	000	07847715879	41.9	-	X	Mexico
4FC1V-22B	4 Light Far-Cyc w/C-Clamp, hanging yoke, stage pin	002	07847715871	52.5	-	X	Mexico
4FC1V-42B	4 Light Far-Cyc w/C-Clamp, hanging yoke, 5-15P	004	07847715876	52.5	-	X	Mexico
4FC1V-50B	4 Light Far Cyc 120V w/C-Clamp, hanging yoke, bare ends	000	07847715870	52.5	-	X	Mexico
4FC1V-62B	4 Light Far-Cyc w/C-Clamp, hanging yoke, twistlock (L5-20P)	006	07847715877	52.5	-	X	Mexico
4FC2V-50B	4 Light Far Cyc 220V w/C-Clamp, hanging yoke, bare ends	000	07847715880	52.3	-	X	Mexico
FR1TH-22B	6" Theater Fresnel w/C- Clamp, 20A Male Stage Pin	002	07847715597	15.4	-	X	Mexico
FR1TH-42B	6" Theater Fresnel w/C-Clamp, 15A Edison Plug	004	07847715598	15.4	-	X	Mexico
FR1TH-50B	6" Theater Fresnel w/C-Clamp, Bare Wire	000	07847715542	15.4	-	X	Mexico
FR1TH-62B	6" Theater Fresnel w/C-Clamp, 20A Locking Plug	006	07847715599	15.4	-	X	Mexico
FR2TH-22B	8" Theater Fresnel w/C-Clamp, 20A Male Stage Pin	002	07847715523	29.3	-	X	Mexico
FR2TH-42B	8" Theater Fresnel w/C-Clamp, 15A Edison Plug	004	07847715524	29.2	-	X	Mexico
FR2TH-50B	8" Theater Fresnel w/C-Clamp, Bare Wire	000	07847715604	29.1	-	X	Mexico
FR2TH-62B	8" Theater Fresnel w/C-Clamp, 20A Locking Plug	006	07847715525	29.7	-	X	Mexico

Entertainment Lighting Controllers							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
N7008-D00	8/16 Channel Console, 2 Manual Presets, 8 Memory Scenes, 2 Chases, NSI MPX & DMX Installed	401	07847711523	7.2	-	X	Mexico
N7016-D00	16/32 Channel Console, 2 Manual Presets, 16 Memory Scenes, 2 Chases, NSI MPX & DMX Installed	401	07847712155	9.8	-	X	Mexico
N7024-D00	24/48 Channel Console, 2 Manual Presets, 24 Memory Scenes, 2 Chases, NSI MPX & DMX Installed	401	07847712156	13.0	-	X	Mexico
N7516-000	16/32 Channel Memory Console, 256 Memory Scenes, 16 Submasters, Encoder, DMX512, NSI Microplex, 120V	400	07847712160	18.9	-	X	Mexico

N7516-0A1	16/32 Channel Memory Console, 256 Memory Scenes, 16 Submasters, Encoder, DMX512, NSI Microplex, 37-pin 0-10V DC output for up to 30 individual channels, 120V.	410	07847723496	20.0	-	X	Mexico
N7524-000	24/48 Channel Memory Console, 384 Memory Scenes, 24 Submasters, Encoder, DMX512, NSI Microplex, 120V	400	07847712169	22.4	-	X	Mexico
N7524-0A2	24/48 Channel Memory Console, 384 Memory Scenes, 24 Submasters, Encoder, DMX512, NSI Microplex, (2) 37-pin 0-10V DC output for up to 60 individual channels, 120V.	411	07847723498	23.0	-	X	Mexico
N7524-A01	24/48 Channel Memory Console, 384 Memory Scenes, 24 Submasters, Encoder, DMX512, NSI Microplex, 37-pin 0-10V DC output for up to 30 individual channels, 120V.	410	07847723497	23.3	-	X	Mexico
N7532-000	32/64 Channel Memory Console, 512 Memory Scenes, 32 Submasters, Encoder, DMX512, NSI Microplex, 120V	400	07847712173	25.8	-	X	Mexico
N7532-0A1	32/64 Channel Memory Console, 512 Memory Scenes, 32 Submasters, Encoder, DMX512, NSI Microplex, 37-pin 0-10V DC output for up to 30 individual channels, 120V.	410	07847723499	26.0	-	X	Mexico
N7532-0A2	32/64 Channel Memory Console, 512 Memory Scenes, 32 Submasters, Encoder, DMX512, NSI Microplex, (2) 37-pin 0-10V DC output for up to 60 individual channels, 120V.	411	07847723501	26.0	-	X	Mexico
CTP-7-0048	Innovator 24/48 Standard, 120/240V (requires monitor)	N/A		51.0	X	X	USA
CTP-7-0096	Innovator 48/96 Standard, 120/240V (requires monitor)	N/A		63.0	X	X	USA
CTP-7-0144	Innovator 72/144 Standard, 120/240V (requires monitor)	N/A		78.0	X	X	USA
CTP-7-060	Innovator 600 Standard, 120/240V (requires monitor)	N/A		45.0	X	X	USA
Entertainment Networking							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
N0501-000	Protocol Converter and Auto Sequence Control Device. DMX512, Luma-Net 1 (not compatible with D8000, D4000, NPC, etc.), RS232, Microplex, MIDI & 0-10V.	400	07847712185	3.3	X	X	USA
N0501-001	Protocol Converter and Auto Sequence Control Device. CMX to DMX	401	07847712186	4.0	X	X	USA
N0501-002	Protocol Converter and Auto Sequence Control Device. MPX/DMX to CMX	402	07847712187	3.3	X	X	USA
N0501-003	Protocol Converter and Auto Sequence Control Device. AMX to DMX	403	07847712188	3.3	X	X	USA
N0501-004	Protocol Converter and Auto Sequence Control Device. AMX Output Only	404	07847712189	3.3	X	X	USA
NPDLR-000	NPC DLR, Desktop or Surface Mount, (1) Network, (1) DMX In, (1) DMX Out, (1) Luma-Net/Sapphire-Net	001	07847716723	7.0	X	X	USA
Entertainment Distribution							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
AP6-SH000-000	Skyhook w/no pre-installed receptacles. User may install receptacles at their discretion.	N/A		44.0	X	X	USA
AP2-SHD00-000	Skyhook w/(1) DMX output on 5-pin XLR, and (3) locations for user installed receptacles.	N/A		44.0	X	X	USA
AP2-SHDIS-000	Skyhook w/DMX Input on 5 pin XLR Male, DMX Output on 5 pin XLR Female, DMX termination when raised, and (3) locations for user installed receptacles.	N/A		44.0	X	X	USA
AP3-SHDIS-300	Skyhook	N/A			X	X	USA
AP0-SHD00-020	Skyhook w/(2) 20A PBG Receptacles & (1) 5-PIN DMX Output	N/A		44.0	X	X	USA
AP1-SHD00-210	Skyhook w/(1) 20A PBG Receptacle, (1) 5-PIN DMX Output, & (2) 20A Grounded Stage Pin Receptacles	N/A		44.0	X	X	USA
AP3-SHD00-300	Skyhook 3GTL 1 DMX Out, 1 DMX In	N/A			X	X	USA
AP1-SHDIS-003	Skyhook w/(3) 20A Locking (L5-20R) Receptacles, (1) 5-PIN DMX Output, & (1) 5-PIN DMX Input	N/A		44.0	X	X	USA
AP0-SHDIS-030	Skyhook w/(3) 20A PBG Receptacles, (1) 5-PIN DMX Output, & (1) 5-PIN DMX Input	N/A		44.0	X	X	USA
AP2-SHXX0-003	Skyhook w/(2) XLR Punch Outs for User Installed XLR Audio/Video/Data Receptacles and (3) 20A Locking Connectors	N/A		44.0	X	X	USA
AP0-SHXX0-020	Skyhook w/Locations for (2) User Installed XLR Receptacles, (2) 20A PBG Receptacles	N/A		44.0	X	X	USA

AP1-SHXX0-030	Skyhook w/(2) XLR Punch Outs for User Installed XLR Audio/Video/Data Receptacles and (3) 20A PBG Connectors	N/A		44.0	X	X	USA
AP4-SHXX0-210	Skyhook w/Locations for (2) User Installed XLR Receptacles, (2) 20A Grounded Stage Pin, and (1) 20A PBG Receptacle	N/A		44.0	X	X	USA
AP3-SH000-004	Skyhook - Retractable Lighting Support. Includes (4) 20A Twistlock Receptacles.	N/A		44.0	X	X	USA
AP0-SH000-020	Skyhook - Retractable Lighting Support. Includes (2) 20A PBG Receptacles.	N/A		44.0	X	X	USA
AP1-SH000-030	Skyhook - Retractable Lighting Support. Includes (3) 20A PBG Receptacles.	N/A		44.0	X	X	USA
AP2-SH000-040	Skyhook - Retractable Lighting Support. Includes (4) 20A PBG Receptacles.	N/A		44.0	X	X	USA
AP4-SH000-400	Skyhook - Retractable Lighting Support. Includes (4) 20A Grounded Stage Pin Receptacles.	N/A		44.0	X	X	USA
Connector Strips							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
CTP-152-035	Cable Clamp.	N/A		5.0	X	X	USA
CTP-152-036	Cable Clamp, Small, 750 to 1.375in.	N/A			X	X	USA
CTP-152-037	Cable Clamp, Medium, 1.00 to 1.50in.	N/A			X	X	USA
CTP-152-038	Cable Clamp, Large, 1.00 to 2.00in.	N/A			X	X	USA
CTP-152-039	Wire Mesh Safety Grip, Box Mount, Small, 0.94 to 1.25in.	N/A			X	X	USA
CTP-152-040	Wire Mesh Safety Grip, Box Mount, Medium, 1.2 to 1.5in.	N/A			X	X	USA
CTP-152-041	Wire Mesh Safety Grip, Box Mount, Large, 1.5 to 1.7in.	N/A			X	X	USA
CTP-152-043	Wire Mesh Safety Grip, In-Line w/ Loop, Small.	N/A			X	X	USA
CTP-152-044	Wire Mesh Safety Grip, In-Line w/ Loop, Medium, 1.25 to 1.49in.	N/A			X	X	USA
CTP-152-045	Wire Mesh Safety Grip, In-Line w/ Loop, Large.	N/A			X	X	USA
CTP-152-032	Cable Cradle Universal 3/4-2"	N/A			X	X	USA
Floor Pockets & Grid Iron Junction Box							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
CTP-6-7100	Floor Pocket, 2 Gang, Specify Receptacles.	N/A		31.0	X	X	USA
CTP-6-7101	Floor Pocket, 1 Gang 20A, Stage Pin 120V.	N/A			X	X	USA
CTP-6-7102	Floor Pocket, 2 Gang 20A, Stage Pin, 120V.	N/A			X	X	USA
CTP-6-7121	Floor Pocket, 1 Gang, 20A 120V Twist-Lock.	N/A			X	X	USA
CTP-6-7122	Floor Pocket, 2 Gang 20A, Twist-Lock, 120V.	N/A			X	X	USA
CTP-6-7200	Floor Pocket, 3 to 4 Gang, Blank.	N/A		44.0	X	X	USA
CTP-6-7203	Floor Pocket, 3 Gang 20A Stage Pin 120V.	N/A			X	X	USA
CTP-6-7204	Floor Pocket, 4 Gang 20A Stage Pin 120V.	N/A			X	X	USA
CTP-6-7223	Floor Pocket, 3 Gang 20A 120V Twist-Lock.	N/A			X	X	USA
CTP-6-7224	Floor Pocket, 4 Gang, Twist-Lock, 120V.	N/A			X	X	USA
CTP-175-001	Grid Iron Junction Box, Surface Mount W/6-20A Terminals	N/A			X	X	USA
CTP-175-002	Grid Iron Junction Box, Surface Mount W/13-20A Terminals	N/A			X	X	USA
CTP-175-003	Grid Iron Junction Box, Surface Mount W/21-20A Terminals	N/A			X	X	USA
Plug Boxes							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
CTP-174-001	Surface Mount Plug Box, 1 20A Stagepin 18" Pigtail.	N/A			X	X	USA
CTP-174-002	Surface Mount Plug Box, 2 20A Stagepin 18" Pigtail.	N/A			X	X	USA

CTP-174-003	Surface Mount Plug Box, 3 20A Stagepin 18" Pigtail.	N/A			X	X	USA
CTP-174-004	Surface Mount Plug Box, 4 20A Stagepin 18" Pigtail.	N/A			X	X	USA
CTP-174-005	Surface Mount Plug Box, 5 20A Stagepin 18" Pigtail.	N/A			X	X	USA
CTP-174-006	Surface Mount Plug Box, 6 20A Stagepin 18" Pigtail.	N/A			X	X	USA
CTP-174-007	Flush Mount Plug Box, 1 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-008	Flush Mount Plug Box, 2 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-009	Flush Mount Plug Box, 3 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-010	Flush Mount Plug Box, 4 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-012	Flush Mount Plug Box, 6 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-013	Pipe Mount Plug Box, 1 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-014	Pipe mount Plug Box, 2 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-015	Pipe Mount Plug Box, 3 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-016	Pipe Mount Plug Box, 4 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-017	Pipe Mount Plug Box, 5 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-018	Pipe Mount Plug Box, 6 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-019	Surface Mount Plug Box, 1 20A GTL 18" Pigtail.	N/A			X	X	USA
CTP-174-020	Surface Mount Plug Box, 2 20A GTL 18" Pigtail.	N/A			X	X	USA
CTP-174-021	Surface Mount Plug Box, 3 20A GTL 18" Pigtail.	N/A			X	X	USA
CTP-174-022	Surface Mount Plug Box, 4 20A GTL 18" Pigtail.	N/A			X	X	USA
CTP-174-023	Surface Mount Plug Box, 5 20A GTL 18" Pigtail.	N/A			X	X	USA
CTP-174-024	Surface Mount Plug Box, 6 20A GTL 18" Pigtail.	N/A			X	X	USA
CTP-174-025	Flush Mount Plug Box, 1 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-026	Flush Mount Plug Box, 2 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-027	Flush Mount Plug Box, 3 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-028	Flush Mount Plug Box, 4 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-029	Flush Mount Plug Box, 5 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-030	Flush Mount Plug Box, 6 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-031	Pipe Mount Plug Box, 1 20A GTL 18" Pigtails.	N/A			X	X	USA
CTP-174-032	Pipe Mount Plug Box, 2 20A GTL 18" Pigtails.	N/A			X	X	USA
CTP-174-033	Pipe Mount Plug Box, 3 20A GTL 18" Pigtails.	N/A			X	X	USA
CTP-174-034	Pipe Mount Plug Box, 4 20A GTL 18" Pigtails.	N/A			X	X	USA
CTP-174-035	Pipe Mount Plug Box, 5 20A GTL 18" Pigtails.	N/A			X	X	USA
CTP-174-036	Pipe Mount Plug Box, 6 20A GTL 18" Pigtails.	N/A			X	X	USA
CTP-174-037	Pipe Mount Plug Box, 1 20A Stagepin Flush Connector.	N/A			X	X	USA
CTP-174-038	Pipe Mount Plug Box 2 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-039	Pipe Mount Plug Box 3 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-040	Pipe Mount Plug Box 4 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-041	Pipe Mount Plug Box, 5 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-042	Pipe Mount Plug Box 6 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-043	Surface Mount Plug Box, 1 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-044	Surface Mount Plug Box, 2 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-045	Surface Mount Plug Box, 3 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-046	Surface Mount Plug Box, 4 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-047	Surface Mount Plug Box, 5 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-048	Surface Mount Plug Box, 6 20A Stagepin Flush Connectors.	N/A			X	X	USA

CTP-174-049	Pipe Mount Plug Box, 1 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-050	Pipe Mount Plug Box, 2 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-051	Pipe Mount Plug Box, 3 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-052	Pipe Mount Plug Box, 4 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-053	Pipe Mount Plug Box, 5 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-054	Pipe Mount Plug Box, 6 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-055	Surface Mount Plug Box, 1 20A GTL Flush Connector.	N/A			X	X	USA
CTP-174-056	Surface Mount Plug Box, 2 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-057	Surface Mount Plug Box, 3 20A GTL Flush Connector.	N/A			X	X	USA
CTP-174-058	Surface Mount Plug Box, 4 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-059	Surface Mount Plug Box, 5 20A GTL Flush Connector.	N/A			X	X	USA
CTP-174-060	Surface Mount Plug Box, 6 20A GTL Flush Connector.	N/A			X	X	USA
CTP-174-061	Surface Mount Plug Box, 1 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-062	Surface Mount Plug Box, 2 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-063	Surface Mount Plug Box, 3 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-064	Surface Mount Plug Box, 4 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-065	Surface Mount Plug Box, 5 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-066	Surface Mount Plug Box, 6 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-067	Flush Mount Plug Box, 1 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-068	Flush Mount Plug Box, 2 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-069	Flush Mount Plug Box, 3 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-070	Flush Mount Plug Box, 4 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-071	Flush Mount Plug Box, 5 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-072	Flush Mount Plug Box, 6 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-073	Pipe Mount Plug Box, 1 20A PBG Flush Connector.	N/A			X	X	USA
CTP-174-074	Pipe Mount Plug Box, 2 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-075	Pipe Mount Plug Box, 3 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-076	Pipe Mount Plug Box, 4 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-077	Pipe Mount Plug Box, 5 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-078	Pipe Mount Plug Box, 6 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-079	Surface Mount Plug Box, 1 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-080	Surface Mount Plug Box, 2 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-081	Surface Mount Plug Box, 3 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-082	Surface Mount Plug Box, 4 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-083	Surface Mount Plug Box, 5 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-084	Surface Mount Plug Box, 6 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-085	Flush Mount Plug Box, 1 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-086	Flush Mount Plug Box, 2 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-087	Flush Mount Plug Box, 3 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-088	Flush Mount Plug Box, 4 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-089	Flush Mount Plug Box, 5 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-090	Flush Mount Plug Box, 6 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-091	Pipe Mount Plug Box, 1 20APBG 18" Pigtail.	N/A			X	X	USA
CTP-174-092	Pipe Mount Plug Box, 2 20A PBG 18" Pigtails.	N/A			X	X	USA
CTP-174-093	Pipe Mount Plug Box, 3 20A PBG 18" Pigtails.	N/A			X	X	USA
CTP-174-094	Pipe Mount Plug Box, 4 20A PBG 18" Pigtail.	N/A			X	X	USA

CTP-174-095	Pipe Mount Plug Box, 5 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-096	Pipe Mount Plug Box, 6 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-097	C-Clamp Mount Plug Box, 1 20A Stagepin Flush Connector.	N/A			X	X	USA
CTP-174-099	C-Clamp Mount Plug Box, 3 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-100	C-Clamp Mount Plug Box, 4 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-101	C-Clamp Mount Plug Box, 5 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-102	C-Clamp Mount Plug Box, 6 20A Stagepin Flush Connectors.	N/A			X	X	USA
CTP-174-103	C-Clamp Mount Plug Box, 1 20A GTL Flush Connector.	N/A			X	X	USA
CTP-174-104	C-Clamp Mount Plug Box, 2 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-105	C-Clamp Mount Plug Box, 3 20A GTL Flush Connectors	N/A			X	X	USA
CTP-174-106	C-Clamp Mount Plug Box, 4 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-107	C-Clamp Mount Plug Box, 5 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-108	C-Clamp Mount Plug Box, 6 20A GTL Flush Connectors.	N/A			X	X	USA
CTP-174-109	C-Clamp Mount Plug Box, 1 20A PBG Flush Connector.	N/A			X	X	USA
CTP-174-110	C-Clamp Mount Plug Box, 2 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-111	C-Clamp Mount Plug Box, 3 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-112	C-Clamp Mount Plug Box, 4 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-113	C-Clamp Mount Plug Box, 5 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-114	C-Clamp Mount Plug Box, 6 20A PBG Flush Connectors.	N/A			X	X	USA
CTP-174-115	C-Clamp Mount Plug Box, 1 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-116	C-Clamp Mount Plug Box, 2 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-117	C-Clamp Mount Plug Box, 3 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-118	C-Clamp Mount Plug Box, 4 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-119	C-Clamp Mount Plug Box, 5 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-120	C-Clamp Mount Plug Box, 6 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-121	C-Clamp Mount Plug Box, 1 20A GTL 18" Pigtails.	N/A			X	X	USA
CTP-174-122	C-Clamp Mount Plug Box, 2 20A GTL 18" Pigtails.	N/A			X	X	USA
CTP-174-123	C-Clamp Mount Plug Box, 3 20A GTL 18" Pigtails.	N/A			X	X	USA
CTP-174-124	C-Clamp Mount Plug Box, 4 20A GTL 18" Pigtails.	N/A			X	X	USA
CTP-174-125	C-Clamp Mount Plug Box, 5 20A GTL 18" Pigtails.	N/A			X	X	USA
CTP-174-126	C-Clamp Mount Plug Box, 6 20A GTL 18" Pigtails.	N/A			X	X	USA
CTP-174-127	C-Clamp Mount Plug Box, 1 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-128	C-Clamp Mount Plug Box, 2 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-129	C-Clamp Mount Plug Box, 3 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-130	C-Clamp Mount Plug Box, 4 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-131	C-Clamp Mount Plug Box, 5 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-132	C-Clamp Mount Plug Box, 6 20A PBG 18" Pigtail.	N/A			X	X	USA
CTP-174-133	Flush Mount Plug Box, 1 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-134	Flush Mount Plug Box, 2 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-135	Flush Mount Plug Box, 3 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-136	Flush Mount Plug Box, 4 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-137	Flush Mount Plug Box, 5 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-138	Flush Mount Plug Box, 6 20A Stagepin 18" Pigtails.	N/A			X	X	USA
CTP-174-139	Flush Mount Plug Box, 1 20A GTL 18" Pigtails.	N/A			X	X	USA
CTP-174-140	Flush Mount Plug Box, 2 20A GTL 18" Pigtails.	N/A			X	X	USA

CTP-174-141	Flush Mount Plug Box, 3 20A GTL 18" Pigtails.	N/A			X	X	USA
CTP-174-142	Flush Mount Plug Box, 4 20A GTL 18" Pigtails.	N/A			X	X	USA
CTP-174-143	Flush Mount Plug Box, 5 20A GTL 18" Pigtails.	N/A			X	X	USA
CTP-174-144	Flush Mount Plug Box, 6 20A GTL 18" Pigtails.	N/A			X	X	USA
miniZ*							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
MZB00-102*	Basic, 120,230,240,277VAC, 50/60Hz input, (2) 120-277VAC relays, no dimming.	100	07847728566	4.0	X	X	USA
MZB00-C02*	Basic, (2) 347V relays, no dimming.	101	07847728568	4.0	X	X	USA
MZB02-102*	Basic, 2 room. 120,230,240,277VAC, 50/60Hz input. (2) 120-277VAC relays, no dimming.	100	07847733626	4.0	X	X	USA
MZB02-C02*	Basic, 2 room. (2) 347V relays, no dimming.	101	07847733627	4.0	X	X	USA
MZD22-102*	Dimming, 120,230,240,277VAC, 50/60Hz input, Dual Room, with (2) 0-10V outputs and (2) 120-277V relays	100	07847733628	4.0	X	X	USA
MZD22-C02*	Dimming, Dual Room, with (2) 0-10V outputs and (2) 347V relays	101	07847733629	4.0	X	X	USA
IRC*							
Part Number	Description	SAN	UPC	Shipping Weight	Eligible for all ARRA Federal Projects	Eligible for Federal ARRA Projects over \$7.4M	Country of Origin
MZD20-102*	Dimming, 120,230,240,277VAC, 50/60Hz input, 2-zone with (2) 0-10V outputs and (2) 120-277V relays.	200	07847728567	4.0	X	X	USA
MZD20-C02*	Dimming, 2-zone, with (2) 0-10V outputs and (2) 347V relays.	201	07847728569	4.0	X	X	USA
MZD30-101*	Dimming, 120,230,240,277VAC, 50/60Hz input, 3-zone, with (3) 0-10V outputs and (1) 120-277V relay.	200	07847728570	4.0	X	X	USA
MZD30-C01*	Dimming 3-zone, with (3) 0-10V outputs and (1) 347V relay.	201	07847728571	4.0	X	X	USA
RLVSW-4LW*	IRC 4 Button Low Voltage Dimming Switch.	304	07847770657		X	X	USA
RCD20-C02*	IRC Dim Kit (2) 0-10V outputs (2) 347V Relays	001	07847770117		X	X	USA
RCD20-102*	IRC Dim Kit (2) 0-10V outputs (2) Standard Relays	000	07847770115		X	X	USA
RCD30-C01*	IRC Dim Kit (3) 0-10V outputs (1) 347V Relays	001	07847770114		X	X	USA
RCD30-101*	IRC Dim Kit (3) 0-10V outputs (1) Standard Relays	000	07847770112		X	X	USA