

ICP Test Report Certification Packet

Company name:	Littelfuse, Inc.
Product Series:	Class J Fast-Acting Fuse
Product #:	JLS SERIES
Issue Date:	June 1, 2012
Directive 2002/95/EC)-restor packing/packaging ma In addition, it is hereby refor unit parts, the packing/	Littelfuse, Inc. that there is neither RoHS (2011/65/EU- recast of EU stricted substance nor such use, for materials to be used for unit parts, iterials, and for additives and the like in the manufacturing processes. ported to you that the parts and sub-materials, the materials to be used packaging materials, and the additives and the like in the manufacturing sed of the following components.
	Issued by: KRISTEEN BACILA <global ehs="" engineer=""></global>
Inc. Listed below a	ers the Power-T Class Fuse series products manufactured by Littelfuse, re RoHS and Non-RoHS compliant series.
< Raw Materials U Please see Tab	
(2) The ICP data on all I	
Remarks :	



Table 1: List of Raw Materials covered by this report

Total Parts	Raw Material Part Number	Raw Material Description	Page(s)
		Silver Strip	3-7
		40A Element(920-220-001)	
		50A Element(920-220-002)	
1	685xxx	60A Element(920-220-001)	
		Copper 110	8-11
		35A Element(920-220-005)	
2	Cu 110	45A Element(920-220-007)	
3	882-579A	Brass Disc	12-16
		Solder	12-31
		35,45,50A Tin Preform(927-063)	
4	927-063/ 927-068	40,60A Solder(927-068)	
5	927-294	Solder Preform	12-31
6	909-396 (039145)	Body - Melamine	32-38
7	090196	Silica	39-44
8	923-508	Cap - Bronze	45-49



Test Report Number: TWNC00240910

Applicant: Littelfuse Philippines Inc.

Date : Jan 20, 2012 LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be : Part Description : Pure Silver Strip

Part Number : 685xxx

Date Sample Received : Jan 16, 2012 Date Test Started : Jan 16, 2012

Test Conducted:

As requested by the applicant, for details please refer to attached pages.

Authorized By: On Behalf Of Intertek Testing Services Taiwan Limited



K. Y. Liang Director

This report shall not be reproduced except in full, without the written approval of the laboratory.

Page 1 of 5



Test Conducted

(I) Test Result Summary:

makely makes	Result (ppm) Silvery Metal	
Test Item		
Heavy Metal		
Cadmium (Cd) content	ND	
Lead (Pb) content	ND	
Mercury (Hg) content	ND	
Chromium VI (Cr ⁶⁺) content (mg/kg with 50cm ²)	Negative (< 0.02)	

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND = Not detected
< = Less than</pre>

mg/kg with $50cm^2$ = milligram per kilogram with 50 square centimetre Negative = A negative test result indicated positive observation was not found at the time of Test.

Responsibility of Chemist : Irene Chiou / Kevin Liu

Date Sample Received : Jan 16, 2012

Test Period : Jan 16, 2012 To Jan 20, 2012

(Ⅱ) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) Content	0.1% (1000ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.



Test Conducted

(Ⅲ) Test Method:

Test Item	Test Method	Reporting Limit
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.		2 ppm
Chromium VI (Cr ⁶⁺) content (mg/kg with 50cm ²)	With reference to IEC 62321 edition 1.0:2008 in annex B, by boiling water extraction and determined by UV-Vis Spectrophotometer.	0.02 mg/kg with 50cm ²


Remark: Reporting limit = Quantitation limit of analyte in sample



Test Conducted

(IV) Measurement Flowchart:

Test For Cd/Pb/Hg/Chromium (VI)
Reference Standard: IEC 62321 edition 1.0:2008




Remarks:

*1: List Of Appropriate Acid:

Material	Acid Added For Digestion
Polymers	HNO3, HC1, HF, H2O2, H3BO3
Metals	HNO3, HC1, HF
Electronics	HNO ₃ , HC1, H ₂ O ₂ , HBF ₄

*2: If the result of spot test is positive, Chromium VI would be determined as detected.


End of Report



Test Conducted

Photo







Test Report NO.: W02032011204D Date: 2012.02.07 Page 1 of 4

Applicant: SUZHOU XINWU OPTRONICT TECHNOLOGY CO.,LTD

Address: 368 YOUYI RD, YOUYI DEVELOPMENT AREA, SONGLING TOWN WUJIANG

SUZHOU, CHINA

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Name: BRASS

Manufacturer: SUZHOU XINWU OPTRONICT TECHNOLOGY CO.,LTD

Sample Description: SOLDER COATING ON Cu

Testing Part Description: MIX TESTED

Sample Received Date: 2012.02.03

Test Period: 2012.02.03 To 2012.02.07

Test Requested: In accordance with the RoHS Directive 2011/65/EU Annex II

Test Method: With reference to IEC62321 Edition 1.0 :2008 method: Regulated Substances

Content of test process with Electrical & Electronic Products

(1) Lead Analysis is performed by AAS
 (2) Cadmium Analysis is performed by AAS

(3) Mercury Analysis is performed by ICP-OES

(4) Hexavalent Chromium Analysis is performed By Spot-test/Boiling-water-

extraction Method

(5) PBBs and PBDEs Analysis is performed by GC-MS

Test Result: Please refer to next page(s)

Approved by:

shary dargin

Code: e5ptm0y6

PONY assures objectivity and justiness of the text, and fulfill, the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown and the sample of the text of the lample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because the use of testing result, or direct and indirect losses, and all legal consequences because the use of testing result, or direct and indirect losses, and all legal consequences because the use of testing result, or direct and indirect losses, and all legal consequences because the use of testing result, or direct and indirect losses, and all legal consequences because the use of testing result, or direct and indirect losses, and all legal consequences because the use of testing result, or direct and indirect losses, and all legal consequences because the use of testing result, or direct and indirect losses, and all legal consequences because the use of testing result, or direct and indirect losses, and all legal consequences because the use of testing result, or direct and indirect losses, and all legal consequences because the use of testing result, or direct and indirect losses, and all legal consequences because the use of testing result, or direct and indirect losses, and all legal consequences because the use of testing result, or direct and indirect losses, and all legal responsibility because the use of testing result, or direct and indirect losses, and all legal responsibility because the use of testing result, or direct and indirect losses, and all legal responsibility because the use of testing result, or direct and indirect losses, and all legal responsibility because the use of testing result, or direct and indirect losses, and all legal responsibility because the use of testing result, or direct and indirect losses, and all legal r

www.ponytest.com & Hotline 400-819-5688

Aou: Yugzhi Building, No. 49-3, Suzhou Building 35, No. 680, Guiping Road, Xuhui Road, Haidian District, Beijing District, Shanghai

Tel: (010) 82618116 Fax: (010) 86219629 E-mail: pony@ponytest.com

TERA

District, Shanghai (021) 64851999 (021) 64856403 csh@ponytest.com Road, Nanshan District, Shenzhen (0755) 26050909 (0755) 26068336

sz@ponytest.com

Building 6 of Zhongxing Industry City, Chuangye



Test Report NO.: W02032011204D Date: 2012.02.07 Page 2 of 4

Test Result (Unit: mg/kg)

Test Item	MDL	Test Result	RoHS Limit
Lead (Pb)	1	N.D.	1000
Cadmium (Cd)	1	N.D.	100
Mercury (Hg)	1	N.D.	1000
Hexavalent Chromium (Cr6+)	See Note (6)	Negative	_
PBBs	-	— — — — — — — — — — — — — — — — — — —	1000
Bromobiphenyl	5	N.D.	7.0 - 0.
Dibromobiphenyl	5	N.D.	
Tribromobiphenyl	5	N.D.	
Tetrabromobiphenyl	5	N.D.	
Pentabromobiphenyl	5	N.D.	_
Hexabromobiphenyl	5	N.D.	_
Heptabromobiphenyl	5	N.D.	(-
Octabromobiphenyl	5	N.D.	
Nonabromobiphenyl	5	N.D.	-
Decabromobiphenyl	5	N.D.	_
PBDEs		-	1000
Bromodiphenyl ether	5	N.D.	_
Dibromodiphenyl ether	5	N.D.	-
Tribromodiphenyl ether	5	N.D.	_
Tetrabromodiphenyl ether	5	N.D.	
Pentabromodiphenyl ether	5	N.D.	
Hexabromodiphenyl ether	5	N.D.	_
Heptabromodiphenyl ether	5	N.D.	1-1
Octabromodiphenyl ether	5	N.D.	_
Nonabromodiphenyl ether	5	N.D.	L
Decabromodiphenyl ether	5	N.D.	_

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of apportover and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

www.ponytest.com & Hotline 400-819-5688

Add: Yingzhi Building,No.49-3,Suzhou Building 35, No.680, Guiping Road, Xuhui Road,Haidian District, Beijing District, Shanghai

Tel: (010) 82618116 Fax: (010) 86219629

E-mail: pony@ponytest.com

(021) 64851999 (021) 64856403 csh@ponytest.com Road, Nanshan District, Shenzhen (0755) 26050909 (0755) 26068336 sz@ponytest.com

Building 6 of Zhongxing Industry City, Chuangye



Test Report

NO.: W02032011204D

Date: 2012.02.07

Page 3 of 4

Note:

- (1) mg/kg = ppm
- (2) "-- " = Does not stipulate
- (3) N.D. = Not Detected (<MDL)
- (4) MDL = Method Detection Limit
- (5) The most allowable limit value reference to RoHS Directive 2011/65/EU Annex II
- (6) Spot-test:

Negative = Not Detected of CrVI coating, Positive = Presence of CrVI coating;

(The tested sample should be further verified by boiling-water-extraction method if the spot test result cannot be confirmed or negative)


Boiling-water-extraction:

Negative = Not Detected of CrVI coating

Positive = Presence of CrVI coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50cm² sample surface area used.

(7) The mixing sample test was performed as client's request. Result obtained only gives informality value and does not represent individual sample material.

Photo:



Pony authenticate the photo on original report only

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

www.ponytest.com & Hotline 400-819-5688

Add: Yingzhi Building, No. 49-3, Suzhou Building 35, No. 680, Guiping Road, Xuhui

Road, Haidian District, Beijing Tel: (010) 82618116 Fax: (010) 86219629

E-mail: pony@ponytest.com

District, Shanghai (021) 64851999 (021) 64856403 csh@ponytest.com Road, Nanshan District, Shenzhen (0755) 26050909 (0755) 26068336 sz@ponytest.com

Building 6 of Zhongxing Industry City, Chuangye



Test Report

NO.: W02032011204D

Date: 2012.02.07

Page 4 of 4


Measurement Flow-chart

Tested by: XuYing Checked by: Walter

Person in charge of the lab: Zhangdaiqin

These Samples Were Dissolved Totally By Pre-conditioning Method According To Below Flow Chart. (Cr6+

And PBBs/PBDEs Test Method Excluded)



End of Report

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of apporover and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

www.ponytest.com & Hotline 400-819-5688

Add: Yingzhi Building, No. 49-3, Suzhou Building 35, No. 680, Guiping Road, Xuhui

Road, Haidian District, Beijing
Tel: (010) 82618116
Fax: (010) 86219629

E-mail: pony@ponytest.com

District, Shanghai (021) 64851999 (021) 64856403

csh@ponytest.com

(0755) 26050909 (0755) 26068336 sz@ponytest.com

Building 6 of Zhongxing Industry City, Chuangye

Road, Nanshan District, Shenzhen



Test Report Number: TWNC00237722

Applicant: Littelfuse, S.A. de C.V.

Blvd. Fausto Z. Martinez #1800 Col. Magisterio Seccion 38 C.P. 26070 Piedra Negras, Coahuila,

Mexico

Sample Description:

One (1) group of submitted samples said to be :

Part Description : BRASS DISC
Part Number : 882-579A
Date Sample Received : Dec 20, 2011
Date Test Started : Dec 20, 2011

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized By: On Behalf Of Intertek Testing Services Taiwan Limited



K. Y. Liang
Director

This report shall not be reproduced except in full, without the written approval of the laboratory.

Date : Dec 27, 2011

Page 1 of 5



Test Conducted

(I) Test Result Summary :

To at Itom	Result (ppm)	
Test Item	Golden Metal	
Heavy Metal		
Cadmium (Cd) content	ND	
Lead (Pb) content	15	
Mercury (Hg) content	ND	
Chromium VI (Cr^{6+}) content $(mg/kg with 50cm^2)$	Negative (< 0.02)	

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND = Not detected
< = Less than</pre>

mg/kg with 50cm² = milligram per kilogram with 50 square centimetre Negative = A negative test result indicated positive observation was not found at the time of Test.

Responsibility of Chemist : Irene Chiou / Kevin Liu

Date Sample Received : Dec 20, 2011

Test Period : Dec 20, 2011 To Dec 23, 2011

(II) RoHS Requirement:

Restricted Substances	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) Content	0.1% (1000ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.



Test Conducted

(Ⅲ) Test Method:

Test Item	Test Method	Reporting Limit	
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm	
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm	
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm	
Chromium VI (Cr ⁶⁺) content	With reference to IEC 62321 edition 1.0:2008 in annex B, by boiling water extraction and determined by UV-Vis Spectrophotometer.	0.02 mg/kg with 50cm ²	

Remark: Reporting limit = Quantitation limit of analyte in sample




Test Conducted

(IV) Measurement Flowchart:

Test for Cd/Pb/Hg/Chromium (VI)

Reference Standard: IEC 62321 edition 1.0:2008



*1: List of Appropriate Acid:

disc of Appropriate Acid:	
Material	Acid Added for Digestion
Polymers	HNO ₃ , HCl, HF, H ₂ O ₂ , H ₃ BO ₃
Metals	HNO _{3,} HCl,HF
Electronics	HNO ₃ ,HCl,H ₂ O ₂ ,HBF ₄

*2: If the result of spot test is positive, Chromium VI would be determined as detected.

End of Report

Page 4 of 5


Intertek Testing Services Taiwan Ltd.



Test Conducted

Number: TWNC00237722

Photo







RESULTS REPORT

DE MEXICO SA DE CV

LABORATORIO CD. DE MEXICO

DELIVER TO:

Littelfuse, S.A. de C.V.

Blvd. Fausto Z. Martínez 1800, Col. Magisterio Sección 38,

Piedras Negras, Coahuila

ATTENTION:

Ing. Mario Falcón / Ing. Manuel Berain





TEST REPORT

APPLICANT

Littelfuse, S.A. de C.V. Blvd. Fausto Z. Martínez 1800, Col. Magisterio Sección 38, Piedras Negras, Coahuila Ing. Mario Falcón / Ing. Manuel Berain

SAMPLE DESCRIPTION

One (1) group of submitted samples said to be:

Sample Description

Serie JLLS

- 1) N.P. 882-525A
- 2) N.P. 882-570A
- 3) N.P. 882-579A
- 4) N.P. 882-695A
- 5) N.P. 882-696A
- 6) N.P. 882-739
- 7) N.P. 882-802
- 8) N.P. 900-102-001
- 9) N.P. 909-264
- 10) N.P. 927-063
- 11) N.P. 927-111
- 12) N.P. 927-243
 - 13) N.P. 927-294
 - 14) N.P. 927-299
 - 15) N.P. 927-301
 - 16) N.P. 911-039-400
 - 17) N.P. 923-247-100
 - 18) N.P. 923-534-001
 - 19) N.P. 923-507-100
 - 20) N.P. 923-529-500
 - 21) N.P. 923-532-200
 - 22) N.P. 923-548-100

Country of Origin

NP

Buyer's Name

Item No.

NP

Supplier's Name

NP

Date sample received 2010-08-05

Testing period

2010-08-09 to 2010-08-20

TEST CONDUCTED

As requested by the applicant, for details please refer to attached pages.

It is prohibited the total or partial reproduction of this document, as well as any modification or alteration in no of its parts without the previous authorization of Intertek Testing Services de México, S.A. de C.V. On the contrary Intertek reserves the right of coming from legal form against that (it is) they are responsible (s).

The results that appear in this report belong solely to (s) shows (s) analyzed (s).

1° Revisión Junio 2005, 1° Revisión Junio 26, 2009.

ILTA/003/GENS-F8

000002





CONCLUSION

Sample Number	Testing item	Conclusion	Failed component	Failed result
1	N.P. 882-525A	Pass See Result summary		
·2	N.P. 882-570A	Pass See Result summary	<u></u>	
3	N.P. 882-579A	Pass See Result summary		*****
4	N.P. 882-695A	Pass See Result summary		
5	N.P. 882-696A	Pass See Result summary		
6	N.P. 882-739	Pass See Result summary	· •	
7	N.P. 882-802	Pass See Result summary		·
8	N.P. 900-102-001	Pass See Result summary		
9	N.P. 909-264	Pass See Result summary		par hor ma
10	N.P. 927-063	Pass See Result summary	ud 24 44	
11	N.P. 927-111	Fail See Result summary	Lead	94300
12	N.P. 927-243	Fail See Result summary	Lead	95600
13	N.P. 927-294	Pass See Result summary	en 201 En	
14	N.P. 927-299	Pass See Result summary		
15	N.P. 927-301	Pass See Result summary		
16	N.P. 911-039-400	Pass See Result summary		
17	N.P. 923-247-100	Pass See Result summary		
18	N.P. 923-534-001	Pass See Result summary		
19	N.P. 923-507-100	Pass See Result summary	en per per	***
20	N.P. 923-529-500	Pass See Result summary	***	
21	N.P. 923-532-200	Pass See Result summary		
22	N.P. 923-548-100	Pass See Result summary		
****	*******		******	

It is prohibited the total or partial reproduction of this document, as well as any modification or alteration in no of its parts without the previous authorization of Intertek Testing Services de México, S.A. de C.V. On the contrary Intertek reserves the right of coming from legal form against that (it is) they are responsible (s).

The results that appear in this report belong solely to (s) shows (s) analyzed (s).





TEST CONDUCTED

Samples:

9) N.P. 909-264

10) N.P. 927-063

11) N.P. 927-111

12) N.P. 927-243

TEST RESULT SUMMARY FOR RoHS DIRECTIVE:

TESTING ITEM		Ω RESU	LT (ppm)		<u>Limit</u>
TESTING ITEM	(9)	(10)	(11)	(12)	<u> Littiit</u>
Cadmium (Cd) content	ND	ND	ND	ND	0,01% (100 ppm)
Lead (Pb) content	ND	221,7	94300	95600	0,1% (1000 ppm)
Mercury (Hg) content	ND	ND	ND	ND	0,1% (1000 ppm)
Chromium (VI) (Cr ⁶⁺)	ND	ND	ND	ND	0,1% (1000 ppm)
POLYBROMINATED BIPHENYLS (PBBs) Total	ND.				0,1% (1000 ppm)
Monobromobiphenyl (MonoBB)	ND				
Dibromobiphenyl (DiBB)	15,0				
Tribromobiphenyl (TriBB)	ND				
Tetrabromobiphenyl (TetraBB)	ND			****	
Pentabromobiphenyl (PentaBB)	ND			·	
Hexabromobiphenyl (HexaBB)	ND				
Heptabromobiphenyl (HeptaBB)	ND				
Octabromobiphenyl (OctaBB)	ND				
Nonabromobiphenyl (NonaBB)	ND				
Decabromobiphenyl (DecaBB)	ND			4	
POLYBROMINATED DIPHENYL ETHERS (PBDEs) Total	ND "				0,1% (1000 ppm)
Monobromodiphenyl (MonoBDE)	ND		****	400	
Dibromodiphenyl (DiBDE)	ND				
Tribromodiphenyl (TriBDE)	ND			•••	
Tetrabromodiphenyl (TetraBDE)	ND	ma de -ma			
Pentabromodiphenyl (PentaBDE)	21,0				
Hexabromodiphenyl (HexaBDE)	ND				
Heptabromodiphenyl (HeptaBDE)	ND				
Octabromodiphenyl (OctaBDE)	ND				
Nonabromodiphenyl (NonaBDE)	ND	****			
Decabromodiphenyl (DecaBDE)	ND				

It is prohibited the total or partial reproduction of this document, as well as any modification or alteration in no of its parts without the previous authorization of Intertek Testing Services de México, S.A. de C.V. On the contrary Intertek reserves the right of coming from legal form against that (it is) they are responsible (s).

The results that appear in this report belong solely to (s) shows (s) analyzed (s).

1°. Emisión Junio 2005, 1° Revisión Junio 26, 2009.

ILTA/003/GENS-F8



Report No.: MX10-1716

Date: 2010-08-23



TEST CONDUCTED

Samples:

13) N.P. 927-294

14) N.P. 927-299

15) N.P. 927-301

16) N.P. 911-039-400

TEST RESULT SUMMARY FOR RoHS DIRECTIVE:

TESTING ITEM		<u>Limit</u>			
TESTING ITEM	(13) (14) (15) (16)		<u> </u>		
Cadmium (Cd) content	ND	ND	ND	ND	0,01% (100 ppm)
Lead (Pb) content	337,1	169,4	150,7	ND	0,1% (1000 ppm)
Mercury (Hg) content	ND	ND	ND	ND	0,1% (1000 ppm)
Chromium (VI) (Cr ⁶⁺)	ND ·	ND	ND	ND	0,1% (1000 ppm)

TEST CONDUCTED

Samples:

17) N.P. 923-247-100

18) N.P. 923-534-001

19) N.P. 923-507-100

20) N.P. 923-529-500

TEST RESULT SUMMARY FOR RoHS DIRECTIVE:

TESTING ITEM		Ω RESU	LT (ppm)		<u>Limit</u>
TESTING TIEM	(17)	(18)	(19)	(20)	<u> </u>
Cadmium (Cd) content	ND	ND	ND	ND	0,01% (100 ppm)
Lead (Pb) content	ND	52,56	ND	27,99	0,1% (1000 ppm)
Mercury (Hg) content	ND	ND	ND	ND	0,1% (1000 ppm)
Chromium (VI) (Cr ⁶⁺)	ND	ND	ND	ND	0,1% (1000 ppm)





TEST CONDUCTED

Samples:

21) N.P. 923-532-200

22) N.P. 923-548-100

TEST RESULT SUMMARY FOR RoHS DIRECTIVE:

TESTING ITEM	Ω RESULT	Ω RESULT (ppm)		
TEOTING ITEM	(21)	(22)	<u>Limit</u>	
Cadmium (Cd) content	ND	ND	0,01% (100 ppm)	
Lead (Pb) content	ND	ND	0,1% (1000 ppm)	
Mercury (Hg) content	ND	ND	0,1% (1000 ppm)	
Chromium (VI) (Cr ⁶⁺)	ND ·	ND	0,1% (1000 ppm)	

ppm = parts per million based on dry weight of sample.

 μ g/cm² = microgram per square centimeter.

mg/kg WITH 50cm² = milligram per kilogram with 50 square centimeter.

< = less than.

ND = Not detected.

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

These Accreditations only apply for the methods listed in such. Not accredited under EMA Ω .

Prepared and checked by:

For Intertek

Laboratory Manager

The Official Mexican Standard NOM-008-SCFI-1993 establishes like separator decimal the comma (,).

It is prohibited the total or partial reproduction of this document, as well as any modification or alteration in no of its parts without the previous authorization of Intertek Testing Services de México, S.A. de C.V. On the contrary Intertek reserves the right of coming from legal form against that (it is) they are responsible (s).

The results that appear in this report belong solely to (s) shows (s) analyzed (s).

ILTA/003/GENS-F8

000007





NOTE :DecaBDE IN POLYMERIC APPLICATIONS IS EXEMPTED ACCORDING TO ROHS DIRECTIVE AMENDMENT 2005/717/EC.

=ACCORDING TO IEC 62321, A POSITIVE RESULT INDICATES THE PRESENCE OF Cr(VI) COATING. IT IS THE Cr(VI) CONCENTRATION DETECTED IN THE BOILING-WATER-EXTRACTION SOLUTION AND SHOULD NOT BE INTERPRETED AS THE Cr(VI) CONCENTRATION IN THE COATING LAYER OF THE SAMPLE.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-1 WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE $\frac{MX10-1716-2}{MX10-1716-2}$ WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-3 WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-4 WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-5 WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-6 WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-7 WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-8 WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-9 WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE $\,$ MX10-1716-10 $\,$ WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-11 WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-12 WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE $\frac{MX10-1716-13}{MX10-1716-13}$ WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE $\,$ MX10-1716-14 $\,$ WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-15 WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-16 WERE TESTED TOGETHER.





REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-17 WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-18 WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-19 WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-20 WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-21 WERE TESTED TOGETHER.

REMARK: AS REQUESTED BY THE APPLICANT, COATING WITH BASE MATERIAL OF TESTED COMPONENTS OF THE SAMPLE MX10-1716-22 WERE TESTED TOGETHER.

Test method:

Sample Number	Testing item	Ω Testing method	Quality control Batch:	<u>Analysis</u> <u>Date:</u>	Analyzed <u>By:</u>	Reporting limit ppm
1-22	Chromium VI (Cr ⁶⁺) content	With reference to USEPA 3060, by EPA 7196	QHU2009-3p164-166	2010-08-09	JLHS,MLG	2,0

Sample Number	Testing item	Ω Testing method	Quality control Batch:	Analysis Date:	Analyzed <u>By:</u>	Reporting limit ppm
9	POLYBROMINATE D BIPHENYLS (PBBs)	Determined by GC-MSD	2010-004642-P CL-001	2010-08-12	CONT	50,0
9	POLYBROMINATE D DIPHENYL ETHERS (PBDEs)	Determined by GC-MSD	2010-004642-P CL-001	2010-08-12	▲ CONT	50,0





Sample			Quality control	Analysis	Analyzed	Reporting limit
Number	Testing item	Ω Testing method	Batch:	Date:	By:	ppm
1	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
2	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
3	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
4	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
5	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
6	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
7	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
· 8	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
9	Lead (Pb) content	With reference to USEPA 3052, by EPA 6010	MET2010-32p54	2010-08-20	DCL,JMR	5,0
10	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
11	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
12	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
13	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
14	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
15	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p53	2010-08-20	DCL,JMR	5,0
16	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
17	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p53	2010-08-20	DCL,JMR	5,0
18	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
19	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
20	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
21	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	5,0
22	Lead (Pb) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p53	2010-08-20	DCL,JMR	5,0





	,	<u> </u>				
Sample Number	Testing item	Ω Testing method	Quality control Batch:	<u>Analysis</u> Date:	Analyzed By:	Reporting limit ppm
1	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
2	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
3	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
4	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
5	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
6	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
7	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
8	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
9	Cadmium (Cd) content	With reference to USEPA 3052, by EPA 6010	MET2010-32p54	2010-08-20	DCL,JMR	2,0
10	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
11	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
12	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
13	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
14	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
15	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p53	2010-08-20	DCL,JMR	2,0
16	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
17	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p53	2010-08-20	DCL,JMR	2,0
18	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
19	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
20	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
21	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p52	2010-08-20	DCL,JMR	2,0
22	Cadmium (Cd) content	With reference to USEPA 3050MOD, by EPA 6010	MET2010-32p53	2010-08-20	DCL,JMR	2,0






Sample	T!!!!	0.7.0	Quality control	<u>Analysis</u>	Analyzed	Reporting limit
Number	<u>Testing item</u>	Ω Testing method	Batch:	Date:	<u>By:</u>	ppm
1	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p18	2010-08-10	JAPM	0,083
2	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p18	2010-08-10	JAPM	0,083
3	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p18	2010-08-10	JAPM	0,083
4	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p18	2010-08-10	JAPM	0,083
5	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p18	2010-08-10	JAPM	0,083
6	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p18	2010-08-10	JAPM	0,083
7	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p18	2010-08-10	JAPM	0,083
8	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p18	2010-08-10	JAPM	0,083
9	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p15	2010-08-10	JAPM	0,083
10	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p18	2010-08-10	JAPM	0,083
11	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p18	2010-08-10	JAPM	0,083
12	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p19	2010-08-10	JAPM	0,083
13	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p19	2010-08-10	JAPM	0,083
14	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p19	2010-08-10	JAPM	0,083
15	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p19	2010-08-10	JAPM	0,083
16	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p19	2010-08-10	JAPM	0,083
17	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p19	2010-08-10	JAPM	0,083
18	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p19	2010-08-10	JAPM	0,083
19	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p19	2010-08-10	JAPM	0,083
20	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p19	2010-08-10	JAPM	0,083
21	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p19	2010-08-10	JAPM	0,083
22	Mercury (Hg) content	With reference to USEPA 7471 by USEPA 7471	MET2010-31p19	2010-08-10	JAPM	0,083








It is prohibited the total or partial reproduction of this document, as well as any modification or alteration in no of its parts without the previous authorization of Intertek Testing Services de México, S.A. de C.V. On the contrary Intertek reserves the right of coming from legal form against that (it is) they are responsible (s).

The results that appear in this report belong solely to (s) shows (s) analyzed (s).

Intertek Testing Services de México, S.A. de C.V.

Blvd. Manuel Ávila Camacho No. 182 Col. Lomas de Chapultepec C.P. 11650, México, D.F. Tel.: 50912150 Fax: 55407863 www.intertek.com 000013



It is prohibited the total or partial reproduction of this document, as well as any modification or alteration in no of its parts without the previous authorization of Intertek Testing Services de México, S.A. de C.V. On the contrary Intertek reserves the right of coming from legal form against that (it is) they are responsible (s).

The results that appear in this report belong solely to (s) shows (s) analyzed (s).

Intertek Testing Services de México, S.A. de C.V.

000014





MX10-1716











MX10-1716







Test Report Number: TWNC00216194

Applicant: Littelfuse, S.A. de C.V.

Blvd. Fausto Z. Martinez #1800 Col. Magisterio Seccion 38 C.P. 26070 Piedra Negras, Coahuila,

Mexico

Sample Description:

One (1) group of submitted samples said to be :

Part Description : Body
Part Number : 039145

Date Sample Received : Jul 14, 2011
Date Test Started : Jul 14, 2011

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized By: On Behalf Of Intertek Testing Services Taiwan Limited



K. Y. Liang
Director

This report shall not be reproduced except in full, without the written approval of the laboratory.

Date : Jul 19, 2011

Page 1 of 7



Test Conducted

(I) Test Result Summary:

lest Result Summary :	Result (ppm)
<u>Test Item</u>	White Material
Heavy Metal	
Cadmium (Cd) content	ND
Lead (Pb) content	ND
Mercury (Hg) content	ND
Chromium VI (Cr ⁶⁺) content	ND
Polybrominated Biphenyls (PBBs)	
Monobrominated Biphenyls (MonoBB)	ND
Dibrominated Biphenyls (DiBB)	ND
Tribrominated Biphenyls (TriBB)	ND
Tetrabrominated Biphenyls (TetraBB)	ND
Pentabrominated Biphenyls (PentaBB)	ND
Hexabrominated Biphenyls (HexaBB)	ND
Heptabrominated Biphenyls (HeptaBB)	ND
Octabrominated Biphenyls (OctaBB)	ND
Nonabrominated Biphenyls (NonaBB)	ND
Decabrominated Biphenyl (DecaBB)	ND
Polybrominated Diphenyl Ethers (PBDEs)	·
Monobrominated Diphenyl Ethers (MonoBDE)	ND
Dibrominated Diphenyl Ethers (DiBDE)	ND
Tribrominated Diphenyl Ethers (TriBDE)	ND
Tetrabrominated Diphenyl Ethers (TetraBDE)	ND
Pentabrominated Diphenyl Ethers (PentaBDE)	ND
Hexabrominated Diphenyl Ethers (HexaBDE)	ND
Heptabrominated Diphenyl Ethers (HeptaBDE)	ND
Octabrominated Diphenyl Ethers (OctaBDE)	ND
Nonabrominated Diphenyl Ethers (NonaBDE)	ND
Decabrominated Diphenyl Ether (DecaBDE)	ND
Halogen Content	
Fluorine (F)	ND
Chlorine (Cl)	ND
Bromine (Br)	ND
Iodine (I)	ND

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND = Not detected

Responsibility of Chemist : Irene Chiou / Kevin Liu / Cathy Chen

Date Sample Received : Jul 14, 2011

Test Period : Jul 14, 2011 To Jul 19, 2011



Test Conducted

(Ⅱ) RoHS Requirement:

Restricted Substances	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) Content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ehters (PBDEs)	0.1% (1000ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

(Ⅲ) Test Method:

Test Item	Test Method	Reporting Limit
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr ⁶⁺) content	With reference to IEC 62321 edition 1.0:2008 in annex C, by alkaline digestion and determined by UV-Vis spectrophotometer.	1 ppm



Test Conducted

(Ⅲ) Test Method:

Test Item	Test Method	Reporting Limit
Polybrominated Biphenyls (PBBs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MSD and further HPLC confirmation when necessary.	5 ppm
Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MSD and further HPLC confirmation when necessary.	5 ppm
Halogen Content	With reference to EN 14582:2007 by calorimetric bomb with oxygen and determined by ion chromatography	50 ppm

Remark: Reporting limit = Quantitation limit of analyte in sample




Test Conducted

(IV) Measurement Flowchart:

Electronics

Test for Cd/Pb/Hg/Chromium (VI)/PBBS/PBDES Contents Reference Standard: IEC 62321 edition 1.0:2008



*2: If the result of spot test is positive, Chromium VI would be determined as detected.


HNO3, HCl, H2O2, HBF4



Test Conducted

(N) Measurement Flowchart:

Test for Halogen Content Reference Standard: EN 14582




End of Report



Test Conducted

Number: TWNC00216194

Photo







Test Report Number: TWNC00222570

Applicant: Littelfuse, S.A. de C.V.

Blvd. Fausto Z. Martinez #1800 Col. Magisterio Seccion 38 C.P. 26070 Piedra Negras, Coahuila,

Mexico

Sample Description:

One (1) group of submitted samples said to be :

Part Description : Filler
Part Number : 090196

Date Sample Received : Sep 05, 2011
Date Test Started : Sep 05, 2011

Test Conducted :

As requested by the applicant, for details please refer to attached pages.

Authorized By: On Behalf Of Intertek Testing Services Taiwan Limited



K. Y. Liang
Director

This report shall not be reproduced except in full, without the written approval of the laboratory.

Date : Sep 07, 2011

Page 1 of 6



Test Conducted

(I) Test Result Summary:

) Test Result Summary :	
	Result (ppm)
Test Item	Semitransparent
	Material
Heavy Metal	·
Cadmium (Cd) content	ND
Lead (Pb) content	ND
Mercury (Hg) content	ND
Chromium VI (Cr ⁶⁺) content	ND
Polybrominated Biphenyls (PBBs)	
Monobrominated Biphenyls (MonoBB)	ND
Dibrominated Biphenyls (DiBB)	ND
Tribrominated Biphenyls (TriBB)	ND
Tetrabrominated Biphenyls (TetraBB)	ND
Pentabrominated Biphenyls (PentaBB)	ND
Hexabrominated Biphenyls (HexaBB)	ND
Heptabrominated Biphenyls (HeptaBB)	ND
Octabrominated Biphenyls (OctaBB)	ND
Nonabrominated Biphenyls (NonaBB)	ND
Decabrominated Biphenyl (DecaBB)	ND
Polybrominated Diphenyl Ethers (PBDEs)	
Monobrominated Diphenyl Ethers (MonoBDE)	ND
Dibrominated Diphenyl Ethers (DiBDE)	ND
Tribrominated Diphenyl Ethers (TriBDE)	ND
Tetrabrominated Diphenyl Ethers (TetraBDE)	ND
Pentabrominated Diphenyl Ethers (PentaBDE)	ND
Hexabrominated Diphenyl Ethers (HexaBDE)	ND
Heptabrominated Diphenyl Ethers (HeptaBDE)	ND
Octabrominated Diphenyl Ethers (OctaBDE)	ND
Nonabrominated Diphenyl Ethers (NonaBDE) ND	
Decabrominated Diphenyl Ether (DecaBDE)	ND
Halogen Content	
Fluorine (F)	ND
Chlorine (Cl)	ND
Bromine (Br)	ND
Iodine (I)	ND

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND = Not detected

Responsibility of Chemist : Irene Chiou / Kevin Liu / Cathy Chen

Date Sample Received : Sep 05, 2011

Test Period : Sep 05, 2011 To Sep 07, 2011



Test Conducted

(Ⅱ) RoHS Requirement:

/ Itolia itequirement	
Restricted Substances	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) Content	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs)	0.1% (1000ppm)
Polybrominated Diphenyl Ehters (PBDEs)	0.1% (1000ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

(Ⅲ) Test Method:

) Test Method:		
Test Item	<u>Test Method</u>	Reporting Limit
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr ⁶⁺) content	With reference to IEC 62321 edition 1.0:2008 in annex C, by alkaline digestion and determined by UV-Vis spectrophotometer.	1 ppm
Polybrominated Biphenyls (PBBs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MSD and further HPLC confirmation when necessary.	5 ppm
Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MSD and further HPLC confirmation when necessary.	5 ppm
Halogen Content	With reference to EN 14582:2007 by calorimetric bomb with oxygen and determined by ion chromatography	50 ppm


Remark: Reporting limit = Quantitation limit of analyte in sample



Test Conducted

(IV) Measurement Flowchart:

Test for Cd/Pb/Hg/Chromium (VI)/PBBS/PBDES Contents Reference Standard: IEC 62321 edition 1.0:2008



Remarks:

*1: List of Appropriate Acid:

Material	Acid Added for Digestion
Polymers	HNO _{3,} HCl,HF,H ₂ O _{2,} H ₃ BO ₃
Metals	HNO _{3,} HCl,HF
Electronics	HNO _{3,} HCl,H ₂ O _{2,} HBF ₄


*2: If the result of spot test is positive, Chromium VI would be determined as detected.



Test Conducted

(N) Measurement Flowchart:

Test for Halogen Content Reference Standard: EN 14582




End of Report



Test Conducted

Number: TWNC00222570

Photo





Test Report Number: TWNC00248700

Applicant: Littelfuse, Philippines Inc. Date : Mar 28, 2012

LIMA Technology Center, Lipa City,

Malvar, Batangas

Sample Description:

One (1) group of submitted samples said to be : Part Description : 1 ID BRASS NLS

Part Number : 923-508

Date Sample Received : Mar 20, 2012
Date Test Started : Mar 23, 2012

Test Conducted:

As requested by the applicant, for details please refer to attached pages.

Authorized By: On Behalf Of Intertek Testing Services Taiwan Limited



K. Y. Liang
Director

This report shall not be reproduced except in full, without the written approval of the laboratory.

Page 1 of 5



Test Conducted

(I) Test Result Summary :

Mark Thom	Result (ppm)	
Test Item	(1)	(2)
Heavy Metal		
Cadmium (Cd) content	ND	ND
Lead (Pb) content	ND	ND
Mercury (Hg) content	ND	ND
Chromium VI (Cr^{6+}) content (mg/kg with $50cm^2$)	Negative (< 0.02)(#)	Negative (< 0.02)(#)

Remarks: ppm = Parts per million based on weight of tested sample = mg/kg

ND = Not detected
< = Less than</pre>

mg/kg with 50cm² = milligram per kilogram with 50 square centimetre Negative = A negative test result indicated positive observation was not found at the time of Test.

= Due to the insufficient sample area, reduced total sample surface of 20 cm² was used and the dilution factor was adjusted accordingly.

Tested Components

(1) Coppery Metal Base Material

(2) Silvery Plating Layer

Responsibility of Chemist : Irene Chiou / Kevin Liu / Cathy Chen

Date Sample Received : Mar 20, 2012

Test Period : Mar 23, 2012 To Mar 27, 2012

(${\rm I\hspace{-.1em}I}$) RoHS Requirement:

Restricted Substances	<u>Limits</u>
Cadmium (Cd) Content	0.01% (100ppm)
Lead (Pb) Content	0.1% (1000ppm)
Mercury (Hg) Content	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) Content	0.1% (1000ppm)

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.



Test Conducted

(Ⅲ) Test Method:

Test Item	Test Method	Reporting Limit
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr ⁶⁺) content	With reference to IEC 62321 edition 1.0:2008 in annex B, by boiling water extraction and determined by UV-Vis Spectrophotometer.	0.02 mg/kg with 50cm ²

Remark: Reporting limit = Quantitation limit of analyte in sample




Test Conducted

(IV) Measurement Flowchart:

Test for Cd/Pb/Hg/Chromium (VI)

Reference Standard: IEC 62321 edition 1.0:2008



TIPE OF THE TOTAL	
Material	Acid Added for Digestion
Polymers	HNO ₃ ,HCl,HF,H ₂ O ₂ ,H ₃ BO ₃
Metals	HNO _{3,} HCl,HF
Electronics	HNO ₃ ,HCl,H ₂ O ₂ ,HBF ₄

*2: If the result of spot test is positive, Chromium VI would be determined as detected.

End of Report

Page 4 of 5

Intertek Testing Services Taiwan Ltd.



Test Conducted

Number : TWNC00248700

Photo





Tel: (+886-2) 6602-2888 · 2797-8885 Fax: (+886-2) 6602-2400 · 6602-2401