



For Use With *PANDUIT*  
*FIBERRUNNER* 4x4, 6x4, 12x4 and  
24x4 Cable Routing Systems

*FIBERRUNNER* Spill-Over Junction


PANDUIT Part Numbers: FRSPJ2X2, FRSPJC24, FRSPJC26, FRSPJC212, FRSPJ4X4, FRSPJC44, FRSPJC46, FRSPJC412

**INSTALLATION INSTRUCTIONS**

© 2009 PANDUIT Corp.







**FIBERRUNNER Spill-Over Junction - Typical Installation**

(*FIBERRUNNER* 4x4, 6x4 and 12x4 only)



# INSTALLATION INSTRUCTIONS

## FIBERRUNNER Spill-Over Junction - Typical Installation continued...




# INSTALLATION INSTRUCTIONS


## **FIBERRUNNER Spill-Over Junction - Typical Installation**

(FIBERRUNNER 24x4 only)

1



2



# INSTALLATION INSTRUCTIONS

## FIBERRUNNER Spill-Over Junction - Typical Installation continued...

3

Head of T-Bolt to be completely seated flush against Support Bracket and flange on Channel

1/4-20 Hex KEPS Lock Nut


FR716DR

4


# INSTALLATION INSTRUCTIONS

## FIBERRUNNER Spill-Over Junction Channel Cover - Typical Installation







(FIBERRUNNER 4x4, 6x4 and 12x4 only)



## FIBERRUNNER Spill-Over Junction Channel Cover - Typical Hinging Operation



# INSTALLATION INSTRUCTIONS



Instruction Sheet RW251

## WORLDWIDE SUBSIDIARIES AND SALES OFFICES

17301 Ridgeland Avenue  
Tinley Park, IL 60477-3901  
Web Site: [www.panduit.com](http://www.panduit.com)



Fax: 708-532-1811  
Technical Support: 800-777-3300  
E-mail: [cs@panduit.com](mailto:cs@panduit.com)