## System Overview

## Copper Systems

#### C. Fiber **Optic** Systems

#### D. Power over Ethernet

### E. Zone Cabling

# Wireless

#### G. Outlets

## Media Distribution

### Ι. Physical Infrastructure Management

## Overhead & Underfloor Routing

## Surface Raceway

L.
Cabinets,
Racks &
Cable
anagement

# Grounding &

# Bonding

# Industrial

### 0. Labeling & Identification

Cable Management Accessories

> Q. Index

## 6x4 FiberRunner® QuikLock™ Coupler

- Pre-assembled to provide fast mechanical assembly of components
- · No tools required for installation; bolts loosen for component disassembly



Part Number	Part Description	Std. Pkg. Qty.	Ctn.
FRBC6X4YL	Pre-assembled coupler quickly joins two sections of channel and/or fittings. Mechanically attaches without tightening bolts. Bolts release using 3/8" nut driver to allow coupler to be removed if necessary.	1	5

For a bulk package of 20 couplers, order FRBC6X4YL-E. For other colors replace suffix YL (Yellow) with OR (Orange) or BL (Black).

## 6x4 FiberRunner® System Fittings

- Minimum 2" (50.8mm) bend radius control fittings
- Protect against signal loss and performance degradation
- Assemble using FRBC QuikLock<sup>™</sup> Couplers
- · Optional split covers snap onto each fitting
- Covers feature 3/4" (19mm) gap to allow cable to be laid in



FRRASC6
6
FRH456X4

0	
7.1	

FRH45SC6

FRTSC6

FRT6X4

Part Number	Part Description	Couplers Required	Std. Pkg. Qty.	
6x4 Horizontal Ri	ght Angle Fitting			
FRRA6X4YL	Attaches to 6x4 channel and/or fittings to create a 90° horizontal turn from a straight horizontal run. Accepts optional split cover FRRASC6YL.	(2 pcs.) FRBC6X4YL	1	5
Split Cover for 6x	4 Horizontal Right Angle Fitting			
FRRASC6YL	Optional split cover for the horizontal right angle fitting FRRA6X4YL. Snap-on feature allows cover to be installed and removed with no tools required. Creates radiused 3/4" (19mm) opening for easy access to add or remove cables.	_	1	5
6x4 Horizontal 45	5° Angle Fitting			
FRH456X4YL	Attaches to 6x4 channel and/or fittings to create a 45° horizontal turn from a straight horizontal run. Accepts optional split cover FRH45SC6YL.	(2 pcs.) FRBC6X4YL	1	5
Split Cover for 6x	4 Horizontal 45° Angle Fitting			
FRH45SC6YL	Optional split cover for the horizontal 45° angle fitting FRH456X4YL. Snap-on feature allows cover to be installed and removed with no tools required. Creates radiused 3/4" (19mm) opening for easy access to add or remove cables.	_	1	5
6x4 Horizontal Te	e Fitting			
FRT6X4YL	Attaches to 6x4 channel and/or fittings to create a	(3 pcs.)	1	5

Split Cover for 6x4 Horizontal Tee Fitting FRT

rsc6yl	Optional split cover for the horizontal tee fitting FRT6X4YL. Snap-on feature allows cover to be installed and removed with no tools required. Creates radiused 3/4" (19mm) opening for easy access to add or remove cables.	_	1	5
--------	--	---	---	---

90° horizontal branch from a straight horizontal run. Accepts optional split cover FRTSC6YL.

For other colors replace suffix YL (Yellow) with OR (Orange) or BL (Black).

Table continues on next page

FRBC6X4YL

# PHYSICAL INFRASTRUCTURE SYSTEMS

B. Copper Systems

C. Fiber **Optic** Systems

D. Power over **Ethernet** 

E. Zone Cabling

Wireless

**Outlets** 

Н. Media Distribution

I. Physical Infrastructure Management

Overhead & Underfloor Routing

Surface Raceway

Cabinets, Racks & Cable Management

**Grounding & Bonding** 

> N. Industrial

0. Labeling & Identification

Cable Management Accessories

> Q. Index

# **6x4 FiberRunner® System Fittings (continued)**







FREC6X4



FRIVRA6X4



FRIV456X4



FROV456X4



Part Number	Part Description	Couplers Required	Std. Pkg. Qty.	Ctn
6x4 Four Way Cr	oss Fitting			
FRFWC6X4YL	Attaches to 6x4 channel and/or fittings to create a horizontal four way cross intersection. Accepts optional split cover FRFWCSC6YL.	(4 pcs.) FRBC6X4YL	1	5
Split Cover for 6	4 Four Way Cross Fitting			
FRFWCSC6YL	Optional split cover for the four way cross fitting FRFWC6X4YL. Snap-on feature allows cover to be installed and removed with no tools required. Creates radiused 3/4" (19mm) opening for easy access to add or remove cables.	_	1	5
6x4 End Cap Fitt	ing			
FREC6X4YL	Used for closing off open ends of the channel or fittings. No coupler required. Push-on installation.	_	1	5
6x4 Inside Vertic	al 90° Angle Fitting			
FRIVRA6X4YL	Attaches to 6x4 channel and/or fittings to create a 90° upward angle from a straight horizontal run. Used with outside vertical 90° angle fitting FROVRA6X4YL to change level of a straight horizontal run. Includes split cover.	(2 pcs.) FRBC6X4YL	1	5
6x4 Inside Vertic	al 45° Angle Fitting			
FRIV456X4YL	Attaches to 6x4 channel and/or fittings to create a 45° upward angle from a straight horizontal run. Used with outside vertical 45° angle fitting FROV456X4YL to change level of a straight horizontal run. Includes split cover.	(2 pcs.) FRBC6X4YL	1	5
6x4 Outside Vert	ical 45° Angle Fitting			
	Attaches to 6v4 shannel and/or fittings to greate a	(2 pag)	-1	-

FROV456X4YL	Attaches to 6x4 channel and/or fittings to create a 45° downward angle from a straight horizontal run. Used with inside vertical 45° angle fitting FRIV456X4YL to change level of a straight horizontal run. Accepts optional split cover FROV45SC6YL.	(2 pcs.) FRBC6X4YL	1	5
-------------	--	-----------------------	---	---

## Split Cover for 6x4 Outside Vertical 45° Angle Fitting

Split Cover for 07	4 Outside vertical 45 Angle i litting			
FROV45SC6YL	Optional split cover for the outside vertical 45° angle fitting FROV456X4YL. Snap-on feature allows cover to be installed and removed with no tools required. Creates radiused 3/4" (19mm) opening for easy access to add or remove cables.	_	1	5

For other colors replace suffix YL (Yellow) with OR (Orange) or BL (Black).

Systems

Q. Index

## 6x4 FiberRunner® System Fittings (continued)







FRRF6FR4



FRRF6FR4SC



FRRF64

Part Number	Part Description	Couplers Required	Std. Pkg. Qty.	Ctn.
6x4 Outside Verti	cal Right Angle Fitting			
FROVRA6X4YL	Attaches to 6x4 channel and/or fittings to create a 90° vertical turn down from a straight horizontal run. Accepts optional split cover FROVRASC6YL.	(2 pcs.) FRBC6X4YL	1	5
Split Cover for 6x	4 Outside Vertical Right Angle Fitting			
FROVRASC6YL	Optional split cover for the outside vertical right angle fitting FROVRA6X4YL. Snap-on feature allows cover to be installed and removed with no tools required. Creates radiused 3/4" (19mm) opening for easy access to add or remove cables.	<del>_</del>	1	5
6x4 to 4x4 FiberF	Runner® Reducer Fitting			
FRRF6FR4YL	Attaches any 6x4 FiberRunner® Fitting or Channel to any 4x4 FiberRunner® Fitting or Channel. Accepts split cover FRRF6FR4SCYL.	(1 pc.) FRBC6X4YL (1 pc.) FRBC4X4YL	1	5
Split Cover for 6x	4 to 4x4 FiberRunner® Reducer Fitting			
FRRF6FR4SCYL	Optional split cover for the 6x4 FiberRunner® to 4x4 FiberRunner® Reducer Fitting FRRF6FR4YL. Snap-on feature allows cover to be installed and removed with no tools required. Creates radiused 3/4" (19mm) opening for easy access to add or remove cables.	_	1	5
6x4 FiberRunner	<sup>®</sup> System to 4x4 Fiber-Duct <sup>™</sup> Reducer Fitting	<b>I</b>		
FRRF64YL	Attaches any 6x4 FiberRunner® Fitting or Channel to the 4x4 Fiber-Duct™ Channel S4X4YL6 or E4X4YL6. Includes solid cover.	(1 pc.) FRBC6X4YL	1	5

For other colors replace suffix YL (Yellow) with OR (Orange) or BL (Black).