



RAB offers energy efficient fluorescent fixtures for large space lighting including warehouses, factories, and distribution centers. The RBAY delivers the high quality needed for these applications with strong, heavy duty 22 gauge rigid housing with no sharp edges. The superior strong-box protective foam case packaging protects the RBAY so it arrives in perfect shape and ready to install.

Color: N/A

Weight: 15.1 lbs

**Project:**

**Type:**

**Prepared By:**

**Date:**

#### Lamp Info

Type: T8  
 Watts: 128W  
 Shape/Size: N/A  
 Base: N/A  
 ANSI: N/A  
 Hours: 24,000  
 Lamp Lumens: 9811  
 Efficacy: 86 LPW

#### Ballast Info

Type: Instant Start  
 120V: 1.60A  
 208V: 0.61A  
 240V: 0.53  
 277V: 0.46A  
 Input Watts: 114W

## Technical Specifications

### Listings

#### UL Listing:

Dry Locations Only. Ceiling Mount Only.

### Construction

#### Housing:

Heavy duty 22 gauge steel housing and wiring box with 1/2" NPS knockouts. Painted white. Easy wiring and maintenance access panel. Includes "Y" hooks.

#### Reflector:

Aluminum High Performance brilliant bevel segmented reflectors.

#### Ballast Minimum Starting Temperature:

0°F.

#### Base:

Medium Bi Pin.

#### Reflector:

Alanod 320G-E with reflectivity of ≥86%.

### Optical

#### Lamp:

T8 Linear (not supplied).

### Electrical

#### Ballast:

Instant Start, Universal Voltage 120 - 277V (not suitable for use with occupancy sensors).

#### Total Watts:

4x32W.

#### Input Volts:

120-277V.

#### Input Amps:

.98/.43.

#### Ballast Factor:

0.88.

### Other

#### CRI:

85


#### Mounts:

Surface or Chain (Y Hooks included).

#### Buy American Act Compliance:

RAB values USA manufacturing! Upon request, RAB may be able to manufacture this product to be compliant with the Buy American Act (BAA). Please contact customer service to request a quote for the product to be made BAA compliant.

### Dimensions



### Features

- Qualifies for EPA Act 2005 incentives
- Post-painted, high reflective gloss white powder coat finish
- High Performance, brilliant bevel segmented reflectors
- Easy wiring and maintenance access panel
- Rotary locking lamp holders for vibration security and easy relamping
- Heavy duty 22 gauge steel Rigid strong housing with no sharp edges