

TSXCPP110

CANopen bus master PCMCIA card - V4.02 -
class M00



Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 1049.00 USD



Main

Commercial Status	Commercialised
Range of product	Modicon Premium Automation platform
Product or component type	CANopen bus master PCMCIA card
Software designation	CANopen standard
Software version	V4.02
Additional information	Unauthorized on TSX P57 153M/154M processor
Electrical connection	1 male connector SUB-D 9 + TAP junction CANopen bus connection

Complementary

Product compatibility	Atrium TSXPCI or TPCX Device conforms to CANopen standard profile Modicon Premium TSXP57
Memory type	PCMCIA card III
Bus conformity class	M00
Communication port protocol	CANopen
Method of access	Master
Transmission rate	10 kbit/s 1000 kbit/s 125 kbit/s 20 kbit/s 250 kbit/s 50 kbit/s 500 kbit/s 800 kbit/s
Transmission support medium	2 twisted shielded pairs cable
Communication service	Management of bus operating modes Message handling (SDO) PDO cyclic exchanges
Num modules per PLC per PC	1 Premium TSXP57
Current consumption	60 mA at 5 V DC
Marking	CE
Product weight	0.51 lb(US) (0.23 kg)



Environment

Ambient air temperature for operation	32...140 °F (0...60 °C)
IP degree of protection	IP20
Standards	DR 303-2 DS 301 V4.02
Product certifications	CSA UL

Ordering and shipping details

Category	22558 - TSX PREMIUM, ATRIUM & PL7 PRO
Discount Schedule	PC22
GTIN	00785901705307
Nbr. of units in pkg.	1
Product availability	Non-Stock - Not normally stocked in distribution facility
Returnability	N
Country of origin	DE

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0950 - Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold
Product environmental profile	Available  Download Product Environmental Profile
Product end of life instructions	Available  Download End Of Life Manual

Contractual warranty

Warranty period	18 months
-----------------	-----------