8538SGG13V02S

Combination starter, fusible, Size 5, 270 A, 3P, 120/110 VAC 50/60 Hz coil, melting alloy overload, NEMA 1

Product availability: Non-Stock - Not normally stocked in distribution facility



Main

Product	Combination Starter
Туре	S
Control Circuit Type	Separate control circuit

Complementary

o in promortary		
Control Circuit Voltage	110 V AC 50 Hz	
	120 V AC 60 Hz	
Starter Type	Non reversing	
Number of Poles	3P	
Horsepower Rating	200 Hp 460 V AC, 3 phase	
	200 hp 575 V AC, 3 phase	
Maximum Voltage Rating	600 V AC	
Control Units	No control units	
Pilot Light	No indicator	
Auxiliary Contacts	Without	
Thermal overload type	Melting alloy 3	
Disconnect Type	Fusible disconnect switch H, 400 A	
NEMA size	5	

Environment

Enclosure Type	NEMA 1 painted sheet steel with external reset

Ordering and shipping details

Category	21215 - 8538,39SG(NOT S*R,S*T,S*W)
Discount Schedule	CP1
GTIN	00785901740612
Package weight(Lbs)	206.38 kg (455 lb(US))
Returnability	Yes
Country of origin	MX

Offer Sustainability

EU RoHS Directive	Not compliant
China RoHS Regulation	China RoHS Declaration

Contractual warranty

Warranty	18 months