# GV7AC06

TeSys GV7 - kit for combination with contactor LC1-F115...185





Main	
Range	TeSys
Product or component type	Kit for combination with connector
Device short name	GV7AC
Range compatibility	TeSys GV7 TeSys F
Accessory / separate part category	Connection accessory
Product compatibility	LC1F115LC1F185

#### Complementary

Kit composition	Short terminal shield Adjustable mounting bracket(s) Terminal screw type connector
Quantity per set	Set of 1
Net Weight	1.21 lb(US) (0.55 kg)

#### Ordering and shipping details

22366 - MAN STR PROTECTORS-GV1/GV3
l11
00785901567301
1
2.48 lb(US) (1.12 kg)
Yes
FR

#### **Packing Units**

Unit Type of Package 1	PCE	
Package 1 Height	3.62 in (9.2 cm)	
Package 1 width	3.94 in (10 cm)	
Package 1 Length	7.36 in (18.7 cm)	·
Unit Type of Package 2	S02	
Number of Units in Package 2	4	<del></del> .
Package 2 Weight	10.57 lb(US) (4.794 kg)	
Package 2 Height	5.91 in (15 cm)	
Package 2 width	11.81 in (30 cm)	
Package 2 Length	15.75 in (40 cm)	


### Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds which is known to the State of California to cause Carcinogen & Reproductive harm. For more information go to www.p65warnings.ca.gov
EU RoHS Directive	Compliant EPEU RoHS Declaration
Mercury free	Yes
RoHS exemption information	₫Yes
China RoHS Regulation	China RoHS Declaration
Environmental Disclosure	Product Environmental Profile

### Contractual warranty


|--|

# Combination of GV7R and TeSys Contactor LC1 F with Kit GV7AC0.



	а	b	С
GV7R + LC1F115 or F150 + GV7AC06	119	334	181
GV7R + LC1F185 + GV7AC06	119	338	188
GV7R + LC1F225 + GV7AC07	131	358	188
GV7R + LC1F265 + GV7AC07	131	364	215

### Combination of GV7R and TeSys Contactor LC1F with Kit GV7 AC0.



	E	G	Н
GV7R + LC1F115 + GV7AC06	44	85	120
GV7R + LC1F150 + GV7AC06	46	85	120
GV7R + LC1F185 + GV7AC06	48	85	120
GV7R + LC1F225 + GV7AC07	57	85	120
GV7R + LC1F265 + GV7AC07	60	85	120