9001KS88B

30mm Push Button, Type K, selector switch, 4 position, black knob





Main	
Range of product	Harmony 9001K
Product or component type	Selector switch
Device short name	К
Type of operator	Stay put
Operator profile	Black standard knob

Complementary

Bezel material	Chromium plated metal
Mounting diameter	1.18 in (30 mm)
Operator position information	4 positions
Contacts type and composition	Without contact block
Product compatibility	9001KA1 side 1 or 2
Device presentation	Basic element

Environment

NEMA degree of protection	NEMA 1/2/3/3R/4/6/12/13	
Product certifications	UL listed file E42259 CCN NKCR CE CSA LR24590 class 3211 03	

Ordering and shipping details

Category	21426 - 9001 K (NOT KA,KM,KX)	
Discount Schedule	CS1	
GTIN	00785901322535	
Nbr. of units in pkg.	1	
Package weight(Lbs)	0.34 lb(US) (0.15 kg)	
Returnability	Yes	
Country of origin	MX	

Packing Units

Package 1 Height	2.80 in (7.112 cm)
Package 1 width	2.30 in (5.842 cm)
Package 1 Length	2.10 in (5.334 cm)


Offer Sustainability


Sustainable offer status	Green Premium product Pro-active compliance (Product out of EU RoHS legal scope) □ EU RoHS Declaration	
EU RoHS Directive		
Mercury free	Yes	
RoHS exemption information	₽¥Yes	
China RoHS Regulation	☐ China RoHS Declaration	
Environmental Disclosure	☑ Product Environmental Profile	
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.	

Contractual warranty

Warranty	18 months

Approximate Dimensions





Panel Thickness	Number
E dim.	of
in. [mm]	Gasket
1/16 [1.6]	4
1/8 (3.2)	3
3/16 (4.8)	2
1/4 (6.4)	1

in. [mm]