## Product data sheet Characteristics

# 450R288 TRANSFORMER VOLTAGE 288:120 0.3Y

| Main                  |                     |  |
|-----------------------|---------------------|--|
| Product               | Voltage transformer |  |
| Certifications        | UL Listed           |  |
| Ratio                 | 2.4/1               |  |
| Enclosure Type        | NEMA 1              |  |
| Phase                 | 1 phase             |  |
| Primary Voltage       | 288 V               |  |
| Power Rating          | 500 VA              |  |
| Secondary Voltage     | 120 V               |  |
| Electrical Connection | Studs               |  |
|                       |                     |  |

### Ordering and shipping details

| Category            | 15505 - CLASS 4210 VT'S (LC 5101) |  |
|---------------------|-----------------------------------|--|
| Discount Schedule   | PA1                               |  |
| GTIN                | 00785901098157                    |  |
| Package weight(Lbs) | 23 lb(US) (10.43 kg)              |  |
| Returnability       | No                                |  |
| Country of origin   | US                                |  |

#### Offer Sustainability

| Oner Odstainability        |   |
|----------------------------|---|
| California proposition 65  | WARNING: This product can expose you to chemicals including: Formaldehyde (gas) which is known to the State of California to cause Carcinogen harm. For more information go to www.p65warnings.ca.gov |
| REACh Regulation           | <sup>™</sup> REACh Declaration  |
| REACh free of SVHC         | Yes   |
| EU RoHS Directive          | Compliant EPEU RoHS Declaration   |
| Toxic heavy metal free     | Yes   |
| Mercury free               | Yes   |
| RoHS exemption information | ₫Yes  |
| China RoHS Regulation      | China RoHS Declaration  |
|                            |   |

#### Contractual warranty

| Contractadi Warranty | otaal wallarity |  |  |
|----------------------|-----------------|--|--|
| Warranty             | 18 months       |  |  |