

# Product data sheet

## Characteristics

## ZBSP2

Protection cover, rigid plastic, transparent, for RJ45 and USB ports



### Main

Range of product	Harmony XB5
Sale per indivisible quantity	1

### Complementary

Panel Thickness with accessory	0.06...0.20 in (1.5...5 mm)
Product or component type	Rigid protection cover
Material	Plastic
Accessory / separate part category	Protection accessories
Product compatibility	Panel mounted RJ45 port XB5P Panel mounted USB port XB5P
IP degree of protection	IP65 IEC 60529 IP67 IEC 60529
Color	Transparent




### Ordering and shipping details

Category	00028 - DATA PORTS
Discount Schedule	CS2
GTIN	00785901655244
Nbr. of units in pkg.	1
Package weight(Lbs)	0.02 lb(US) (0.01 kg)
Returnability	Yes
Country of origin	DE


### Packing Units

Package 1 Height	0.150 dm
Package 1 width	0.800 dm
Package 1 Length	1.300 dm

### Offer Sustainability

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)  <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	 <a href="#">Yes</a>
China RoHS Regulation	 <a href="#">China RoHS Declaration</a>


## Dimensions



- (1) Side View - Open
- (2) Back View - Open

## Panel Cut-out for Protective Cover (Finished Holes, Ready for Installation)

### Connection by Screw Clamp Terminals or Plug-in Connectors



(1) Diameter on finished panel or support

Connections	a in mm	a in in.	b in mm	b in in.
By screw clamp terminals or plug-in connector	40	1.57	40	1.57