




Product End of Life Instructions

Complete Illuminated Plastic Button and Switch



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted		Other plastic parts with brominated flame retardants	0,88	Red or Green Pusher part
To be depolluted		PC, ABS-PC, PA, PA6, HDPE, SAN with brominated flame retardants	0,88	Red or Green Pusher part

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Illuminated complete plastic unit with contact function. It combines simplicity of installation, flexibility, and robustness. It meets the requirements of the majority of industrial applications.
Product reference	XB5AW34B5
Total representative product mass	47.6 g
Date of information release	11/2017

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	37%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

*Country Customer Care Center
<http://www.schneider-electric.com/contact>*

*35, rue Joseph Monier
CS 30323
F- 92506 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 896 313 776 €*

www.schneider-electric.com

ENVEOLI1710010EN_V1

Published by Schneider Electric

© 2017 - Schneider Electric – All rights reserved

11/2017