



### Main

|                             |  |
|-----------------------------|--|
| Range                       | Spacial  |
| Product name                | Spacial SM   |
| Product or component type   | Compact enclosure  |
| Application                 | Multi-purpose  |
| Installation accessory type | Floor-standing   |
| Device composition          | 1 body<br>1 cable gland plate<br>1 locking system with handle door<br>4 mounting plate bracket<br>1 door |
| Removable parts             | Door by screws hinge<br>Mounting plate bracket by screws   |
| Enclosure nominal height    | 55.12 in (1400 mm)   |
| Enclosure nominal width     | 31.50 in (800 mm)  |
| Enclosure nominal depth     | 15.75 in (400 mm)  |

### Complementary

|                             |  |
|-----------------------------|--|
| Number of doors             | Front 1  |
| Door opening side           | Reversible 120 °)  |
| Door type                   | Glass  |
| Lock type                   | 4 points lock, handle with 5 mm double bar insert  |
| Body type                   | Single piece body with welded rear panel<br>Front part forming a rigid frame with welded corners |
| Mounting plate description  | Without mounting plate   |
| Type of gland plate         | Standard   |
| Cable entry                 | 1 entry  |
| Material                    | Door Securit glass<br>Body sheet steel<br>Door sheet steel<br>Hinge zamak                        |
| Surface finish              | Epoxy-polyester powder   |
| Color                       | Enclosure Gray RAL 7035)<br>Handle Black RAL 9005)   |
| Accessibility for operation | Front  |
| Net Weight                  | 138.89 lb(US) (63 kg)  |

### Environment

|                         |                 |
|-------------------------|-----------------|
| Standards               | IEC 62208       |
| Product certifications  | UL<br>DNV<br>BV |
| IP degree of protection | IP55 IEC 60529  |
| IK degree of protection | IK08 IEC 62262  |

## Ordering and shipping details

|                       |                                       |
|-----------------------|---------------------------------------|
| Category              | 80035 - ENCLOSURE SYSTEMS FLOOR MOUNT |
| Discount Schedule     | ES1                                   |
| GTIN                  | 03606485120911                        |
| Nbr. of units in pkg. | 1                                     |
| Package weight(Lbs)   | 138.6 lb(US) (62.87 kg)               |
| Returnability         | No                                    |
| Country of origin     | ES                                    |

## Packing Units

|                        |                    |
|------------------------|--------------------|
| Unit Type of Package 1 | PCE                |
| Package 1 Height       | 60.24 in (153 cm)  |
| Package 1 width        | 33.27 in (84.5 cm) |
| Package 1 Length       | 19.29 in (49 cm)   |

## Offer Sustainability

|                            |  |
|----------------------------|--|
| Sustainable offer status   | Green Premium product  |
| REACH free of SVHC         | Yes  |
| EU RoHS Directive          | Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a> |
| Mercury free               | Yes  |
| RoHS exemption information | <a href="#">Yes</a>  |
| China RoHS Regulation      | <a href="#">China RoHS Declaration</a>   |
| Environmental Disclosure   | <a href="#">Product Environmental Profile</a>  |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|