

Main Range TeSys Product or component Coil type Range compatibility TeSys Integral contactor breaker Device short name LX1 AC 60 Hz Control circuit type [Uc] control circuit 230...240 V AC 60 Hz voltage 23.24 Ohm 68 °F (20 °C) Average resistance

4.5 H

Complementary

Control circuit voltage limits	Operational 0.851.1 Uc 131 °F (55 °C)) Drop-out 0.250.7 Uc 131 °F (55 °C))	
Inrush power in VA	420500 VA 60 Hz 0.55	
Hold-in power consumption in VA	2436 VA 60 Hz 0.28	

Inductance of closed

circuit

Environment

Net Weight	0.66 lb(US) (0.3 kg)

Ordering and shipping details

Category	22384 - STARTERS,INTEGRAL,ACCESS	
Discount Schedule	l11	
GTIN	00785901263548	
Nbr. of units in pkg.	1	
Package weight(Lbs)	0.72 lb(US) (0.33 kg)	
Returnability	No	
Country of origin	FR	

Packing Units

Package 1 Height	0.750 dm
Package 1 width	0.750 dm
Package 1 Length	1.000 dm

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Antimony oxide
	& Antimony trioxide which is known to the State of California to cause Carcinogen
	harm. For more information go to www.p65warnings.ca.gov

Contractual warranty

Warranty	18 months