LSS283427

EcoStruxure Building Expert-Enocean valve drive for bus or RF



Main Range EcoStruxure Building Expert Product name Enocean Product or component type Room temperature controller Device application Temperature control

Complementary

Antenna type	Integrated	
Connections - terminals	Screw terminal, 1.5 mm²	
Device mounting	Flush	
Power consumption in VA	9.8 VA	
Nominal output power	2500 W	
[Us] rated supply voltage	100240 V AC 50 Hz +/- 10 %	
Number of inputs	10 sensor	
Net Weight	0.12 lb(US) (0.055 kg)	
IP degree of protection	IP20 EN 60529	
Market segment	Small buildings	
Enclosure material	ABS Red	
Maximum Height	1.89 in (48 mm)	
Maximum Width	2.76 in (70 mm)	
Maximum Depth	1.38 in (35 mm)	

Environment

Ambient air temperature for operation	-4140 °F (-2060 °C)
Standards	EN 61000-6-2:2005
Claridated	EN 61000-6-3:2007
	EN 61000-3-2:2006
	EN 61000-3-3:1995
	EN 61000-3-3:2001/A1
	EN 61000-3-3:2005/A2
	EN 60730-1:2002
	ETSI EN 301 489-3:2001
Directives	1999/5/EC - R&TTE directive
	2004/108/EC - electromagnetic compatibility

Ordering and shipping details

GTIN	07332552010668
Package weight(Lbs)	0.10 lb(US) (0.047 kg)

Packing Units

Package 1 Height	1.30 in (3.300 cm)	
Package 1 width	1.93 in (4.900 cm)	
Package 1 Length	2.83 in (7.200 cm)	

Compliant EU RoHS Declaration