

### Main

Range of product	Harmony XVR
Product or component type	Prewired rotating mirror beacon
Sound signalling	Without
Device short name	XVR
Mounting diameter	5.12 in (130 mm)
IP degree of protection	IP66 IEC 60529 IP67 IEC 60529
[Us] rated supply voltage	230 V AC
Light source	High luminosity LED, orange

## Complementary

ABS (acrylonitrile butadiene-styrene) body part PC globe	
5.12 in (130 mm)	
5.12 in (130 mm)	
2.18 lb(US) (0.99 kg)	
CE	
By 3 M6 screws	
4 kV	
22 mA	
2.7 Hz	
1.25 mm²	
AWG 18	
15.75 in (400 mm)	
	PC globe 5.12 in (130 mm) 5.12 in (130 mm) 2.18 lb(US) (0.99 kg) CE By 3 M6 screws 4 kV 22 mA 2.7 Hz 1.25 mm² AWG 18

### Environment

211111011110111	
Standards	EN/IEC 60947-1 EN/IEC 60947-5-1
Protective treatment	TC
Ambient air temperature for storage	-31158 °F (-3570 °C)
Ambient air temperature for operation	-22122 °F (-3050 °C)
Electrical shock protection class	Class II IEC 61140

### Ordering and shipping details

Category	22617 - XVC TOWER LIGHTS	
Discount Schedule	XV	
GTIN	00785901944867	
Nbr. of units in pkg.	1	
Package weight(Lbs)	2.91 lb(US) (1.32 kg)	
Returnability	No	
Country of origin	ID	

#### **Packing Units**

Package 1 Height	1.950 dm	
Package 1 width	1.950 dm	
Package 1 Length	2.650 dm	

## Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds which is known to the State of California to cause Carcinogen & Reproductive harm. For more information go to www.p65warnings.ca.gov	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS  Declaration	
Mercury free	Yes	
RoHS exemption information	₫Yes	
China RoHS Regulation	☑ China RoHS Declaration	
Environmental Disclosure	Product Environmental Profile	
Circularity Profile	☐ End Of Life Information	

## Contractual warranty


Warranty	18 months
----------	-----------


# Product data sheet Dimensions Drawings

# XVR13M05L

## **Rotating Mirror Beacon**

## Dimensions





# Product data sheet Mounting and Clearance

# XVR13M05L

## Rotating Mirror Beacon

## Panel Cut-out

