9001SKR2U 30MM PUSH BUTTON HEAD EXTENDED **GUARD**





Main		
Range of product	Harmony 9001SK	
Product or component type	Head for spring return push-button	
Device short name	9001SK	
Operator profile	Recessed, unmarked	
Operator additional information	High guard with set of 7 color caps	

Complementary

Mounting diameter	1.18 in (30 mm)
Shape of signaling unit head	Round
Type of operator	Spring return
Net Weight	0.11 lb(US) (0.05 kg)

Ordering and shipping details

Category	21429 - 9001 SK,SKY	
Discount Schedule	CS1	
GTIN	00785901524380	
Nbr. of units in pkg.	1	
Package weight(Lbs)	0.11 lb(US) (0.05 kg)	
Returnability	Yes	
Country of origin	MX	

Packing Units

3		
Unit Type of Package 1	PCE	
Package 1 Height	2.00 in (5.08 cm)	
Package 1 width	2.30 in (5.842 cm)	
Package 1 Length	2.90 in (7.366 cm)	

Offer Sustainability


Sustainable offer status	Green Premium product	
REACh free of SVHC	Yes	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EVEN RoHS	
Toxic heavy metal free	Yes	
Mercury free	Yes	
RoHS exemption information	₫Yes	
China RoHS Regulation	China RoHS Declaration	
Environmental Disclosure	ental Disclosure Product Environmental Profile	
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.	


Warranty 18 months

Product data sheet Dimensions Drawings

9001SKR2U

Dimensions






9001SKR2U

Contact Block Mounting Position

Top and Rear views



- It is possible to mount up to 3 levels of contacts blocks (maximum of 6 contacts blocks)
- (1) (2) (3) Operator
- Locating notch
- Side 1
- (4) (5) Side 2