# **BCPMSCAY63S**

BCPM power monitoring advanced + 2 adapter boards - 42 split core CT (not incld)



Main	
Range	PowerLogic
Product name	PowerLogic BCPMSC
Product or component type	Multi-circuit energy meter
Device short name	BCPMSCA
Model type	Advanced
Power monitoring	Basic instrumentation
Energy management	Sub billing and cost allocation
Device application	Sub billing
Power quality analysis	Voltage sag and swell detection
Type of measurement	Voltage Current Frequency Active power Power factor Active energy
[Us] rated supply voltage	90277 V AC 50/60 Hz +/- 1 %

60 Hz

50 Hz

#### Complementary

Complementary		
Current transformer input	42 split core CT 0.333 V	
Update time	1.8 s	
Measurement voltage	90277 V phase to neutral 150480 V phase to phase	
Measurement accuracy	Branch current 2 % 0.252 A Branch current 1 % 2100 A Mains current 3 % 1100 % Mains current 3 % 2100 % Voltage 1 % 90277 V	
Sampling rate	256 samples/cycle	
Provided equipment	2 x cables 2 x adapter board Bracket for support	
Communication port protocol	Modbus RTU	
Communication port support	RS485	
Communication of data	High current alarm Low current alarm High-high current alarm Under voltage alarm Low-low current alarm Over voltage alarm	

Network frequency

#### Environment

Mounting mode	Fixed	
Mounting support	Bracket	
Relative humidity	095 % 32140 °F (060 °C)	
Ambient air temperature for storage	-40158 °F (-4070 °C)	
Operating altitude	9842.52 ft (3000 m)	
Standards	EN 61010 ANSI C12.1 UL 508 IEC 61036	

Product certifications	UL	
Maximum Width	11.34 in (288 mm)	
Maximum Height	5.75 in (146 mm)	
Net Weight	3.31 lb(US) (1.5 kg)	

## Ordering and shipping details

Category	09793 - PLOGIC BRANCH CIRCUIT BCPM & MCM
Discount Schedule	PL1
GTIN	03606480566875
Nbr. of units in pkg.	1
Package weight(Lbs)	3.1 lb(US) (1.41 kg)
Returnability	No

#### Packing Units

Package 1 Height	6.02 in (153.000 mm)	
Package 1 width	12.01 in (305.000 mm)	
Package 1 Length	15.00 in (381.000 mm)	

## Offer Sustainability

EU RoHS Directive	Compliant EEU RoHS Declaration
China RoHS Regulation	China RoHS Declaration
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.