8536SEG1V06A

Non-Reversing Starter Size 3, 3-Pole, Melting Alloy Overload, NEMA 1 +Options



Main			
Product or component	Starter		
type			
Туре	S		
Control Circuit Type	Common control circuit		

Complementary

440.7/4.0 50.11	
480 V AC 60 Hz	
Non reversing	
90 A	
3P	
3 phase	
25 HP 200 V AC	
30 HP 230 V AC	
50 HP 460 V AC	
50 HP 575 V AC	
600 V AC	
2 momentary push-buttons (START-STOP)	
Melting alloy 3	
Screw clamp terminals	
3	
21.81 in (554 mm)	
11.46 in (291 mm)	
8.39 in (213 mm)	
	90 A 3P 3 phase 25 HP 200 V AC 30 HP 230 V AC 50 HP 460 V AC 50 HP 575 V AC 600 V AC 2 momentary push-buttons (START-STOP) Melting alloy 3 Screw clamp terminals 3 21.81 in (554 mm) 11.46 in (291 mm)

Environment

Enclosure Type	NEMA 1 painted sheet steel
Product certifications	UL Listed NEMA CSA

Ordering and shipping details

Category	21193 - 8502,36 SE,SF(NOT S*R,T,W)	
Discount Schedule	CP1	
GTIN	00785901238621	
Package weight(Lbs)	17 lb(US) (7.71 kg)	
Returnability	No	
Country of origin	MX	

Offer Sustainability

REACh Regulation	REACh Declaration	
EU RoHS Directive	Not compliant	
China RoHS Regulation	d China RoHS Declaration	

Contractual warranty

Warranty 18 months	
--------------------	--