Product data sheet Characteristics

VW3A4417

EMC radio interference input filter - for variable speed drive



Main	
Range of product	Altivar
Product or component type	EMC input filter
Range compatibility	Altivar 12
Product compatibility	ATV12H075F1 ATV12HU15M2 ATV12HU22M2
Product specific application	Radio interference input filter

Complementary

Net Weight 3.21 lb(US) (1.455 kg)	
-----------------------------------	--

Environment

Standards	Environment 1 category C2 EN/IEC 61800-3 Environment 1 category C3 EN/IEC 61800-3
	Environment 2 category C3 EN/IEC 61800-3

Ordering and shipping details

erdering and emphing detaile	
Category	22042 - ATV12 DRIVE AND ACCESSORIES
Discount Schedule	CP4B
GTIN	00785901989271
Nbr. of units in pkg.	1
Package weight(Lbs)	3.27 lb(US) (1.48 kg)
Returnability	No
Country of origin	HU

Packing Units

Unit Type of Package 1	PCE
Package 1 Height	3.54 in (9 cm)
Package 1 width	7.48 in (19 cm)
Package 1 Length	15.16 in (38.5 cm)
Unit Type of Package 2	CAR
Number of Units in Package 2	1
Package 2 Weight	4.30 lb(US) (1.95 kg)
Package 2 Height	3.54 in (9 cm)
Package 2 width	7.48 in (19 cm)
Package 2 Length	15.16 in (38.5 cm)
Unit Type of Package 3	P06
Number of Units in Package 3	24
Package 3 Weight	89.95 lb(US) (40.8 kg)
Package 3 Height	28.74 in (73 cm)
Package 3 width	31.50 in (80 cm)
Package 3 Length	23.62 in (60 cm)

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov		
REACh Regulation	☑ REACh Declaration		
REACh free of SVHC	Yes		
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration		
Toxic heavy metal free	Yes		
Mercury free	Yes		
RoHS exemption information	₽¥Yes		
China RoHS Regulation	☑ China RoHS Declaration		


Contractual warranty

\	40	
Warranty	18 months	

Product data sheet Dimensions Drawings

VW3A4417

Dimensions



Dimensions in mm

а	b	С	G	Н
117	184	40	97	170

Dimensions in in.

а	b	С	G	Н
4.61	7.24	1.57	3.82	6.69