

# ZBVG34

Light block, Harmony XB5, Harmony XB4,  
green for head Ø22 mm integral LED 110...120  
V plug in connector



## Main

|                               |                            |
|-------------------------------|----------------------------|
| Range of Product              | Harmony XB5<br>Harmony XB4 |
| Product or Component Type     | Light block                |
| Device short name             | ZBV                        |
| Sale per indivisible quantity | 5                          |
| Connections - terminals       | Plug-in connector          |
| Signalling type               | Steady                     |
| Light source                  | Protected LED              |
| Bulb base                     | Integral LED               |
| Light block supply            | Direct                     |
| Light source colour           | Green                      |
| [Us] rated supply voltage     | 110...120 V AC 50/60 Hz    |

## Complementary

|                             |                                                                   |
|-----------------------------|-------------------------------------------------------------------|
| Net Weight                  | 0.04 lb(US) (0.016 kg)                                            |
| Current Consumption         | 14 mA                                                             |
| Service life                | 100000 h at rated voltage and 25 °C                               |
| Surge withstand             | 1 kV IEC 61000-4-5                                                |
| Mounting of block           | Front mounting                                                    |
| Electrical composition code | M1<br>M2<br>M3<br>M4<br>M5<br>M6<br>M10<br>MF1<br>P1<br>P2<br>PF1 |

## Environment

|                                       |                                                                                                                                         |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Protective treatment                  | TH                                                                                                                                      |
| Ambient Air Temperature for Storage   | -40...158 °F (-40...70 °C)                                                                                                              |
| Ambient Air Temperature for Operation | -40...158 °F (-40...70 °C)                                                                                                              |
| IP degree of protection               | IP20 IEC 60529                                                                                                                          |
| Standards                             | EN/IEC 60947-1<br>EN/IEC 60947-5-1<br>JIS C8201-5-1<br>CSA C22.2 No 14<br>EN/IEC 60947-5-4<br>EN/IEC 60947-5-5<br>UL 508<br>JIS C8201-1 |
| Resistance to fast transients         | 2 kV IEC 61000-4-4                                                                                                                      |
| Resistance to electromagnetic fields  | 9.14 V/m (10 V/m) IEC 61000-4-3                                                                                                         |
| Resistance to electrostatic discharge | 6 kV on contact (on metal parts) IEC 61000-4-2<br>8 kV in free air (in insulating parts) IEC 61000-4-2                                  |

|                           |                   |
|---------------------------|-------------------|
| Electromagnetic emission  | Class B IEC 55011 |
| [Us] rated supply voltage | 110...120 V       |

## Ordering and shipping details

|                   |                                       |
|-------------------|---------------------------------------|
| Category          | 22469-PUSHBUTTON,22MM ACCESSORIES-NEW |
| Discount Schedule | CS2                                   |
| GTIN              | 3389110090222                         |
| Returnability     | No                                    |
| Country of origin | FR                                    |

## Packing Units

|                              |                    |
|------------------------------|--------------------|
| Unit Type of Package 1       | PCE                |
| Number of Units in Package 1 | 1                  |
| Package 1 Height             | 2.20 in (5.6 cm)   |
| Package 1 Width              | 1.73 in (4.4 cm)   |
| Package 1 Length             | 2.13 in (5.4 cm)   |
| Package 1 Weight             | 5.50 oz (156.0 g)  |
| Unit Type of Package 2       | CAR                |
| Number of Units in Package 2 | 5                  |
| Package 2 Height             | 2.20 in (5.6 cm)   |
| Package 2 Width              | 1.73 in (4.4 cm)   |
| Package 2 Length             | 2.13 in (5.4 cm)   |
| Package 2 Weight             | 27.51 oz (780.0 g) |

## Offer Sustainability

|                            |                                                                                                                                                                                                                                                                                             |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sustainable offer status   | Green Premium product                                                                                                                                                                                                                                                                       |
| California proposition 65  | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |
| REACH Regulation           | <a href="#">REACH Declaration</a>                                                                                                                                                                                                                                                           |
| REACH free of SVHC         | Yes                                                                                                                                                                                                                                                                                         |
| EU RoHS Directive          | Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>                                                                                                                                                                                              |
| Mercury free               | Yes                                                                                                                                                                                                                                                                                         |
| RoHS exemption information | <a href="#">Yes</a>                                                                                                                                                                                                                                                                         |
| China RoHS Regulation      | <a href="#">China RoHS Declaration</a>                                                                                                                                                                                                                                                      |
| Environmental Disclosure   | <a href="#">Product Environmental Profile</a>                                                                                                                                                                                                                                               |
| Circularity Profile        | <a href="#">End Of Life Information</a>                                                                                                                                                                                                                                                     |
| WEEE                       | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.                                                                                                                                                                |

## Contractual warranty


|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

---

Dimensions

---

with ZB5AZ009 Fixing Collar



with ZB4BZ009 Fixing Collar

