Mini circuit breaker, QO, 90A, 2 pole, 120/240VAC, 10kA, plug in mount

QO290H

Price*: 340.20 USD

۷	ı	а	ı	r	1

Mairi	
Product	Miniature circuit-breaker
Range	QO
Current Rating	90 A
Voltage Rating	120/240 V AC 240 V AC 120 V AC
Mounting Type	Plug-in
Number of Poles	2P
Circuit Breaker Type	Standard
Ratings	HACR rated
Electrical Connection	Box lugs

Complementary

Interrupt Rating	10 kA 120/240 V AC 50/60 Hz 10 kA 240 V AC 50/60 Hz 10 kA 120 V AC 50/60 Hz
Number of Panel Spaces	2
Wire Size	AWG 4AWG 2/0 copper or aluminium
Tightening Torque	44.25 lbf.in (5 N.m) 0.020.04 in² (1025 mm²) (AWG 8AWG 2)
Height	3.50 in (89 mm)
Width	1.50 in (38 mm)
Depth	2.91 in (74 mm)
Net Weight	0.75 lb(US) (0.340 kg)

Environment

Certifications	UL Listed CSA
Ambient Rating	104 °F (40 °C)

Ordering and shipping details


Category	00926-QO IND SPECIALTY CB
Discount Schedule	DE2A

^{*} Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

GTIN	785901335399	
Returnability	Yes	
Country of origin	MX	
Packing Units		
Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	1.60 in (4.064 cm)	
Package 1 Width	3.40 in (8.636 cm)	
Package 1 Length	3.80 in (9.652 cm)	
Package 1 Weight	12.00 oz (340.194 g)	
Offer Sustainability		
Sustainable offer status	Green Premium product	
California proposition 65	WARNING: This product can expose you to chemicals including: Cadmium and cadmium compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	
REACh Regulation	REACh Declaration	
EU RoHS Directive	Compliant EU RoHS Declaration	
Mercury free	Yes	
RoHS exemption information	Yes	
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.	
Halogen content performance	Halogen free product	

Warranty 18 months

Dimensions



 $Dimensions \ are \ approximate. \ Refer \ to \ technical \ documentation, \ dimension \ drawings, \ and/or \ CAD \ for \ additional \ detail.$

Recommended replacement(s)