# Product data sheet Characteristics

# 9007AC1

# Snap limit switch, 9007, 600 VAC 15amp AC +options



# Main Range of Product 9007 Series name Heavy duty Product or Component Type Device short name 9007AO/CO Body type Fixed

#### Complementary

Mounting Mode	Cabinet door type	
Operator profile	Plunger head	
Material	Metal	
Body Material	Cast zinc	
Operator material	Cast zinc	
Fixing Mode	By the body	
Movement of operating head	Linear	
Type of operator	Spring return lever arm metal cabinet door operator	
Switch actuation	On end	
Type of approach	Vertical approach, 1 direction	
Electrical connection	12 6 binder head screw terminals AWG 22AWG 14)	
Number of poles	1	
Contacts type and composition	NC-NO SPDT-DB	
Contact form	Form Z	
Contact operation	Snap action	
Number of steps	1	
Contacts material	Silver contacts	
Positive opening	Without	
Terminals description ISO n°1	(1-2)NC (3-4)NO	
Minimum force for tripping	0.5 lbf	
Maximum force for tripping	0.5 lbf	
[le] rated operational current	5 A 600 V AC, A600 NEMA rating designation 6 A 480 V AC, A600 NEMA rating designation 10 A 240 V AC, A600 NEMA rating designation 15 A 120 V AC, A600 NEMA rating designation 0.1 A 250 V DC 0.25 A 125 V DC	
[Ithe] conventional enclosed thermal current	15 A	
[Ui] rated insulation voltage	600 V 3)UL 508 contact block 600 VCSA C22.2 No 14 contact block	
Width	0.83 in (21.08 mm)	
Height	3.88 in (98.55 mm)	
Depth	1.91 in (48.51 mm)	
Product Weight	0.15 lb(US) (0.07 kg)	

#### Environment

NEMA degree of protection	NEMA 1 Nema type 250
IP degree of protection	IP20 conforming to IEC 60529
Ambient Air Temperature for Operation	-20185 °F (-2985 °C)
Ambient Air Temperature for Storage	-20185 °F (-2985 °C)

# Ordering and shipping details

Category	21491-9007 A SNAP SWITCHES	
Discount Schedule	count Schedule DS1	
GTIN	785901758921	
Returnability No		
Country of origin	US	

# Packing Units

PCE	
1	
2.54 in (6.452 cm)	
1.00 in (2.54 cm)	
6.45 in (16.387 cm)	
2.40 oz (68.039 g)	

# Offer Sustainability

WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
☑ REACh Declaration
Not applicable, out of EU RoHS legal scope

#### Contractual warranty

Warranty	18 n	nonths