



Main

Range	PowerLogic
Product or Component Type	I/O module
Device Application	Optional expansion module
Range compatibility	PowerLogic PowerLogic PM8000 PowerLogic PowerLogic ION7400 PowerLogic PowerLogic ION9000

Complementary

Number of outputs	2 form C relay output
Number of inputs	6 digital
Width	0.87 in (22 mm)
Depth	3.56 in (90.5 mm)
Height	3.56 in (90.5 mm)
Net Weight	4.94 oz (140 g)

Environment

Ambient Air Temperature for Operation	-13...158 °F (-25...70 °C)
Ambient Air Temperature for Storage	-40...185 °F (-40...85 °C)
IP degree of protection	IP30 IEC 60529

Ordering and shipping details

Category	09782-POWERLOGIC PM8000 ACCESSORIES
Discount Schedule	PL1
GTIN	3606480701993
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.94 in (10.0 cm)
Package 1 Width	4.72 in (12.0 cm)
Package 1 Length	2.36 in (6.0 cm)
Package 1 Weight	7.87 oz (223.0 g)
Unit Type of Package 2	S02
Number of Units in Package 2	15
Package 2 Height	5.91 in (15.0 cm)
Package 2 Width	11.81 in (30.0 cm)
Package 2 Length	15.75 in (40.0 cm)
Package 2 Weight	8.16 lb(US) (3.7 kg)
Unit Type of Package 3	P12

Number of Units in Package 3	750
Package 3 Height	37.40 in (95.0 cm)
Package 3 Width	31.50 in (80.0 cm)
Package 3 Length	47.24 in (120.0 cm)
Package 3 Weight	427.70 lb(US) (194.0 kg)

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
REACH Regulation	REACH Declaration
EU RoHS Directive	Compliant with Exemptions
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End Of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.