

Product End of Life Instructions

XB4 Pilot Light









Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	Bezel,Screw,Bracket,Rivet	63.73	Metal Parts
To be dismantled	2	Head cap,Contact cover, Housing	8.91	Plastic Parts
To be depolluted	3	Electronic Board (Communication) > 10cm ²	0.5106	Electronic Components

Product description

Manufacturer identification	Schneider Electric Industries SAS	
Brand name	Schneider Electric	
Product function	The function of complete pilot light unit is to provide signal when receive rated voltage input.	
Product reference	XB4BVB3	
Total representative product mass	74 g	
Representative product dimensions	H46.5mm x L54 mm x D30 mm	
Accessories	No accessories needed	
Date of information release	01/2024	

Additional information

Legal information	Electroni the count provides	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
In case of special transportation: transportation method	No specific means of transportation are required.			
Recyclability potential	85%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).		

Schneider Electric Industries SAS
Country Customer Care Center
http://www.schneider-electric.com/contact
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439

www.se.com

Published by Schneider Electric

ENVEOLI2308026_V2

Capital social 928 298 512 €

© 2023 - Schneider Electric - All rights reserved

01/2024