



Sealing plug for unused round control points, 22 mm, plastic, black

product brand name	SIRIUS ACT		
product designation	Sealing plug		
product type designation	3SU1		
Actuator			
shape of the actuating element	round		
outer diameter of the actuating element	29.5 mm		
General technical data			
protection class IP	IP66, IP67, IP69(IP69K)		
degree of protection NEMA rating	1, 2, 3, 3R, 4, 4X, 12		
reference code acc. to IEC 81346-2	S		
Substance Prohibance (Date)	01.10.2014 00:00:00		
Ambient conditions			
ambient temperature	-25 ... +70 °C -40 ... +80 °C		
- during operation - during storage			
environmental category during operation acc. to IEC 60721	3M6, 3S2, 3B2, 3C3, 3K6 (with relative air humidity of 10 ... 95 %)		
Installation/ mounting/ dimensions			
shape of the installation opening	round		
mounting diameter	22.3 mm		
positive tolerance of installation diameter	0.4 mm		
mounting height	6.5 mm		
installation width	29.5 mm		
installation depth	24.2 mm		
Accessories			
material of accessory	Plastic		
color of accessory	black		
Certificates/ approvals			
General Product Approval		Declaration of Conformity	Test Certificates



[UK Declaration of Conformity](#)

[Type Test Certificates/Test Report](#)

Test Certificates

Marine / Shipping

[Special Test Certificate](#)



other

[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0FA10-0AA0>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0FA10-0AA0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0FA10-0AA0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0FA10-0AA0&lang=en



last modified:

12/21/2020 