

24 V socket - 7/8" Angled 5-pole max. 1.5 mm² with screw terminals Cable diameter 6...8.7 mm Operational current max. 9 A IP67 in inserted and screwed condition



General technical data		
ampacity per pin maximum	A	9
operating voltage maximum	V	250
flow resistance maximum	Ω·m	3
Mechanical data		
type of connection technology		Screw terminals
connector type		Socket
type of cable outlet		angled
number of poles		5
connectable conductor cross-section for flexible conductor maximum	mm ²	1.5
diameter of inlet opening	mm	6 ... 8.7
material		Brass Gold Polyamide, polyurethane Zinc diecast, nickel-plated, polybutylene terephthalate
<ul style="list-style-type: none"> • of the contact • of contact coating • of connector fixed part • of the enclosure 		
depth	mm	20
height	mm	54
width	mm	43
type of strain relief		Pressure screw, pinch ring
mechanical service life (mating cycles)		100
type of plug interlock		7/8 thread
Ambient conditions		
ambient temperature		
<ul style="list-style-type: none"> • during storage • during operation 	°C	-25 ... +85
	°C	-25 ... +85
protection class IP		IP67
chemical resistance		
<ul style="list-style-type: none"> • to mineral oil • to water • to grease 		conditional, must be checked relative to the application conditional, must be checked relative to the application conditional, must be checked relative to the application
Certificates/ approvals		
certificate of suitability		
<ul style="list-style-type: none"> • CSA approval • RoHS conformity • UL approval • CCC 		No Yes No No

- IEC approval
- cUL approval
- C-Tick

No
No
No

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RK1902-3DA00>

Cax online generator

<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RK1902-3DA00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RK1902-3DA00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RK1902-3DA00&lang=en

last modified:

12/23/2020 