SIEMENS

Data sheet

3SU1401-3BA30-5AA0



LED module with integrated LED, 5 V DC, yellow, solder terminal, for use on printed circuit boards

product brand name	SIRIUS ACT
product designation	LED module
product type designation	3SU1
General technical data	
product component	
• diode	Yes
lamp transformer	No
light source	Yes
series resistor	No
insulation voltage rated value	30 V
degree of pollution	3
type of voltage of the operating voltage	DC
for actuation	DC
surge voltage resistance rated value	0.8 kV
consumed current maximum	20 mA
protection class IP	
• of the enclosure	IP40
of the terminal	IP20
shock resistance	
 according to IEC 60068-2-27 	sinusoidal half-wave 15g / 11 ms
 for railway applications according to EN 61373 	Category 1, Class B
vibration resistance	
 according to IEC 60068-2-6 	10 500 Hz: 5g
 for railway applications according to EN 61373 	Category 1, Class B
operating period typical	100 000 h
reference code according to IEC 81346-2	P
Substance Prohibitance (Date)	10/01/2014
operating voltage 1	
 at DC rated value 	5 V
relative positive tolerance of the operating voltage	20 %
relative negative tolerance of the operating voltage	20 %
Control circuit/ Control	
inrush current maximum	0.1 A
Connections/ Terminals	
type of electrical connection	Socket connection (THT)
Lamp	
type of light source	LED
color of the light source	yellow
light intensity	900 1 400 mcd
certificate of suitability	

• ATEX			No				
• IECEx			No				
Ambient conditions							
ambient temperature							
during operation			-25 +70 °C				
during storage			-40 +80 °C				
environmental category during operation according to IEC 60721			3M6, 3S2, 3B2, 3K6 (with relative air humidity of 10 \dots 95%, no condensation in operation permitted)				
Installation/ mounting/ dimensions							
fastening method							
 of modules and accessories 			Printed circuit board				
height			8.1 mm				
width			8.1 mm				
depth			30.6 mm				
suitability for integrati	on						
 plastic enclosure 			No				
 metal enclosure 			No				
Certificates/ approvals							
General Product Approval				Declaration of Conformity			
	<u>Confirmation</u>	SAU UR		EHC	CE EG-Konf.	UK CA	
Test Certificates		Marine / Shipp	ing				
<u>Special Test Certific-</u> <u>ate</u>	<u>Type Test Certific-</u> ates/Test Report	ABS		Lloyd's Register uis	PRS	RINA	
other	Environment						
<u>Confirmation</u>	Environmental Con- firmations						

Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1401-3BA30-5AA0


Cax online generator


http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1401-3BA30-5AA0

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/3SU1401-3BA30-5AA0

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...) http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1401-3BA30-5AA0&lang=en





last modified:

3/9/2022 🖸